TaiShan
SINCE 1978

TAISHAN SPORTS | 2024


CHILDREN'S EQUIPMENT

Taishan Sports

TaiShan Sports Brings Sports Enjoyment To The World

CATALOGUE

Shandong Taishan Sports Equipment Co., Ltd



01 Taishan Sports

About Us 02

02 Child Exercise Machines

Youth Parkour 04
Happy Gymnastics 09
Children Mats 23
Child Park 36
Child Auxiliary Equipment 60
Shengtong Series 74
Aotong Series 90

01

TAISHAN SPORTS

Abouts Us



—— Abouts Us ——

One-stop Global Sports Solution Service

As a world-famous sports equipment manufacturer and seller, Taishan Sports is now leading China's sports industry. It has successfully served multiple major sports events, such as Olympic Games, Youth Olympic Games, Asian Games, FISU World University Games, and National Games, using its pioneering CD2S (Consult, Design, Supply, and Service) service model for major sports events. Credited as "an Olympic miracle" by the former IOC president Jacques Rogge, Taishan Sports' high standard service with "Zero Faults, Zero Breakdowns, Zero Complaints" has made itself a proud national brand.

Entitled as National Sports Goods Engineering Technology Research Center, National Industrial Design Center, National Enterprise Technology Center, and Postdoctoral R&D Station, Taishan Sports is fully capable of conducting R&D of and testing on national level sports goods. With nearly 300 patents in hand, it has led and participated in setting over 60 domestic and international sports industry standards. More than 100 of its products have been approved by FIG, IJF, WT, UWW, WA, and IWUF, and its XPE multifunctional sports mats are listed on the China Torch Program. With all of its competitive gymnastic equipment approved by FIG, Taishan Sports has unprecedentedly adopted carbon fiber composite in production, never stopping technological innovation and material upgrade. Meanwhile, it continues to popularize gymnastic equipment and has come up with products for children and the elderly, creating "Taishan quality shared around the globe".

02

CHILD EXERCISE MACHINES

Youth Parkour 04

Happy Gymnastics 09

Children Mats 23

Child Park 36

Child Auxiliary Equipment 60

Shengtong Series 74

Aotong Series 90


Youth Parkour

Child Equipment

Enrich children's sensory stimulation through playing and improve children's brain organization and coordination abilities, basic mobility, and social skills. It is conducive to the development of children's good mood, interest, will, and temperament.









A

No.	Model	Name
①	TQ4586/1	Stacking mat
②	TQ2040/1	Climbing net
③	TQ4735	Wedge mat
④	TQ4750	Balance beam
⑤	TQW2040	Crawling net

No.	Model	Name
⑥	TQ4797	Column
⑦	TQ4647	Big triangle
⑧	TQW2041	Runway
⑨	TQW2042	Start zone




②


⑤


⑩



⑪




⑫

B



No.	Model	Name
①	TQ4586/1	Stacking mat
③	TQ4735	Wedge mat
⑤	TQW2040	Crawling net
⑧	TQW2041	Runway
⑨	TQW2042	Start zone

No.	Model	Name
⑩	TQW2043	Curved climbing wall
⑪	TQW2044	Adjustable climbing frame
⑫	TQW2045	Adjustable mobile triangle wall
⑬	TQW2046	Start zone





Parkour (age 5-8)			
Item	Size (mm)	Specification	Image
Folding slant board for redirecting	800×500	This apparatus consists of birch board, anti-skid board, anti-skid foot pad, and supporting frame. It has 3 different angles and is suitable for children at different ages.	
Marker box	500×500×150	This apparatus is made of melamine board, XPE, and anti-skid artificial leather.	
3-level stackable boxes	300×600×1000L	This apparatus consists of 3 boxes and each box is 200*300*1000 mm. A reinforcing board is on the bottom. The overall height is 600mm. These boxes can be freely stacked in different ways. The top part is made of XPE and anti-skid artificial leather.	
Balance beam	3500mm(L)*1000mm(W)	This apparatus consists of stacking boxes and a 2.5m wooden beam. The wooden beam can be set in different angles for different difficulty levels. Such an apparatus for children of 5 to 6 consists of 3 levels of boxes that are linked together.	
A-board (for older children)	948×1000×1100	This apparatus is made of metal frame, wooden board, and anti-skid artificial leather. The wooden bar on the top allows the height to be adjusted between 1100mm to 1000mm for different difficulty levels. It has bumper strips.	
T-frame	1000×1000×800	This apparatus is made of metal frame, wooden board, and anti-skid artificial leather. A U-shaped bar with adjustable height is on the top. Leverage wheels are at the bottom for easy moving. It has bumper strips.	
T-frame pedstal	500×400×1000	Used together with T-frame, this pedstal is T-shaped. Its upper side is 500mm wide, lower side 205mm wide. Its height is 400mm and length 1000mm.	
Runway and climbing box combination	Height 1800	This apparatus consists of a 700*800*1000 mm melamine box as the pedstal on which several 700mm*200mm*1000mm wooden boxes are stacked. Two detachable slop runways are located on either side. Extending bars are on either side of the box.	
Widened balance beam protective mat	2500(L)*150(W)	This mat is made of PVC artificial leather, and XPE infill. It is used together with the balance beam and connected through strap adjuster buckle.	
Rolling mat	2000×1500×200	This mat is used at the bottom of the slid of the runway and climbing box combination	

Parkour (age 9-10)

Item	Size (mm)	Specification	Image
Folding slant board for redirecting	800×500	This apparatus consists of birch board, anti-skid board, anti-skid foot pad, and supporting frame. It has 3 different angles and is suitable for children at different ages.	
Redirecting board pedestal	800×500×200	This apparatus is made of melamine board and bumper strips and can be used together with folding slant board for redirecting.	
Redirecting board pedestal	800×500×400	This apparatus is made of melamine board and bumper strips and can be used together with folding slant board for redirecting.	
Marker box	500×500×150	This apparatus is made of melamine board, XPE, and anti-skid artificial leather.	
4-level stackable boxes	300×800×1000L	This apparatus consists of 4 boxes and each box is 200mm*300mm*1000mm. A reinforcing board is on the bottom. The overall height is 800mm. These boxes can be freely stacked in different ways. The top part is made of XPE and anti-skid artificial leather.	
3-level stackable boxes	300×600×1000L	This apparatus consists of 3 boxes and each box is 200mm*300mm*1000mm. A reinforcing board is on the bottom. The overall height is 600mm. These boxes can be freely stacked in different ways. The top part is made of XPE and anti-skid artificial leather.	
Balance beam	3500(L)*1000(W)	This apparatus consists of stacking boxes and a 2.5m wooden beam. The wooden beam can be set in different angles for different difficulty levels. Such an apparatus for children of 7 to 8 consists of 3 levels of boxes that are linked together.	
A-board (for older children)	948×1000×1100	This apparatus is made of metal frame, wooden board, and anti-skid artificial leather. The wooden bar on the top allows the height to be adjusted between 1100mm to 1000mm for different difficulty levels. It has bumper strips.	
T-frame	1000×1000×800	This apparatus is made of metal frame, wooden board, and anti-skid artificial leather. A U-shaped bar with adjustable height is on the top. Leverage wheels are at the bottom for easy moving. It has bumper strips.	
Runway and climbing box combination	Height 2000	This apparatus consists of a 700mm*800mm*1000mm melamine box as the pedstal on which several 700*200*1000 mm wooden boxes are stacked. Two detachable slop runways are located on either side. Extending bars are on either side of the box.	
Kong vault block	1500(L)*700(W)*750(H)	This apparatus consists of 3 layers of mats. Each mat is 250mm thick and made of artificial leather and XPE. It is used for doing parkour movement.	
Rolling mat	2000×1500×200	This mat is used at the bottom of the slid of the runway and climbing box combination	

Parkour (age 11-12)

Item	Size (mm)	Specification	Image
Folding slant board for redirecting	800×500	This apparatus consists of birch board, anti-skid board, anti-skid foot pad, and supporting frame. It has 3 different angles and is suitable for children at different ages.	
Redirecting board pedestal	800×500×200	This apparatus is made of melamine board and bumper strips and can be used together with folding slant board for redirecting.	
Redirecting board pedestal	800×500×400	This apparatus is made of melamine board and bumper strips and can be used together with folding slant board for redirecting.	
Marker box	500×500×150	This apparatus is made of melamine board, XPE, and anti-skid artificial leather.	
4-level stackable boxes	300×800×1000L	This apparatus consists of 4 boxes and each box is 200*300*1000 mm. A reinforcing board is on the bottom. The overall height is 800mm. These boxes can be freely stacked in different ways. The top part is made of XPE and anti-skid artificial leather.	
Balance beam	3500mm(L)*1000mm(W)	This apparatus consists of stacking boxes and a 2.5m wooden beam. The wooden beam can be set in different angles for different difficulty levels. Such an apparatus for children of 7 to 8 consists of 3 levels of boxes that are linked together.	
A-board (for older children)	948×1000×1100	This apparatus is made of metal frame, wooden board, and anti-skid artificial leather. The wooden bar on the top allows the height to be adjusted between 1100mm to 1000mm for different difficulty levels. It has bumper strips.	
T-frame	1000×1000×800	This apparatus is made of metal frame, wooden board, and anti-skid artificial leather. A U-shaped bar with adjustable height is on the top. Leverage wheels are at the bottom for easy moving. It has bumper strips.	
Runway and climbing box combination	Height 2000	This apparatus consists of a 700*800*1000 mm melamine box as the pedstal on which several 700*200*1000 mm wooden boxes are stacked. Two detachable slop runways are located on either side. Extending bars are on either side of the box.	
Kong vault block	1500mm(L)*700mm(W)*750mm(H)	This apparatus consists of 3 layers of mats. Each mat is 250mm thick and made of artificial leather and XPE. It is used for doing parkour movement.	
Rolling mat	2000×1500×200	This mat is used at the bottom of the slid of the runway and climbing box combination	

Happy Gymnastics

Child Gymnastics Training Equipment





Child Parallel Bars

- Model: TQ2003
- 1. Bar diameter: 4cm; length: 170cm; material: high quality fiberglass with wooden cover.
  2. Bars adjust from 95cm to 135cm in 5cm increment. Distance between bars can steplessly adjust from 26cm to 130cm.
- Features: Uprights with special locking handles for quick height adjustment and connected to the base through special clamping screw knobs for quick bar distance adjustment. Surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.





Happy Gymnastics Parallel Bars

- Model: TQ2085
- 1. The bars are 170cm long and have a diameter of 4cm. It is made of high quality fiberglass coated with wood.
  2. The height of the low bar can be adjusted from 95cm to 135cm in 5cm increment. The distance between the bars can be steplessly adjusted from 26cm to 130cm.
- Features: The uprights have special locking lifting handles for quick height adjustment. The uprights and the base are connected through a special tightening device for quick distance adjustment between the bars. The surface is finished with powder coating (red).



Parallel Bars Training Blocks

Model	Dimensions		
TQ2006	L 160cm	W 60cm	H 100cm
TQ2006/1	L 160cm	W 60cm	H 120cm

- Material: Blocks filled with eco-friendly material, has increased elasticity to prevent injury during training, and are linked through Velcro tapes to ensure stability.
- Features: Blocks are elastic and stable. Uprights are connected to the base through special clamping screw knobs for quick, stepless blocks distance adjustment. Surface of the metal part finished with baked varnish (silver). It is an solid system that consists of blocks, uprights, and base.



Low Parallel Bars

- Model: TQ2004
- 1. Bar length: 270cm; material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
  2. Distance between two bars can be steplessly adjusted from 32cm to 42cm. Columns on the long side are 200cm apart.
- Features: Surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.



Child Horizontal Bar (A)

- Model: TQ2008
- Specification: Bar is 170cm long and has a diameter of 4cm and adjusts from 155cm to 195cm in 5cm increment.
  Bar material: High-quality fiberglass with wooden cover.
- Features: The special locking lifting handles on the uprights ensure quick adjustment of the bar height. The uprights and the base are connected through a special fastening device so that the position of the bar can be quickly adjusted. Surface is spray-painted in silver. It is a solid system that consists of bar, uprights, base, and adjustable tubes.



Multifunctional Horizontal Bar

- Model: TQ2007
- 1. Bar is 240cm long and had a diameter of 2.8cm.
  2. The outer tubes have special locking lifting handles. The ear places allow for quick replacement of the bar during training.
  3. Tension cables are made of φ0.6cm stainless steel wires with turnbuckles for quick adjustment.
  4. Bar adjusts from 90cm to 280cm.
- Features: Height adjustment is quick and easy and not limited by the tension cables. The feet can disperse shock and absorb pressure for athletes. It is a solid system that consists of bar, uprights, base, adjustable tubes, and tension cables.




Happy Gymnastic Horizontal Bar

- Model: TQ2083
- 1. The bar is 170cm long and has a diameter of 4cm. It is made of high quality fiberglass coated with wood.
  2. The height can be adjusted from 155cm to 195cm in 5cm increment.
- Features: The apparatus is safe and stable and its bar is elastic. The surface is finished with powder coating (red).



Detachable Children Horizontal Bar

- Model: TQ2008/3
- Weight: 45kg
  Specification: Bar is 130cm long and has a diameter of 4cm. It adjusts from 90cm to 150cm in 5cm increment.
  Bar material: High quality fiberglass with wooden cover.
- Features: The detachable design allows for easy transportation and increases structural stability. The special locking lifting handles on the uprights ensure quick adjustment of the bar height. The uprights and the base are connected through a special fastening device so that the position of the bar can be quickly adjusted. Surface is spray-painted. It is a solid system that consists of bar, uprights, base, and adjustable tubes.



Child Ring


- Model: TQ2032
- 1. Rings have a diameter of 16cm and are made of composite wood with strong moisture absorption.
  2. Rings adjust from 115cm to 145cm in 5cm increment.
- Features: The special locking lifting handles on the uprights ensure quick adjustment of the ring height. Uprights are connected to the base through special clamping screw knobs for higher stability and safety. Surface is spray-painted (silver). It is a solid system that consists of crossbar, uprights, base, and rings.



Child Training Uneven Bars (A)

- Model: TQ2010
- 1. Rail diameter 4cm, rail length 240cm, made of high quality fiberglass wrapped by beech veneer.
  2. The tension system is made of φ0.6cm stainless steel wire rope, equipped with 2 quick adjustment devices, make the tension of tension ropes can be finished quickly.
  3. The height of the low rail is 135cm-185cm, high rail 205cm-255cm. The distance between two rails is 110cm-185cm steplessly adjustable.
- Features: The rails made of special technology is conducive to the athletes' exertion of difficult performance. The special locking and lifting system saves time for height adjustment during training and competition. The wider base increases the overall stability. Powder coating technology is adopted for the surface treatment(silver). Composed of rails, columns, base, regulating rods and tension ropes.





Training Uneven Bars (B)

- Model: TQ2011
- 1. Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
  2. The lower rail adjusts from 135cm to 185cm and the higher rail from 205cm to 255cm in 5cm increment. Distance between the two rails adjusts steplessly from 110cm to 185cm.
- Features: Uprights are fixed by diagonal braces with connecting devices, so that the apparatus is not limited by the condition of the site or floor hooks. The wider base has moving wheels and increases overall stability. Surface is spray-painted (silver). The apparatus consists of rails, uprights, base, adjusting rods, and diagonal braces.



Arm Strength Trainer for Ring

- Model: TQ2031
- Dimension: 260*81*75/120cm
  Sliding board dimension: 70*34cm
  Sliding board is covered with special fiber leather and uses plywood board and heavy duty sponge on the inside. The special sliding device allows for smooth sliding.
- Features: Smooth sliding, easy height adjustment, and overall stability. Surface is spray-painted (silver). The apparatus consists of sliding board, frame, adjusting tubes, uprights, and rings.



Happy Gymnastic Rings

- Model: TQ2087
- 1. The ring has a diameter of 16cm and is made of composite wood which has high moisture and water absorption.
  2. The height can be adjusted from 115cm to 145cm in 5cm increment.
- Features: The two rings are evenly positioned for best shock absorption and can protect children's hands from injuries. The apparatus is stable. The surface is finished with powder coating (red).




Elastic Handstand Rotation Trainer

- Model: TQ2015
- Specification: The bars are 170cm long with a 4cm diameter, and adjusts from 95cm to 135cm off the ground. The width between the bars and the elastic parts can adjust steplessly.
  Material: The bar is made of high quality glass reinforced plastic with wooden cover. The elastic components are rubber band with heavy duty sponge covered in PU leather and bonded through Velcro straps for good overall elasticity.
- Features: The upright is equipped with special locking and lifting handle which allows for quick height adjustment. The uprights and the base are connected by a special tightening device which allows for quick adjustment of the distance between the elastic parts and the bars. The surface is spray-painted (silver). The apparatus consists of bars, elastic parts, uprights, and base and has good stability.



Child Uneven Bars

- Model: TQ2012
- 1. Rails are 170cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
  2. The lower rail adjusts from 95cm to 135cm and the higher rail from 155cm to 195cm in 5cm increment. Distance between the two rails adjust steplessly from 26cm to 130cm.
- Features: The special locking and adjusting handles of the uprights allow for quick height adjustment. Uprights and base are connected by special tightening devices for quick adjustment of the distance between the rails. Surface is spray-painted (silver). The apparatus is stable and consists of rails, uprights, and base.



Low Horizontal Bar (A)

- Model: TQ2013
- 1. Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
  2. The tension system is made of φ0.6cm stainless steel wires with 2 tensioners that allow for quick tension adjustment to the rope.
  3. Height is adjustable from 145cm to 255cm.
- Features: The apparatus is highly stable and safe. Its rail is elastic. The tension system ensures the overall stability. Surface is spray-painted (silver). The apparatus consists of rail, base, and tension system.



Happy Gymnastics Uneven Bars

- Model: TQ2086
- 1. The bars are 170cm long and have a diameter of 4cm. It is made of high quality fiberglass coated with wood.
  2. The height of the low bar can be adjusted from 95cm to 135cm and that of the high bar from 155cm to 195cm, both in 5cm increment.
- Features: The uprights have special locking lifting handles for quick height adjustment. The uprights and the base are connected through a special tightening device for quick distance adjustment between the bars. The surface is finished with powder coating (red).



Low Horizontal Bar (B)


- Model: TQ2014
- 1. Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
  2. The oversize round bases have non-slip rubber pads.
  3. Height is 41cm.
- Features: The oversize bases enhance the overall stability of the apparatus. Surface is spray-painted (silver). The apparatus consists of rail, uprights, and bases.



Balance Beam (B)

Name	Model	Beam Length	Upper Width	Height	Overall Height
Low Balance Beam (B)	TQ2019	500cm	10cm	16cm	40cm
3m Low Balance Beam (B)	TQ2019/1	300cm	10cm	16cm	40cm
2.5m Low Balance Beam (B)	TQ2019/2	250cm	10cm	16cm	40cm

- Features: Uprights with special locking handles for quick height adjustment and connected to the base through special clamping screw knobs for quick bar distance adjustment. Surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.



Balance Beam

Name	Model	Beam Length	Upper Width	Height	Overall Height
Low Balance Beam	TQ2051	500cm	10cm	16cm	25cm
3m Low Balance Beam	TQ2051/1	300cm	10cm	16cm	25cm
2.5m Low Balance Beam	TQ2051/2	250cm	10cm	16cm	25cm

- Material: High density rubber sponge is glued to the top side. The beam is covered with special fiber leather.
  Feature: The moisture absorbing surface provides good shock absorption. The special rubber shock absorbing system increases the overall elasticity of the beam. Locking is quick and safe. The preformed foam plugs maximize the protection of athletes. The apparatus consists of horizontal beam and main frame.



Training Balance Beam

- Model: TQ2017A
- 1. The Beam is 500cm long, 10cm wide on the top, and 16cm high, and covered with special fiber leather and hygroscopic materiel which allows for better shock absorption.
  2. The overall height is adjustable from 70cm to 125cm in 5cm increment.
- Features: The special rubber shock absorbing system increases the overall elasticity of the beam. The handles allow for quick beam height adjustment and fast and firm locking. The foam plugs maximize the protection of athletes. The apparatus consists of beam and legs.

Foldable Balance Beam

- Model: TQ2017
- Material: chamois+foam+wood
  Function: improve child's balance, physical coordination, and reaction



Balance Beam

Model	Name	Specification	Material
TQ4602	KD Soft Balance Beam	123×19/10×9cm	PVC woven fabric + microfiber leather +XPE
TQ4750	Soft Balance Beam	200×25/15×15cm	
TQ2577	KL Soft Balance Beam	400×20/30×30cm	





Balance Beam Multifunctional Mat

- Model: TQ2549/6
- Specification: 150×100×1.5cm
  Features: It is used for balance beam auxiliary training, and made of skin-firendly materials, jacquard wire cloth, and memory sponge, making it soft and comfortable. Color options: red, pink, green, and yellow.



Low Pommel Horse (B)

- Model: TQ2045
- 1. Bench surface is made of special fiber leather. The one-step hot pressed bench body has a flexible layer on top and is 160cm long, 36.2cm wide on the upper side, and 16.6cm high.
  2. The distance between two pommels adjusts from 40cm to 45cm. The apparatus adjusts from 50cm to 65cm off the ground in 5cm increment.
- Features: Bench body has improved shock absorption that prevents joint injuries to athletes from long-term use. The locking adjustment device allows for quick height adjustment. The surface is spray-painted (silver). The apparatus consists of pommels, bench body, lifting rod, and base.



Training Pommel Horse

- Model: TQ2024
- 1. Bench surface is made of special fiber leather. The one-step hot pressed bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high.
  2. Pommels are 12cm high and the distance in between adjusts from 40cm to 45cm. The bench adjusts from 95cm to 125cm in 5.5cm increment above the ground.
- Features: Heavy duty sponge and transverse pressure infill improves shock absorption to prevent joint injuries to athletes from long-term use. The surface is spray-painted (silver). The apparatus consists of pommels, bench body, supporting legs, and base.



Low Pommel Horse (A)

- Model: TQ2025
- 1. Bench surface is made of special fiber leather. The one-step hot pressed bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high.
  2. Base is made of laminated multiplayer board that provides good overall elasticity and stability.
  3. Pommels are 12cm high and the distance in between adjusts from 40cm to 45cm. The apparatus is 37cm high.
- Features: The wooden bow-shaped base increases overall flexibility and stability. Surface is spray-painted (silver). The apparatus consists of pommels, bench body, and wooden base.



Adjustable Mushroom Trainer

- Model: TQ2026
- 1. Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
  2. The mushroom head adjusts from 50cm to 70cm in 5cm increment.
- Features: The one-piece mushroom head using injection molding increases overall flexibility and stability. Three special footpads and one rubber micro adjustment device can effectively protect floor and be used on uneven site. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, adjusting tube, and base.



Single Pommel Mushroom Trainer

- Model: TQ2027
- 1. Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
  2. Pommel is 12cm high. The apparatus adjusts from 50cm to 70cm in 5cm increment.
- Features: The one-piece mushroom head using injection molding increases overall flexibility and stability. Three special footpads and one rubber micro adjustment device can effectively protect floor and be used on uneven site. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, adjusting tube, base, and pommel.



Double Pommel Mushroom Trainer

- Model: TQ2028
- 1. Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
  2. The distance between pommels is adjustable. The apparatus adjusts from 50cm to 70cm in 5cm increment.
- Features: The one-piece mushroom head using injection molding increases overall flexibility and stability. Three special footpads and one rubber micro adjustment device can effectively protect floor and be used on uneven site. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, adjusting tube, base, and pommel.



Rotating Mushroom Trainer

- Model: TQ2029
- 1. Surface of the mushroom is made of special fiber leather. The mushroom is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
  2. The round platform has a specially processed soft layer and covered with special fiber.
- Features: The oversize round platform provides more supporting area for athletes. The one-piece mushroom using injection molding increases overall flexibility and stability. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, round platform, upright, and base.



Mushroom Trainer (B)


- Model: TQ2055
- 1. Surface of the mushroom is made of special fiber leather. The mushroom is one-step hot pressed and has a diameter of 60cm.
  2. The mushroom head is 46.3cm high.
- The mushroom head using injection molding increases the overall elasticity and stability. The apparatus is for happy children gymnastic equipment and consists of mushroom head, upright, and base.



Mushroom Trainer (A)


- Model: TQ2050
- Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 100cm.
- Features: Welded one-piece base increases the overall stability. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head and base.





Training Pommel Horse

- Model: TQ2024
- 1. Bench surface is made of special fiber leather. The one-step hot pressed bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high.
  2. Pommels are 12cm high and the distance in between adjusts from 40cm to 45cm. The bench adjusts from 95cm to 125cm in 5.5cm increment above the ground.
- Features: Heavy duty sponge and transverse pressure infill improves shock absorption to prevent joint injuries to athletes from long-term use. The surface is spray-painted (silver). The apparatus consists of pommels, bench body, supporting legs, and base.



Big Vaulting Buck

- Model: TQ2091
- Specification: The size of the bench is 60cm*35cm*28cm. The height can be adjusted from 100cm to 140cm.
  Material: The surface is covered with special fiber leather. The built-in body is one-step mold pressed.
- Features: The apparatus assists in jump training. The legs are spray-painted in silver. It consists of bench, adjustable legs, and base.



New Vaulting Buck

- Model: TQ2035
- Specification: The size of the bench is 50cm*36.5cm*28.8cm. The height can be adjusted from 80cm to 110cm in 5cm increment.
  Material: The surface of the bench is made of one-step pressed special fiber leather. The upper part of the bench is made of heavy-duty foam. The vaulting buck is equipped with 4 special micro-adjusting knobs which can effectively protect floor and allow the apparatus to be used on uneven surface.
- Features: The base is made of oval tubes welded together and increases overall safety. The surface is finished with silver powder coating. The vaulting buck consists of bench, uprights, and base.



Training Vaulting Table

- Model: TQ2022A
- 1. The apparatus is 120cm long and 95cm wide and made of molded glass fiber. Special shock-absorbing material glued to the upper surface provides ample buffer. The movement area and the warning area are clearly distinguished.
  2. The overall height is adjustable from 110cm to 135cm in 5cm increment.
- Features: The tongue-shaped platform can effectively avoid accidents and injuries to athletes. The one-step formed upright increases overall safety. The table has improved moisture absorption and antislip. The metal parts are electrostatic painted. Standard color is silver. Other colors are available.



Square Sponge Vaulting Table

- Model: TQ2523/1
- Dimension: 130*95*95cm
  Weight: 58kg
  Material: XPE and heavy duty sponge
  Features: It provides assistance during training and is suitable for beginners.



Wall Bar

- Model: TQ2059
- Specification: 90cm*18cm*280cm
  Material: The wall bar is made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
  Feature: The surface is finished with eco-friendly sprayed varnish.



Double Wall Bar

- Model: TQ2084
- Specification: 180cm*18cm*280cm
  Material: The wall bar is made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
  Feature: The surface is finished with eco-friendly sprayed varnish.



Child Springboard

- Model: TQ2044
- Specifications: 76cm×57cm×16cm
  Features: It is strong, elastic, and stable and has good anti-slip surface. It is specifically designed for gymnastic beginners and suitable for child's practice.



Child Gymnastic Equipment Combination A

- Model: TQ2060
- Specifications: 461cm×461cm×207cm
  Weight: 193kg (Excluding Mats)
- Features: The overall layout of this apparatus is reasonable and the stability is high. It is mainly used for children's entertainment and physical training.



Child Gymnastic Equipment Combination B

- Model: TQ2061
- Specification: 720cm*350cm*155cm.
  Weight: 205kg
- Includes: TQ2003 Child Parallel Bars*1
  TQ2008 Horizontal Bar for Kids (A)*1
  TQ2012 Uneven Bars for Children*1
  TQ2032 Gymnastic Ring for Kids*1
- Features: The overall layout of this apparatus is reasonable and the stability is high. It is mainly used for child's entertainment and physical training.



7-Piece Vaulting Box

- Model: TQ2053
- 1. The upper surface is covered with special fiber leather. The built-in body is made of pine board with EVA glued to the top. The size of the entire box is 130cm*78cm*125cm.
  2. The vaulting box consists of 7 pieces that are made using mortise and tenon. The entire box is firm.
- Features: Heavy-duty inner foam increases shock absorption and overall comfort. The surface is sprayed with eco-friendly varnish.



5-Piece Vaulting Box

- Model: TQ2077
- 1. The upper surface is covered with special fiber leather. The built-in body is made of pine board with EVA glued to the top. The size of the entire box is 125cm*78cm*125cm.
  2. The vaulting box consists of 5 pieces that are made using mortise and tenon. The entire box is firm.
- Features: Heavy-duty inner foam increases shock absorption and overall comfort. The surface is sprayed with eco-friendly varnish.



Child Gymnastic Equipment Combination A Protective Cushion

- Model: TQ2560
- Weight: 120kg
  Features: reasonable layout and high stability once installed. Mainly used in child's playing and exercising.
  Note: gymnastic equipment not included

Children Mats

CHILD EXERCISE APPARATUSES

Reading Mat

The reading mat can be used when 0-12 years old babies interacting with parents or teachers. Before children can hold pens, they must be assisted by adults when using the mat. Touch different images with the pen and the mat can pronounce the names of the animals, make the sounds of the animals, and the sounds of the environments the animals live in, providing vivid sensory experience. When children can hold pens, they can touch the images with the pen themselves.



Model	JR1101	JR1101/1	JR1101/2	JR1101/3
Specification	180×200×1.5cm	180×150×1.5cm	180×200×1.0cm	180×150×1.0cm
Material	XPE+Color film+touch filme			

Warm Water Mat

The warm water mat is made of XPE and has soft colors and touch. Its elegant look and classic pattern give it a deluxe quality. It is comfortable and can help users thoroughly relax and get into deep sleep. It is made of environmentally friendly hot water tubes that are heat-resistant and have high flexural strength. It bottom is anti-slip and moisture-proof. Thus the mat is highly safe. The warm water mat, aka hot water circulating temperature control mattress, is a well-known South Korean brand. Its mattress generator magnetizes and heats up water to produce magnetized ionized water, and pumps hot water through hot water tubes to warm up the mat. This way it can improve blood circulation and keep the body warm, eliminating fatigue and improving sleep. It is the best choice for busy modern people to reduce pressure, relieve physical and mental fatigue and improve sleep quality. The magnetized water works as the medium for heating, making the mat free of the harm of electromagnetic wave radiation. It is suitable for people with cold body, insomnia, and rheumatic, pregnant women, middle-aged and elderly people, infants, and children. It is especially beneficial to the health of the elderly who suffer from hypertension, arthritis, heart disease, and diabetes.










Model	Specification	Material
JR1201	180×200×2.0cm	Color film+XPE+PVC tubes+Fabric straps+Water warmer
JR1201/1	180×150×2.0cm	Color film+XPE+PVC tubes+Fabric straps+Water warmer

ECO Edge-laminated Mat

ECO mat is the latest R&D product of South Korea. It is made of eco-friendly, high-density XPE. It is green, non-toxic, anti-bacterial, anti-noise, odor free, oversized, ultra-light, wear-resistant, waterproof, and moisture-proof, with excellent touch. The new developed press film is beautiful and has good resilience. It is highly safe and has good cushioning and quickrecovery. Its unique color design can effectively train children's vision. In addition, its edges are heat-laminated, making it easy to clean and more convenient and comfortable to use.







Model	Specification	Material
JR1301	180×300×1.5cm	XPE+Color film
JR1301/1	180×250×1.5cm	XPE+Color film
JR1301/2	180×200×1.5cm	XPE+Color film
JR1301/3	180×150×1.5cm	XPE+Color film
JR1301/4	180×300×1.0cm	XPE+Color film
JR1301/5	180×250×1.0cm	XPE+Color film
JR1301/6	180×200×1.0cm	XPE+Color film
JR1301/7	180×150×1.0cm	XPE+Color film

Anti-slip Mat

The anti-slip adopts double-sided anti-slip design, with anti-slip particles on the back side, providing extra safety and protection to childrenthe. It is made of XPE and produced by the most advanced equipment and the one-and-only technology in South Korea. It can provide an anti-slip, waterproof, non-toxic, anti-bacteria, odorless, sound-insulated, quite, and heat-preserved environment for babies. It is highly soundproof feature allows a quiet environment for people who need rest even when children are jumping on it. The large embossed or diamon shape pattern is beautiful and useful, and extremely easy to clean. The exquisite wrapped edges are convenient and wear-resistant, which prolongs the service life of the mat.






Model	JR1401
Specification	180×150×1.2cm
Material	Color film+XPE+Fabric Straps+Anti-slip cloth

Double-sided Mat

Both sides of this mat can be used for children to crawl on. The playful learning images on both sides can let babies have a lot of fun, improving their creativity. The anti-slip uneven surface has high indensity and elasticity, further increasing the safety of the mat. The three layers are laminated in one step to create a surface with ideal thickness, protection, elasticity, and resilience, giving extra care to babies' joints and skin. Babies can crawl, play, and stand on the mat as if they were in their mothers' arms.





Model	Specification	Material
JR1501	180×300×2.0cm	XPE+Color film+Fabric Straps
JR1501/1	180×250×2.0cm	XPE+Color film+Fabric Straps
JR1501/2	180×200×2.0cm	XPE+Color film+Fabric Straps
JR1501/3	180×150×2.0cm	XPE+Color film+Fabric Straps
JR1501/4	180×300×1.5cm	XPE+Color film+Fabric Straps
JR1501/5	180×250×1.5cm	XPE+Color film+Fabric Straps

Model	Specification	Material
JR1501/6	180×200×1.5cm	XPE+Color film+Fabric Straps
JR1501/7	180×150×1.5cm	XPE+Color film+Fabric Straps
JR1501/8	180×300×1.0cm	XPE+Color film+Fabric Straps
JR1501/9	180×250×1.0cm	XPE+Color film+Fabric Straps
JR1501/10	180×200×1.0cm	XPE+Color film+Fabric Straps
JR1501/11	180×150×1.0cm	XPE+Color film+Fabric Straps

Single-sided Mat

The extraordinary elasticity and softness of the surface of the mat provide overall protection to babies' hands and feet and the most safe and create a comfortable environment for them to practice sitting, crawling, and walking, and play. Not only is the XPE material non-toxic, antibacterial, odorless, and environmental friendly, but also has high buffering and elasticity. This mat can quickly recover no matter how strong the impact is.








Model	Specification	Material
JR1601	180×300×1.0cm	Color film+XPE+Fabric Straps
JR1601/1	180×250×1.0cm	Color film+XPE+Fabric Straps
JR1601/2	180×200×1.0cm	Color film+XPE+Fabric Straps
JR1601/3	180×150×1.0cm	Color film+XPE+Fabric Straps

Multipurpose Mat

The aluminum foil on the back side allows the mat to be used in all kinds of environment. It is easy to clean, has various applications, and especially suitable for hiking and camping. It is thin, foldable, and easy to carry around. Not only is the XPE material non-toxic, antibacterial, odorless, and environmental friendly, but also safe and durable. It does no damage to the environment.





Model	Specification	Material
JR1701	180×200×0.5cm	Color film + XPE + Fabric straps
JR1701/1	180×150×0.5cm	
JR1701/3	180×180×2.0cm	



Interlocking Mat

Interlocking Mat, aka baby crawling mat, has jigsaw edges and can be connected in many different ways, allowing babies to have much fun during the process and increasing their creativity. The mat is safe no matter how it is connected. The anti-slip uneven surface has high indensity and elasticity, making the mat very safe. The three layers are laminated in one step to create a surface with ideal thickness, protection, elasticity, and resilience, giving extra care to babies' joints and skin. Babies can crawl, play, and stand on the mat as if they were in their mothers' arms.





Model	Specification	Material
JR1801/1	180×180×2.0cm	XPE+Color film



Baby Crawling Mat Images



Chicken and flower



Animal



Chicken and bus



Animal school



Animal amusement park



Train and English alphabet



Animal park



Fruit park



Giraffe and number



Sports event



Mini train



Animal ark



Motor town



Circus



Animal road




Forest park



Inflatable Gymnastics Mat

- Model: TQW038
- Specification: Size can be customized
  Features: The mat adopts special imported PVC mesh fabric and is made with advanced heat sealing and bonding technologies for good abrasion and fire resistance, and tear and drop resistance. It is eco-friendly and has proper look. Equipped with a high power air pump, it can be quickly inflated and has a long service life.
- Note: Make sure the ground is flat and free of sharp objects and the power is always on when using the mat. It can be cleaned with soft rag and detergent.

Inflatable Slope	Color Options	Size
 Used as somersault training mat or hand mat; made of double-color PVC material with markings.		1.8 × 1.2 × 0.2/0.3m 1.8 × 1.2 × 0.2/0.65m 1.2 × 0.9 × 0.1/0.26m
Air Pump	Use with Inflatable Mat.	Select the number of air pump according to the number of inflatable mat.

Rectangular Inflatable Mat 4	Color Options	Size
 Used for improving body flexibility and balance; made of single-color PVC material.		1 × 0.6 × 0.1m 2 × 0.6 × 0.1m 4 × 0.6 × 0.1m 6 × 0.6 × 0.1m 1 × 0.6 × 0.2m 2 × 0.6 × 0.2m 4 × 0.6 × 0.2m 6 × 0.6 × 0.2m


Round Inflatable Mat 1	Color Options	Size
 Round and double-color; made of PVC material with different color options; used for jumping and free movement.		φ0.7 × 0.1m φ1 × 0.2m φ1.4 × 0.3m


Round Inflatable Mat 2	Color Options	Size
 Round and double-color; made of PVC material with different color options; used for jumping and free movement.		φ0.7 × 0.1m φ1 × 0.2m φ1.4 × 0.3m

Cylindrical Air Roll	Color Options	Size
 Round and double-color; made of PVC material with different color options; used for jumping and free movement.		φ0.6 × 1.2m φ0.75 × 1.2m φ0.9 × 1.2m

Inflatable Mat for Balance Training	Color Options	Size
 Used for improving body flexibility and balance; made of double-color PVC material with a marking in the middle.		3 × 0.4 × 0.1m 5 × 0.4 × 0.1m 7 × 0.4 × 0.1m

Inflatable Mat for Balance Training	Color Options	Size
 Made of double-color PVC material; used for high jump landing protection and flip training		3 × 2 × 0.5m 3 × 3 × 0.5m 4 × 2 × 0.5m

Inflatable Mat for Balance Training	Color Options	Size
 Three markings in the long side directionl; made of double-color PVC material; used for gymnatic training protection.		2 × 12 × 0.3m 2 × 15 × 0.3m 2 × 20 × 0.3m

Rectangular Inflatable Mat 1	Color Options	Size
 Used for improving body flexibility and balance; made of single-color PVC material.		2 × 1 × 0.1m 2 × 1.5 × 0.1m 2 × 4 × 0.1m 2 × 6 × 0.1m 2 × 8 × 0.1m 2 × 10 × 0.1m 2 × 14 × 0.1m 2 × 16 × 0.1m 2 × 20 × 0.1m 2 × 1 × 0.2m 2 × 1.5 × 0.2m 2 × 4 × 0.2m 2 × 6 × 0.2m 2 × 8 × 0.2m 2 × 10 × 0.2m 2 × 14 × 0.2m 2 × 16 × 0.2m 2 × 20 × 0.2m

Child Park

Child Park Series

In view of the special characteristics of children's sports, Taishan Sports has developed a series of soft equipment for children's comprehensive physical skills and intellectual development. This series of equipment is novel, unique, scientific, and can fully mobilize children to participate in sports activities, improve children's intelligence, physical condition, and self-confidence. It can especially cultivate and improve body flexibility, coordination, balance, sensitivity, reaction, independent judgment, imitation, imagination, and perseverance, and promote children's physical and mental health, allowing them grow happily.

In order to encourage parent-child interaction, this series integrates a variety of apparatuses including playing and intelligence training for children. It can comprehensively exercise and develop children's vision, sense of touch, and good character, promoting the development of children's intellectual ability, organization and coordination, teamwork, and cultivating their courage, resilience, and confidence in face of difficulties. This series provides children with happiness, explores their potential, and creates the most joyful childhood experience and the most educational entertainment space for children!

Materials of Child Park Series

- High Load Foam:
  This is a new type of foam. Its main feature is that its hardness is greatly higher than that of normal foam under the same density. It has the advantages of being able to bear large weight and uneasy to deform.
- New XPE:
  Antibacterial: safe and hygienic due to surface processed by electronic irradiation and surface antibacterial treatment
  Comfortable: good warmth and heat insulation, softness, excellent elasticity and shock absorption
  Advanced: advanced imported equipment, flame bonding technology to replace the traditional glue bonding method. Advanced seamless lap technology, water cutting technology, and reliable quality
  Safety: flame resistant, antibacterial, waterproof, moisture-proof, environmentally friendly, and odorless, providing children with clean and hygienic activity equipment.

Customizing Colors



1797c 187c 255c 715u 284u 1915c 319c 123c 2290c 335c 2935u

TQ-301362




TQ-301363



Play ground
TQ-301364






Small triangle

Model	Specification	Material
TQ4878	91×76×60/5cm	PVC fabric cloth+foam
TQ4544	83.8×61×38.1/3.5cm	PVC fabric cloth+ high load foam
TQ4609	120×58×37/3cm	



Large triangle

Model	Specification	Material
TQ4540	183×91.5×41/4cm	PVC fabric cloth+foam
TQ4879	181×91×40/4cm	PVC fabric cloth+foam
TQ4647	150×91.5×40.5/3.5cm	PVC fabric cloth+foam
TQ4647/1	150×80×40/8cm	PVC fabric cloth+foam
TQ4608/1	150×100×60/5cm	PVC fabric cloth+foam
TQ4608	180×120×40/5cm	PVC fabric cloth+ high load foam
TQ4858.01	200×150×40/3cm	PVC fabric cloth+foam
TQ4858.02	170×70×40/3cm	
TQ4858.03	120×60×40/3cm	
TQ4730	213×153×46/3cm	PVC fabric cloth+foam



Medium triangle

Model	Specification	Material
TQ4539	110×60×82.5/3.5cm	PVC fabric cloth+foam



Folding triangle

Model	Specification	Material
TQ4537	305×152×56/2cm	PVC fabric cloth+foam
TQ4538	184×122×40/3cm	PVC fabric cloth+foam
TQ4727	184×90×40/3cm	PVC fabric cloth+foam
TQ4728	140×70×40/3cm	PVC fabric cloth+foam
TQ4859	200×150×40/2.5cm	PVC fabric cloth+foam
TQ4859/1	221×150×45/10cm	PVC fabric cloth+foam
TQ4896	181×120×45/5cm	PVC fabric cloth+foam



TQ4720 TQ4575

Red slop

Model	Specification	Material
TQ4575	60×60×30/6cm	PVC fabric cloth+foam
TQ4720	120×60×60/6cm	PVC fabric cloth+ high load foam



Wedge

Model	Specification	Material
TQ4735	140×70×70cm	PVC fabric cloth+ high load foam



Wave

Model	Specification	Material
TQ4715	120×60×60cm	PVC fabric cloth+ high load foam



Low trapezoid

Model	Specification	Material
TQ4535	130×44/25×20.3cm	PVC fabric cloth+ high load foam
TQ4581	119×30/20×19cm	



Telescoping semi-circle block

Model	Specification	Material
TQ4554	182×96×96cm	PVC fabric cloth+high load foam



Small trapezoid

Model	Specification	Material
TQ4555	59×82/19×28cm	PVC fabric cloth+foam
TQ4828	60×70/19×24cm	PVC fabric cloth+foam
TQ4801	120×15/60×50cm	PVC fabric cloth+foam
TQ4801/1	120×15/67×49cm	PVC fabric cloth+foam



High trapezoid

Model	Specification	Material
TQ4530	128×44.5/26×30.5cm	PVC fabric cloth+ high load foam
TQ4580	119×30/20×29cm	

Feature: The blocks can be used as slide and combined with other blocks to form different shapes. They can help children find passion in doing exercise and improve their intelligence and imagination.

Introduction:
1. Material: a. PVC leather: colorful, tear resistant, easy to wash. b. high load foam: its hardness is much higher than regular foam under same density. It can bear more weight without deform. c. new type XPE: antibacterial, comfortable, advanced, and safe (fire resistant, waterproof, damp proof, environmental friendly, odorless).
2. Age: 1 to 10
3. Attention: a. Keep them away from chemicals and fire. Avoid contact with sharp objects. b. Children must play them under parents or teachers' watch.




Two-step block

Model	Specification	Material
TQ4548	60×55×35cm	PVC fabric cloth+ high load foam
TQ4548/1	80×60×50cm	
TQ4811	40×40×20cm	
TQ4597	60×56×35cm	




Three-step block

Model	Specification	Material
TQ4598	84×60×54cm	PVC fabric cloth+ high load foam
TQ4549	83.1×59×51.9cm	
TQ4598/1	120×60×75cm	
TQ4885	79.5×55×45.9cm	PVC fabric cloth+foam



Two-step block and slop

Model	Specification	Material
TQ4595	174×57×35cm	PVC fabric cloth+high load foam



Four-step block

Model	Specification	Material
TQ4714	90×60×60cm	PVC fabric cloth+ high load foam
TQ4734	90×80×90cm	



Five-step block

Model	Specification	Material
TQ4807	140×60×60cm	PVC fabric cloth+ high load foam
TQ4744	140×70×70cm	



Step bridge block

Model	Specification	Material
TQ4709	130×50×60cm	PVC fabric cloth+high load foam



Slop and five-step block

Model	Specification	Material
TQ4594	280×70×70cm	PVC fabric cloth+high load foam



Big ring

Model	Specification	Material
TQ4717/1	φ72×φ36×20cm	PVC fabric cloth+ high load foam
TQ4717/2	φ92×φ41×20cm	
TQ4717/3	φ107×φ61×23cm	
TQ4717	φ120×φ60×30cm	
TQ4607	φ132×φ76×45cm	
TQ4868	φ150×φ90×50cm	



Umbrella ball

Model	Specification	Material
TQ4622	φ148×40cm	PVC fabric cloth+ high load foam
TQ4785	φ120×30cm	
TQ4623	φ92×30cm	



Color ball

Model	Specification	Material
TQ4526	φ92×φ50×92cm	PVC fabric cloth+foam
TQ4876	φ86×φ65×102cm	PVC fabric cloth+ high load foam
TQ4606	φ86×φ45×100cm	



Round column with right angle

Model	Specification	Material
TQ4605	φ80×60cm	PVC fabric cloth+ high load foam
TQ4605/1	φ75×50cm	
TQ4605/2	φ65×100cm	
TQ4605/3	φ75×100cm	
TQ4605/4	φ90×100cm	
TQ4731	φ90×60cm	



Mall box

Model	Specification	Material
TQ4527	80×41×50cm	PVC fabric cloth+foam
TQ4610	91×40×51cm	PVC fabric cloth+high load foam



Hexagonal column

Model	Specification	Material
TQ4852	φ90×80cm	PVC fabric cloth+foam




Eccentric circle

Model	Specification	Material
TQ4551	Outer φ72× Inner φ10×15.5cm	PVC fabric cloth+foam




Soft block

Model	Material
TQ4724	PVC fabric cloth+foam



Semi-circle block

Model	Specification	Material
TQ4749	φ40×60cm	PVC fabric cloth+ high load foam
TQ4793	φ64×34cm	
TQ4749/1	φ40×100cm	
TQ4749/2	φ33×73.3cm	
TQ4749/3	φ34×74cm	



Roll training

Model	Specification	Material
TQ4870A	95×70×82cm	PVC fabric cloth+high load foam
TQ4870A/1	113×70×100cm	PVC fabric cloth+high load foam



Four-level box

Model	Specification	Material
TQ4909/1	100×100×30/45/60/75cm	PVC fabric cloth+foam
TQ4909	75×90×20/35/50/65cm	PVC fabric cloth+high load foam



Octagonal ring

Model	Specification	Material
TQ4601	Outer φ132/ Inner φ78×45cm	PVC fabric cloth+ high load foam
TQ4600	Outer φ122/ Inner φ68×38cm	




U-shape block

Model	Specification	Material
TQ4713	60×60×60cm	PVC fabric cloth+ high load foam
TQ4719	60×30×30cm	



Inflatable block

Model	Specification	Material
TQ4890	φ60×300cm	PVC fabric cloth+ Inflatable liner
TQ4890/1	φ60×300cm	
TQ4891	φ90×50cm	



Arch

Model	Specification	Material
TQ4577	80×60×60cm	PVC fabric cloth+high load foam

Feature: The blocks can be used for training jump, flexibility, and balance, and also as stools for children to rest.

Introduction: 1. Material: a. PVC leather: colorful, tear resistant, easy to wash. b. high load foam: its hardness is much higher than regular foam under same density. It can bear more weight without deform. c. new type XPE: antibacterial, comfortable, advanced, and safe (fire resistant, waterproof, damp proof, environmental friendly, odorless).
2. Age: 1 to 10
3. Attention: a. Keep them away from chemicals and fire. Avoid contact with sharp objects. b. Children must play them under parents or teachers' watch.



Square U-shape block

Model	Specification	Material
TQ4574	60×30×60cm	PVC fabric cloth+ high load foam
TQ4716	60×60×60cm	




Round tube

Model	Specification	Material
TQ4584	Outer φ150/Inner φ124×75cm	PVC fabric cloth+ high load foam
	Outer φ120/inner φ94×75cm	
	Outer φ90/Inner φ64×75cm φ60×75cm	
TQ4802	Outer φ58/Inner φ36×76cm	
TQ4889	Outer φ57/Inner φ37×75cm	
TQ4861	Outer φ50/Inner φ35×80cm	



Bench block

Model	Specification	Material
TQ4746	60×15×15cm	PVC fabric cloth+foam
TQ4776	60×15×20cm	PVC fabric cloth+foam
TQ4777	60×15×25cm	PVC fabric cloth+foam
TQ4778	60×15×30cm	PVC fabric cloth+foam



Springboard block

Model	Specification	Material
TQ4648	120×60×25cm	PVC fabric cloth+XPE+foam
TQ4648/1	80×60×21/2.7cm	PVC fabric cloth+XPE+foam
TQ4823	80×50×20/3cm	PVC fabric cloth+XPE+foam



Soft vaulting block

Model		Specification	Material
TQ4700	3 blocks	122×76/36×90cm	PVC fabric cloth+ XPE+high load foam
TQ4701	3 blocks	90×73/36×90cm	
TQ4710	3 blocks	90×73/36×90cm	
TQ4619	4 Blocks	120×84/45.5×122cm	PVC fabric cloth+ high load foam
TQ4586	4 blocks	120×90/36×120cm	
TQ4586/1	4 blocks	122×98/35×122cm	
TQ4800	4 blocks	100×40/80×95cm	
TQ4800/1	4 blocks	100×30/80×100cm	

Feature: The blocks can help improve children's physique and confidence, and especially effective in training flexibility, coordination, and agility. They can promote children's healthy physical and mental growth and make exercise more fun for them.

Introduction: 1. Material: a. PVC leather: colorful, tear resistant, easy to wash. b. high load foam: its hardness is much higher than regular foam under same density. It can bear more weight without deform. c. new type XPE: antibacterial, comfortable, advanced, and safe (fire resistant, waterproof, damp proof, environmental friendly, odorless).
2. Age: 1 to 10
3. Attention: a. Keep them away from chemicals and fire. Avoid contact with sharp objects. b. Children must play them under parents or teachers' watch.



Cylindrical block

Model	Specification	Material
TQ4528	35.6×35.6×127cm	PVC fabric cloth+foam
TQ4529	φ35.6×127cm	PVC fabric cloth+foam
TQ4570	φ31×φ42×122cm	PVC fabric cloth+high load foam
TQ4578	φ33.5×96cm	PVC fabric cloth+polyether foam



Rock & roll block

Model	Specification	Material
TQ4572	Outer φ120/Inner φ60×30cm	PVC fabric cloth+high load foam
TQ4572	Outer φ160/Inner φ40×30cm	PVC fabric cloth+high load foam
TQ4617	Outer φ130/Inner φ76×46cm	PVC fabric cloth+high load foam
TQ4617/1	Outer φ130/Inner φ76×50cm	PVC fabric cloth+high load foam



Accessory

Model	Specification	Material
TQ4790	ϕ 60×5.8cm	PVC woven fabric + XPE + plywood
TQ4791	110×60×5.8cm	PVC woven fabric + XPE + plywood
TQ4792	ϕ 30×120cm	PVC fabric cloth+high load foam



Round shape block combo

Model	Specification	Material
TQ4747	Outer φ90/φ65/φ38× H 50cm	PVC fabric cloth+ high load foam
	Outer φ90/φ60/φ30×H 23cm	
	Outer φ90/φ65/φ38×H 10cm	

Feature: They can formed into ring-shape and S-shape balance beams for children to train their balance and reaction, helping them become more active in and get more fun from doing exercise.

Introduction: 1. Material: a. PVC leather: colorful, tear resistant, easy to wash. b. high load foam: its hardness is much higher than regular foam under same density. It can bear more weight without deform. c. new type XPE: antibacterial, comfortable, advanced, and safe (fire resistant, waterproof, damp proof, environmental friendly, odorless).
2. Age: 1 to 10
3. Attention: a. Keep them away from chemicals and fire. Avoid contact with sharp objects.
b. Children must play them under parents or teachers' watch.



Octagonal column

Model	Specification	Material
TQ4542	φ70×50cm	PVC fabric cloth+foam
TQ4543	φ66×90cm	PVC fabric cloth+foam
TQ4611	φ37×60cm	PVC fabric cloth+high load foam
TQ4612	φ50×68cm	PVC fabric cloth+high load foam
TQ4613	φ63×76cm	PVC fabric cloth+high load foam
TQ4614	φ76×91cm	PVC fabric cloth+high load foam
TQ4798	φ45×80cm	PVC fabric cloth+foam
TQ4798/1	φ35×50cm	PVC fabric cloth+foam
TQ4799	φ80×100cm	PVC fabric cloth+foam
TQ4862	φ60×100cm	PVC fabric cloth+high load foam



Cylinder

Model	Specification	Material
TQ4545	φ50×69cm	PVC fabric cloth+foam
TQ4546	φ63×89cm	PVC fabric cloth+foam
TQ4639	φ30×120cm	PVC fabric cloth+foam
TQ4706	φ61×122cm	PVC fabric cloth+high load foam
TQ4707	φ30×61cm	PVC fabric cloth+high load foam
TQ4708	φ46×91cm	PVC fabric cloth+high load foam
TQ4781	φ20×40cm	PVC fabric cloth+foam
TQ4797	φ90×120cm	PVC fabric cloth+foam
TQ4842	φ20×60cm	PVC fabric cloth+foam
TQ4843	φ20×20cm	PVC fabric cloth+foam
TQ4797/1	φ65×100cm	PVC fabric cloth+foam





Shed combo

Model	Specification	Material
TQ4748	120×100×135cm	PVC fabric cloth+ high load foam

Feature: Similar to blocks, this combination of mats in various shapes form a shed. It can help improve children's intelligence, creativity, and imagination, and let them have fun in doing exercise.

Introduction: 1. Material: a. PVC leather: colorful, tear resistant, easy to wash. b. high load foam: its hardness is much higher than regular foam under same density. It can bear more weight without deform. c. new type XPE: antibacterial, comfortable, advanced, and safe (fire resistant, waterproof, damp proof, environmental friendly, odorless).
2. Age: 1 to 10
3. Attention: a. Keep them away from chemicals and fire. Avoid contact with sharp objects. b. Children must play them under parents or teachers' watch.



Bow-shape block

Model	Specification	Material
TQ4552	65×42×12.7cm	PVC fabric cloth+foam






Cube folding mat

Model	Specification	Material
TQ4616	61×61×61cm	PVC fabric cloth+ high load foam

Feature: It can be used as protecting mat when unfolded and become a square box when folded.It can help improve children's intelligence, creativity, and imagination, and let them have fun in doing exercise.

Introduction: 1. Material: a. PVC leather: colorful, tear resistant, easy to wash. b. high load foam: its hardness is much higher than regular foam under same density. It can bear more weight without deform. c. new type XPE: antibacterial, comfortable, advanced, and safe (fire resistant, waterproof, damp proof, environmental friendly, odorless).
2. Age: 1 to 10
3. Attention: a. Keep them away from chemicals and fire. Avoid contact with sharp objects. b. Children must play them under parents or teachers' watch.



Square column block

Model	Specification	Material
TQ4603	75×7.5×7.5cm	PVC fabric cloth+foam
TQ4712	120×30×30cm	PVC fabric cloth+high load foam

Square mat

Model	Specification	Material
TQ4702	150×150×20cm	PVC fabric cloth+high load foam
TQ4703	120×120×20cm	PVC fabric cloth+high load foam
TQ4704	90×90×20cm	PVC fabric cloth+high load foam
TQ4705	60×60×20cm	PVC fabric cloth+high load foam



Round tublar block

Model	Specification	Material
TQ4531	φ34×φ15×180cm	PVC fabric cloth+foam
TQ4532	φ34×φ15×180cm	PVC fabric cloth+foam
TQ4533	φ30×φ11×180cm	PVC fabric cloth+foam
TQ4534	φ30×φ20×180cm	PVC fabric cloth+foam
TQ4547	φ32.2×φ11.5×182.5cm	PVC fabric cloth+foam



Hexgonal block (w/o cylinder)

Model	Specification	Material
TQ4573	Outer φ52 / Inner φ30×30cm	PVC fabric cloth+ high load foam



Pearl-shape swing block

Model	Specification	Material
TQ4593	40×71cm	PVC fabric cloth+Compressed foam+XPE





Rainbow mat

Model		Specification	Material
TQ4615/1	4-fold	240×120×4cm	PVC fabric cloth+XPE
TQ4558	12-fold	366×183×3.2cm	PVC fabric cloth+XPE
TQ4779	10-fold	305×152×3.2cm	PVC fabric cloth+XPE
TQ4796	6-fold	183×122×5cm	PVC fabric cloth、Compressed foam
TQ4579	8-fold	248×123.5×5cm	PVC fabric cloth、Compressed foam



Flat mat

Model	Specification	Material
TQ4553	104.5×41×9.5cm	PVC fabric cloth+foam
TQ4571	160×60×6cm	PVC fabric cloth+foam
TQ4591	300×137×3.8cm	PVC fabric cloth+foam
TQ4711	160×60×6cm	PVC fabric cloth+foam
TQ4718	180×60×6cm	PVC fabric cloth+foam
TQ4740	120×60×5cm	PVC fabric cloth+foam
TQ4900	260×47×9cm	PVC fabric cloth+foam

Floor mat

Model	Specification	Material
TQ4599	304×145×20cm	PVC fabric cloth+foam+XPE
TQ4857	300×150×20cm	PVC fabric cloth+foam+XPE



Folding mat

Model		Specification	Material
TQ4585	single	124×61×5cm	PVC fabric cloth+compressed foam
TQ4590	2-fold	244×153×15cm	PVC fabric cloth+foam
TQ4604	2-fold	182×153×50cm	PVC fabric cloth+foam+XPE
TQ4592	3-fold	366×150×10cm	PVC fabric cloth+foam+XPE
TQ4880	3-fold	183×183×4cm	PVC fabric cloth+XPE
TQ4646	3-fold	183×61×5cm	PVC fabric cloth+light foam
TQ4560	3-fold	183×122×5.8cm	PVC fabric cloth+XPE+blakc foam
TQ4565	3-fold	183×122×5cm	PVC fabric cloth+light foam
TQ4563	4-fold	244×122×5cm	PVC fabric cloth+compressed foam
TQ4561	4-fold	244×122×3.2cm	PVC fabric cloth+XPE
TQ4567	4-fold	244×122×5.8cm	PVC fabric cloth+XPE+blakc foam
TQ4615	4-fold	244×120×3.5cm	PVC fabric cloth+XPE
TQ4566	4-fold	244×122×5cm	PVC fabric cloth+light foam
TQ4881	4-fold	183×244×4cm	PVC fabric cloth+XPE
TQ4882	4-fold	183×120×4cm	PVC fabric cloth+XPE
TQ4855	4-fold	300×150×6cm	PVC fabric cloth+foam
TQ4636	5-fold	152.4×305×5.8cm	PVC fabric cloth+XPE+blakc foam
TQ4810	5-fold	315×152.4×5cm	PVC fabric cloth+light foam
TQ4635	5-fold	152.4×305×5cm	PVC fabric cloth+compressed foam
TQ4634	5-fold	152.4×305×3.2cm	PVC fabric cloth+XPE
TQ4871	6-fold	140×360×5cm	PVC fabric cloth+compressed foam
TQ4637	6-fold	183×366×5.8cm	PVC fabric cloth+XPE+blakc foam
TQ4618	6-fold	366×183×3.5cm	PVC fabric cloth+XPE
TQ4633	6-fold	183×366×5cm	PVC fabric cloth+compressed foam
TQ4632	6-fold	183×366×3.2cm	PVC fabric cloth+XPE
TQ4644	10-fold	305×152.4×3.2cm	PVC fabric cloth+XPE



Child tumbler

- Model: TQ2300
- Specification:
  1. Size: φ95cm×121cm
  2. Diameter: 95cm
  3. The distance between leg protector and ankle can be adjusted between 60cm to 75cm. The tumbler can be used by athletes lower than 180cm and lighter than 75kg.
- Material: The main body is made of steel. The inside is filled by steel sand and concrete as counterweight which is covered by durable nonwoven fabric. The main material of the cushion is XPE which is safe and eco-friendly and can effectively protect users while ensuring comfortability.



Hand protector

Model	Specification	Material
TQ4525	60×27×7cm	PVC fabric cloth+foam



Semi-circle bridge

Model	Specification	Material
TQ4596	106×38×15cm	PVC fabric cloth+foam



Floor mat

Model	Specification	Material
TQ4893	200×100×4.7cm	Judo leather+XPE+ Compressed foam



Velcro strap folding mat

Model		Specification	Material
TQ4818	4-fold	183×122×3.2cm	PVC fabric cloth+XPE
TQ4562	4-fold	244×122×3.2cm	PVC fabric cloth+XPE
TQ4564	4-fold	244×122×5cm	PVC fabric cloth+compressed foam
TQ4795	5-fold	305×152.4×3.2cm	PVC fabric cloth+XPE
TQ4557	6-fold	366×183×3.2cm	PVC fabric cloth+XPE
TQ4556	6-fold	366×183×5cm	PVC fabric cloth+compressed foam
TQ4645	10-fold	305×152.4×3.2cm	PVC fabric cloth+XPE
TQ4559	12-fold	366×183×3.2cm	PVC fabric cloth+XPE



Number jumping mat

Model	Specification	Material
TQ4627	200×75×5cm	PVC fabric cloth+XPE
TQ4729	275×75×5cm	PVC fabric cloth+XPE





Child rock climbing (rack included)

Model	Name	Specification	Material
TQ2041	Child rock climbing board	180cm×180cm×(93cm-135cm)	PVC fabric cloth+XPE+special plywood
TQ2040	Child rock climbing net	180×180×95cm	PVC fabric cloth+XPE+special plywood

Feature: It can improve children's flexibility, coordination, balance, agility, and perseverance, and let them grown healthily and happily.
Introduction: 1. Material: a. PVC leather: colorful, tear resistant, easy to wash. b. high load foam: its hardness is much higher than regular foam under same density. It can bear more weight without deform. c. new type XPE: antibacterial, comfortable, advanced, and safe (fire resistant, waterproof, damp proof, environmental friendly, odorless).
2. Age: 1 to 10
3. Attention: a. Keep them away from chemicals and fire. Avoid contact with sharp objects. b. Children must play them under parents or teachers' watch.



Combination No.1

- Model: TQ4754
- Material: PVC fabric+high load foam



Combination No.2

- Model: TQ4756
- Material: PVC fabric+high load foam



Combination No.3

- Model: TQ4757
- Material: PVC fabric+high load foam+foam



Combination No.4

- Model: TQ4758
- Material: PVC fabric+high load foam



Combination No.5

- Model: TQ4759
- Material: PVC fabric+high load foam+foam



Combination No.6

- Model: TQ4764
- Material: PVC fabric+high load foam+foam+steel tube+spring+mesh



Combination No.7

- Model: TQ4761
- Material: PVC fabric+high load foam



Combination No.11

- Model: TQ4766
- Material: PVC fabric+high load foam+foam



Combination No.8

- Model: TQ4763
- Material: PVC fabric+high load foam+foam



Combination No.13

- Model: TQ4768
- Material: PVC fabric+high load foam+foam



Combination No.12

- Model: TQ4767
- Material: PVC fabric+high load foam





Combination No.19

- Model: TQ4805
- Material: PVC fabric+high load foam





Sunflower combination

Model	Name	Material
TQ4722	太阳花一	PVC fabric+high load foam
TQ4723	太阳花二	PVC fabric+high load foam

Combination No.14

Model: TQ4770			
Specification: (as below)			
Model	Name	Specification	Material
TQ2578	Soft spring board	60×50×10/3cm	PVC fabric+XPE+foam
TQ2579	Soft vaulting block	120×90/40×120cm	PVC fabric+high load foam
TQ2580	Kl mat	200×150×20cm	PVC fabric+XPE+foam



Balance beam combination

- Model: TQ4721
- Material: PVC fabric+high load foam+XPE+foam



Child soft gymnastic combination

- Model: TQ4874
- Material: PVC fabric+high load foam



Child obstable rack

- Model: TQ4873
- Material: PVC fabric+high load foam
- Color: can be customized




Ball pit

- Model: TQ4814
- Specification: 400×400×80cm
- Material: PVC fabric+XPE+foam
- Color: can be customized



Elepahnt (large)

- Model: TQ4631
- Specification： 167. 5×96×40cm
- Material: PVC fabric+high load foam



- Rainbow mat
  It includes multiple folds in different colors. Each fold is 60cm wide and has a handle on either end which can assist children to practice rolling.
- Rock & roll block
  It is easy to use and economical. It can increase children's confidence.
- Trampoline
  Children can freely jump on it. It has good elasticity. Its perimeter can effectively protect children playing on it.
- Children soft equipment combination
  Children can make shapes through different combinations of blocks and play with them. They can have fun and improve their creativity.

Size and color can be customized


- Folding triangle
  It is the ideal choice for children who just start to practice rolling and walking.

- Telescoping semi-circle block
  The convex surface is soft and can sustain hours of standing during highly intensive exercises. The middle part can be used separately and help increase children's confidence.

- Soft vaulting block
  The tightly fastened valcro straps ensure high stability and thus allows the four blocks can be used as vaulting table or jumping box. New gymnastic learners can benefit from the solid base and stable performance of this equipment.

- Color ball
  It is suitable for children of different ages and has barrel shape and different colors. It can help increase children's creativity and is an ideal choice for improving balance and coordination.







ABC Happy House

Child blocks new solution

- Introduction: It is a playground for children that consists of the 26 English alphabets with oversize Y, Q, M, and T. It can help children learn English alphabets while having fun.


- Specification: diameter 16m, height 3m (φ1600×300cm), suitable for shopping centers and amusement parks. Size is adjustable according to the site area.


Time Travel

Child blocks new solution

- Introduction: The lavender time ring has obstacles in different difficulties. The numbers can serve as obstacles or bridges. Children can run over, crawl through , climb on, or slide down the obstacles of 2, 5, 3, 7, 6, 9, and the 8-shape clock hands, which trains their understanding of numbers and shapes, and improve their flexibility, coordination, and courage.

- Specification: diameter 16m, height 2.7m (φ1600×270cm), suitable for shopping centers and amusement parks. Size is adjustable according to the site area.





Comprehensive Child Playground

Child blocks new solution


- Introduction: This playground consists of tubes for crawling, boxes for jumping, swings, rolling blocks, small round trampoline for bouncing, ball pits for interactive playing. These items can be combined to form a small competition field for children to do physical fitness exercise and let them become more engaged.
- Size: 2000cm*1500cm (can be adjusted according to the area of the site)



Folding Mat Shed

Child blocks new solution


- Introduction: The mats can be all unfolded to become crawling mats or put together to form a small, warm shed. Children can cultivate the concept of family and train their ability to crawl and walk.
- Size:: 160×110×110cm



Child Overpass and Tunnel Park

Child blocks new solution

- Introduction:The appearance of this park is full of novelty and dexterity. The park consists of S Bends, Ponies Crossing the River, Jungle Traversing, Bravely Breaking Through the Log Bridge, and Going Over the Mountain. Children can do exercises in each section. Pony Crossing the River consists of small jumping piers which can train children's jumping ability. The jumping platforms are connected by U-shaped curved mats to stimulate children's vitality and cultivate a brave mind. Next, in Jungle Traversing, children can crawl through the tree-hole-like cylinders to gain courage and train their climbing ability. Going Over the Mountain uses step pads to represent high hills to exercise children's courage and enhance lower body strength. The inclined ladder transforms children's fatigue after climbing into the joy of descending to cultivate children's sense of achievement and the satisfaction of after tiring exercises. The S Bends is a long runway to cultivate children's sense of balance and sense of direction, increasing children's fun. Bravely Breaking Through the Log Bridge can exercise children's courage and curiosity, and cultivate sound sportsmanship.
- Size：580×540×100cm



Sector Folding Mats

Child blocks new solution

- Introduction: These mats can be unfolded to become crawling mats or folded to be used as stools. They can be put together to form a small exercise place for children. Children can have more fun by putting these mats according to their own will and train their creativity.
- Size: φ200cm*4cm (can be adjusted according to the area of the site)

Trampoline







Children's Long Trampoline

- Model: TQ2036
- Specification: Width 2.1m, height 0.56m, length 6m, customized size available.
- Weight: Each unit is 2m long and can be infinitely extended.The weight of 2m is 78kg.
- Material: The lower base is welded with high-quality carbon steel pipes and equipped with floor protection feet.
- Features: It adopts a splicing unit module structure, the length can be assembled according to the size of the site, the beam and the base adopt a splicing structure, which is easy to install.The mesh surface is sewn from black nylon mesh and PVC woven fabric.It is equipped with high-strength tensile springs, good elasticity, high stability, and the surface is sprayed with plastic (silver). Consists of beam, base, tensile spring and mesh surface.
- Children's Long Trampoline Series

TQ2036/2 5m
TQ2036/3 4.5m (with hooks on the four sides);
TQ2036/4 5m (with hooks on the four sides)
TQ2036/5 6m (with hooks on the four sides);
TQ2036/10 14m
TQ2036/11 9m;
TQ2036/12 8m
TQ2036/14 10m;
TQ2036/15 12m
TQ2036/18 15m;
TQ2036/24 4.5m



Children's Square Trampoline II

- Model: TQ2078
- 1. The main frame of the trampoline is 270cm×270cm in size and adopts a cannula structure. The overall assembly is simple and convenient.
- 2. The mesh size is 210cm×210cm. Mesh surface is made of black nylon mesh and PVC woven fabric.
- 3. The fence is made of nylon chain link fence with a height of 210cm.
- Features: The main frame is welded by round pipes, with high overall safety performance. The base is equipped with floor feet, which can effectively reduce the damage to the site. The mesh surface is sewn from black nylon mesh and PVC woven fabric, with high strength. Tension spring, good overall flexibility, high stability, children's happy gymnastic equipment. The surface is spray-painted (red). The whole is composed of a main frame, a base, a tension spring and a mesh surface.



Children's Round Trampoline Enclosure Mat (w/o the step and the trampoline)		
Model	Specification	Material
TQ2539	φ1900mm*700mm	PVC woven fabric + high load foam



TQ2082



TQ2037

Child Climbing Equipment (w/ frame)

Model	Name	Specification	Material
TQ2539	Trampoline Enclosure Mat	Trampoline φ150cm×35cm / enclosure mat φ190cm×70cm	Pvc woven fabric + mesh + high load foam
TQ2037	Child square trampoline	Main frame 130cm×130cm / mesh 70cm×70cm / height 52.5cm-67cm, adjustable	Main frame + base + springs + mesh
TQ2082	Child round trampoline	φ158cm*43cm(H)	Main frame + springs + mesh
TQ2081	Child hexagonal trampoline	φ187.5cm*44cm(H)	Main frame + springs + mesh

Feature: They can improve children's physique and confidence, train their coordination, reaction, and flexibility, and keep them safe during exercise.
Introduction: 1. Material: a. PVC leather: colorful, tear resistant, easy to wash. b. high load foam: its hardness is much higher than regular foam under same density. It can bear more weight without deform. c. new type XPE: antibacterial, comfortable, advanced, and safe (fire resistant, waterproof, damp proof, environmental friendly, odorless).
2. Age: 1 to 10
3. Attention: a. Keep them away from chemicals and fire. Avoid contact with sharp objects. b. Children must play them under parents or teachers' watch.



Child Auxiliary Equipment

Child Strength Training Equiment

Provide entertaining training aimed at overall improvement to help children increase their brains' coordination. Let children become stronger, get more strength, endurance, agility, flexibility, and speed through exercise, and learn while having fun.

Athletics Package



Soft Training Hurdle

- Cross board: 700mm x 90mm; Base board: 700mm x 220mm
- Side board bottom length: 220mm, height: 560mm
- Height levels: 300mm, 500mm, 600mm Board thickness: 18mm



Soft Discus (550g)

- Weight: 550g
- Diameter: 180m to 200mm
- Central thickness: 38mm to 42mm
- Edge thickness: 12mm to 15mm
- Core diameter of the cake: 50m to 55mm



Soft High Jump Crossbar

- Rod length: 3500mm
- Diameter: 30mm
- High-strength elastic rope length: 4000mm, diameter: 3mm
- Plastic buckle diameter: 45mm



Soft Vaulting Pole

- Rod length: 2000mm
- Bare rod outer diameter: 25mm
- Bare rod inner diameter: 21mm
- Outer diameter with soft cover: 35mm
- Static load capacity: ≥2000N



Soft Discus for Teaching

- Weight: 400g
- Diameter: 200m to 220mm
- Central thickness: 35mm to 45mm
- Edge thickness: 12mm to 15mm
- Three colors



Soft Kettlebell 550g

- Material: PVC
- Weight: 550g, Sphere diameter: 190mm
- Inflatable, three colors



Soft Training Shot Put Ball 1kg

- Material: plastic rubber
- Diameter: 85mm to 100mm
- Inflatable,Weight: 1000g



Soft Training Relay Ring

- Material: PVC
- Outer ring diameter: 170mm～190mm; Inner ring diameter: 90mm～100mm
- Inflatable six colors



Soft Relay Baton

- Length: 300mm
- Diameter: φ2.5cm～3.5cm
- Six colors



Round Jumping Mat with Number

- 0-9 number, for pole flying
- Diameter: 470mm
- Thickness: 5mm



Soft Training Rope Sleeve

- Length: 9500mm; Rope diameter: 6mm
- Foam tube length: 500mm, diameter: 30mm
- Number of tubes per set: 20 pieces, including 1 spare tube



Rubber Solid Ball (1kg)

- Material: natural rubber
- Weight: 1000g
- Diameter: φ16cm～19cm
- Inflatable,Three colors



Multifunctional folding long mat

- Material: plastic leather (outer)
- Plastic foam (inner)
- Size: 600mm × 1800mm × 25mm



Plastic Training Javelin

- Total length of the javelin: 680mm
- Length of the head: 90mm; Length of the shaft: 270mm
- Length of the tail wing section: 320mm
- Diameter of both the head and shaft: 35mm
- Diameter of the grip: 37mm
- Width of the tail wing at its widest point: 100mm
- Weight: 300g




Cross Jumping Mat

- 5 square mats in total
- Each square mat Length and width: 500mm
  Thickness: 10mm



Soft Training Javelin

- Length: 800mm; Diameter: 50mm
- Tail wing width: 200mm
- Flight distance: ≥20m



Soft Ball with Ribbon

- Overall length: 670mm
- Sphere diameter: 70mm
- Tail wing total length: 600mm
- The tail with 3 colors (200mm/section)



Large Tape Measurer (30m)

- Width: 150mm
- Length: 30000mm
- Material: leather



Accuracy Training Javelin

- Material: PU+foam
- Head length: 160mm
- Tail Length: 140mm
- Weight: 120g









Colore Marking Pole Combo

- Rod length: 1200mm
- Rod diameter: 27mm
- Base height: 107mm; Diameter: φ200mm
- Base diameter: 200mm
- Flag size: 300mm × 300mm



Cone with Number

- Height: 270mm
- Upper diameter: 58mm
- Lower diameter: 192mm
- Set of 8 soft cones numbered from 5



Children Skipping Rope with Wooden Handle

- Length: 2600mm
- The wooden handle is made of log wood. The skipping rope is made of nylon or cotton rope.



Sports Field Marking Tape

- Width: 50mm
- Length: 18m
- Material: Cloth-based tape
- Used for adhering signs on surfaces such as plastics, wood floors, etc. It adheres firmly and is easy to tear off.



Portable Equipment Bag with Wheels

- Size: 1300mm × 350mm × 500mm
- Made of high-strength Oxford cloth or leather, the bag bottom is equipped with wheels. There are handles on the front and sides, and there is a hook rod sleeve on the top.



Children Quick-drying Mesh Vest

- Made of polyester. Six colors, eight pieces each.



Small Marking Disk

- Height: 75mm
- Upper diameter: 65mm
- Lower diameter: 200mm



Medium Marking Cone

- Height: 300mm
- Upper diameter: 30mm
- Lower base length: 215mm



Hand Tally Counter

- Digital splay range: 0 to 9999
- Material: Color ABS plastic steel

Competition Javelin

Model	Size (mm)	Weight	Distance	Color	Material	Certification
PSQF4	2600—2700	800g	85m	Triple color Double color Single color	Premium Aluminum Alloy	
PSQF1	2600—2700	800g	80m			
PSQF5	2600—2700	800g	75m			
PSQF6	2600—2700	800g	70m			
PSQF3	2300—2400	700g	60m			
PSQF7	2200—2300	600g	65m			
PSQF2	2200—2300	600g	60m			
PSQF8	2200—2300	600g	55m			
PSQF9	2200—2300	600g	50m			



Relay Baton

- Model: FLT350
- Specification: length 280mm-300mm，diameter 40mm±2mm
- Weight：0.05kg/支
- Color: red, black, yellow, blue, white, purple, grey, and green
- Material: aluminum alloy
- Performance: competition





Regular Competition Shot Put Ball

Model	Specification(mm)	Weight	Material
QQP04	φ121.5	7.26kg	Cast iron
QQP05	φ114	6kg	Cast iron
QQP06	φ107.5	5kg	Cast iron
QQP07	φ100	4kg	Cast iron
QQP08	φ90.5	3kg	Cast iron



Training Discus

Model	Specification(mm)	Weight	Material
TBX13	φ170—172	0.75kg	Steel plastic
TBX14	φ180—182	1kg	Steel plastic
TBX15	φ180—182	1.25kg	Steel plastic
TBX16	φ200—202	1.5kg	Steel plastic
TBX17	φ210—212	1.75kg	Steel plastic
TBX18	φ219—221	2kg	Steel plastic
TBX19	φ220—222	2.25kg	Steel plastic
TBX20	φ220—222	2.5kg	Steel plastic



Multifunctional Revolving Training Station

- Model: TQ2291
- Specification: 3900mm×3900mm×2705mm
- Material: carbon steel
- Feature: this multifunctional revolving training station integrates sandbag, pear ball, and punch target, takes up a small area, and doesn't need to be fixed to the floor. The sandbags can revolve and their position can be adjusted according to users' needs. They are easy to use and suitable for indoor training. It can effectively train muscle explosive strength and reaction.



Regular Competition Shot Put Ball

Model	Weight	Material	认证
LQP11	7.26kg	Carbon steel	
LQP12	6kg	Carbon steel	
LQP13	5kg	Carbon steel	
LQP14	4kg	Carbon steel	
LQP15	3kg	Carbon steel	



Column Tumbler

Model (PU)	Specification	Model (PU)	Specification
TS4203B1-01	80kg 1700mm	TS4205B1-01	80kg 1700mm
TS4203B1-02	100kg 1700mm	TS4205B1-02	100kg 1700mm

Features: The base is made of pure cast iron, rubber coated. No noise and no damage to the foor. The steel sleeve plug-in connection mechanism is adopted between the base and sandbag. Suitable for dodge training.



Boxing Punching Bag

- Model: TQ2543
  Specification: 50kg, 1300×φ400mm, with cross pylon.
- Model: TQ2545
  Specification: 50kg, 1400×φ450mm, with cross pylon.
- Model: TQ2542
  Specifications: 50kg, 1200×φ350mm, without cross pylon.
- Model: TQ2775
  Specification: 45KG, 1600×φ450mm, without cross pylon.
- Features: The weight can be customized, 20kg-100kg, increasing by multiple of 5kg. Available in black and blue. Cross pylon optional.



Training Hurdle (w/o counterweight)

- Model: TQ2114B、TQ2114B/1、TQ2114B/2、TQ2114B/3
- Specification: 1067mm, 991mm, 914mm, 838mm, 762mm
- Weight: 7kg
- Color： Yellow-white, Blue-white, Green-white
- Performance: training
- Material: The square tubes and the uprights are made of steel. The hurdle board is made of plastic.



Human Shape Tumbler

- Model(PU)： TS4204B1-01 Specifcation： 80kg 1800mm
  TS4204B1-02 100kg 1800mm
- Model(microfiber)： Specifcation： 80kg 1800mm
  TS4206B1-01 100kg 1800mm
  TS4206B1-02
- Features: The base is made of pure cast iron, rubber coated. No noise and no damage to the foor. The steel sleeve plug-in connection mechanism is adopted between the base and sandbag. This tumbler can stimulate the regular swing of human body, suitable for dodge training.



Multifunctional Punch Target Tree

- Model: TSA1028A/TSA1028B
- Specification: 1000mm×1500mm×2200mm
- Material: with steel plate base or fixed to the floor
- Feature: This punch target tree can effectively train reaction, make punch movement more smooth, and increase the power of combination.



Hand Target

- Model: TSE1015
- Specifcation: 380mm×180mm
- Material: PU
- Features: The target surface of high-quality material with high quality filler is not only lightweight, but also durable. The design of the target body can bring about an effective improvement in feel and striking. The function, materials, design and appearance of this product refect the professional brand style. The target is suitable for daily training and it's an indispensable tool for Taekwondo pratice.



Taekwondo Kick Target Stand

- Model: TSE1035
- Specification: 1000mm×1500mm×2200mm
- Material: steal
- Introduction: This patented taekwondo kick target stand has 9 kick targets. Its steel frame is finished with baked paint. It has a barrel base and is covered with PU leather.



Curved Body Shield

- Model: TSE1013
- Specification: 800mm×380mm×200mm
- Material: PU
- Feature: This large body shield is mainly used in taekwondo strength training. Its curved surface provides the best hit feedback, increasing training effect.



Inversion Table

- Model: TQ2266
- Specification: 1300×860×1914mm
- Material: premium metal tube, foam, PU leather
- Introduction: The ankle gears make it easy to adjust. This equipment can help users to relax, improve balance, increase brain blood supply, and enhance memory. It can be used as an assisting equipment for competition and training.



PU Leather Chest Shield

- Model: TSE1018
- Specification: 500mm×400mm×100mm
- Material: PU and high density canvas
- Feature: economical, practical, light, durable



PU Leather Kick Shield

- Model: TSA1030
- Material: PU
- Feature: The infill is made of eco-friendly EVA which meets the national standard. The specially treated surface is anti-slip, uneasy to deform, and durable. The hit sound is crisp and loud.



Back Kick Shield

- Model: TSE1021
- Specification: 600mm×400mm×100mm
- Material: PU
- Feature: This large kick shield is solid and durable and has good kick feedback. It can fully protect the user and thus increases training intensity.



Iranian Kick Shield

- Model: TSA1016
- Specification: 450mm×250mm×100mm
- Material: PU
- Feature: This new type of shield is more convenient to use and suitable for dojang and taekwondo fans.



Curved Back Kick Shield

- Model: TSE1014
- Specification: 600mm×400mm×100mm
- Material: PU
- Feature: The smooth, curved surface can effectively improve trainees' speed and strength while giving full protection to the users.



Forearm Shield with Hand Guard

- Model: TSE1034
- Specification: 420mm×250mm×50mm
- Material: PU
- Feature: The PE foam and the compressed foam infill provide good protection and comfortability, and can quickly recover after being hit.



Boxing Pear Sandbag

- Model: TSA2005
- Specification: 900mm, 50kg
- Material: high quality PU
- eature: equipped with special converter, highly elastic foam, rubber infill



Pear Ball Plarform

- Model: TQ2288
- Specification: 835mm×600mm×710mm (rail height)
- Material: steel, birch plywood
- Feature: This is an assisting exercise apparatus. It is easy to install and has adjustable height. It is suitable for people of different height.



Monkey Face Target

- Model: TSA1022
- Specification: 200mm×250mm×50mm
- Material: PU
- Feature: It is made of high-density EVA foam and PU leather. It is comfortable to hold and can be held tightly. The infill is elastic, light, and durable.



Weight-bearing Braclet

- Model: TQW0360/1
- Feature: Its cloth is breathable and can help expel sweat. It is also comfortable and durable. The amount of the iron sand infill can be adjusted. The Velcro straps allow it to fit different sizes. The entire perimeter is covered, making it hard to be torn or leak iron sand.



Weight-bearing Vest

Model:	TQW0357-01	Specification: 5kg
	TQW0357-02	10kg
	TQW0357-03	20kg

- Material: Oxford fabric
  Features: Double inner bag, no leakage. Used for weight-bearing exercise to enhance explosive power.




Marker Disk (Round Hole)

Model: TSWZQ102-01



Marker Disk (Square Hole)

Model: TSWZQ102-02



Solid Ball

Model: TSWZQ103-04



Cotton Rope

Rubber Rope

Jump Rope

Model: TSWZQ101



Hex Rubber Coated Dumbbell

Model: TQW0362/2




Plastic Coated Kettlebell

Model: TQW0364




Agility Ladder

Model: TSWZQ104



Agility Hoop (Round)

Model: TSWZQ112



Agility Hoop (Octagon)

Model: TSWZQ109



Training Hurdle I

Model: TSWZQ112



Training Hurdle II

Model: TSWZQ109



Swiss Ball

Model: TSWZQ103-03



Soccer Training Pole

Model: TSWZQ101



Cone (Square Base)

Model: TSWZQ103-02




Cone (Square Base with Holes)

Model: TSWZQ103-03



Cone (Round Base with Holes)

Model: TSWZQ103-04



BOSU Ball

Model: TSWZQ102-01



Plastic Coated Dumbbell

Model: TQW0362



Training Marker Mat

Model: TSWZQ103-03



Broad Jump Mat

Model: TSWZQ103-04



Training Marker Mat

Model: TSWZQ103-03




Broad Jump Mat

Model: TSWZQ103-04



Climbing Rope

Model: TQ2554



Climbing Strap

Model: TQ2555



Yoga Mat

Model: TQW0850

Shengtong Series

Child Physical Fitness Exercise Machines





Seated Chest Press Machine

Shengtong Series

- Model: TQ4201
  Specification: 1150×1000×1420mm
- Target Muscles:
  Pectoral muscle and tricep
- Usage:
  Hold the handles and push outward with both feet on the foot pedal. Push the handles until the arms are naturally straight, and then return to the starting position in a comfortable posture and movement.





Chest Fly Machine

Shengtong Series

- Model: TQ4202
  Specification: 1270×1030×1420mm
- Target Muscles:
  Pectoralis major, bicep, and tricep
- Usage:
  Adjust the handles to appropriate position, hold the handles and pull inward. Return to the initial position after the pectoralis major muscles are fully contracted.





Assisted Pullup Machine

Shengtong Series

- Model: TQ4203
  Specification: 960×970×1600mm
- Target Muscles:
  Latissimus dorsi muscle, bicep, pectoralis major, and tricep
- Usage:
  Choose the appropriate assisting weight and kneel on the pad. Hold the handles with both hands, and do pull-ups or dips at an even pace.





Seated Pullup Machine

Shengtong Series

- Model: TQ4204
  Specification: 1080×980×1600mm

- Target Muscles:
  Latissimus dorsi muscle

- Usage:
  Choose the appropriate weight, adjust the knee pads to the appropriate position, sit down and fix the knee pads. Choose the right position and fully extend arms. Pull down the bar slightly above shoulder and slowly return to the initial position with hands firmly gripping the bar, and repeat.





Standing Calf Raise Machine

Shengtong Series

- Model: TQ4207
  Specification: 900×950×1420mm

- Target Muscles:
  Calf muscles

- Usage:
  Stand with both feet on the step, put the arm of the machine on shoulder and do tiptoe repeatedly





Seated Leg Press Machine

Shengtong Series

- Model: TQ4206
  Specification: 1380×960×1420mm

- Target Muscles:
  Lower body muscles

- Usage:
  Sit on the seat and place legs on the board. Different muscles can be worked at different intensities, depending on the position of the feet. The weight stack allows the load to be adjusted to suit user's need.





Seated Row Machine

Shengtong Series

- Model: TQ4205
  Specification: 1390×820×1420mm

- Target Muscles:
  Latissimus dorsi muscle and bicep

- Usage:
  Grab the handle with both hands and pull it toward your body to a comfortable position, then slowly return to the initial position.





Hack Squat Machine

Shengtong Series

- Model: TQ4217
  Specification: 1400×510×1250mm

- Target Muscles:
  Quadricep, glute, hamstring, calve, and posterior hamstring

- Usage:
  Lean against the back pad of the machine, keep legs open at shoulder-width, and release the safety bar. Begin to slowly squat, bending knees and keeping torso straight, until the angle between thighs and calves is slightly less than 90 degrees, then slowly stand up.





Smith Machine

Shengtong Series

- Model: TQ4215
  Specification: 1080×1620×1600mm

- Target Muscles:
  Deltoid muscle, pectoral muscle, glute, and calf.

- Usage:
  Choose an appropriate position, hold the barbell bar tightly, and open the safety hook, Squat and stand up at a controlled speed. At the end of the workout make the barbell bar stay in the appropriate position and reposition the safety hook.





Squat Rack

Shengtong Series

- Model: TQ4213
  Specification: 1000×880×1670mm
- Target Muscles:
  Bicep, tricep, latissimus dorsi, quadricep, and hamstring
- Usage:
  Stand naturally with feet directly under the barbell bar; bend hips and knees so that the distance between feet is the same as the width of pelvis or shoulder. Hold the bar with both hands and thumbs next to index fingers.
  Use the power of extending hips and knees to stand up and repeat.





Bench Press Rack

Shengtong Series

- Model: TQ4211
  Specification: 1320×760×870mm
- Target Muscles:
  Middle chest, front deltoid, tricep, rostro-humeral, and bicep
- Usage:
  Lie on the bench and locate chest directly underneath the bar. Grip the bar firmly with both hands. Rotate the bar backward or forward to raise it off the rack. Bring down the barbell down close to chest and push the it up until arms are fully extended. Return the original position and repeat.





Pull Up/Leg Raise Stand

Shengtong Series

- Model: TQ4208
  Specification: 485×1010×1500mm
- Target Muscles:
  Latissimus dorsi, pectoralis major, rectus abdominis, and tricep
- Usage:
  Pull up, leg raise, and push up





Seated Calf Raise

Shengtong Series

- Model: TQ4214
  Specification: 860×590×650mm
- Target Muscles:
  Calf muscles
- Usage:
  Sit down and put knees under the pads. Do tiptoe repeatedly





Should Press Stool

Shengtong Series

- Model: TQ4210
  Specification: 800×455×550mm

- Target Muscles:
  Deltoid, tricep, and pectoralis major

- Usage:
  Warm up whole body and shoulder joints before exercising, adjust the grip distance of arms and the neutral position of wrists, and hold the neutral position of body. Keep head up with chest out and stomach in, and look forward. Keep forearms perpendicular to the ground, and try to straighten arms as much as possible when pushing upward. The trajectory of the movement is from bottom up. Exhale when pushing, and inhale when returning to the starting position.





Roman Chair

Shengtong Series

- Model: TQ4212
  Specification: 800×670×500mm

- Target Muscles:
  erector spinae, glute, and hamstrings

- Usage:
  Adjust the height of the Roman chair according to body height, making the highest point of the cushion position higher than pelvis, and then fix feet on the pedal with neck, back, and legs straight and hands clasping the chest. Keep eyes forward. Slowly lower the torso and quickly bring it back up.

YOUTH PARKOUR





Tire Flipping Machine

Shengtong Series

- Model: TQ4216
  Specification: 950×810×370mm
- Target Muscles:
  Lower body muscles, core muscles, and upper body muscles, increasing explosive power
- Usage:
  Flip the tire from side to side.

Aotong Series

Child Strength Training Machines

Child Strength Training Machines (2nd generation)


Child strength training machines are crutial to child strength training. Their design focuses on the combination of ergonomics and mechanics, providing a shortcut to fitness training.

Advantages of Child Strength Training Machines

- Fill the blank of child strength training machine in China. The current domestic strength training machines are for body height of 1.5 meters and above, unsuitable to kindergarten and low grades children. Besides, they are too heavy and weight increment is too big.
- We have developed the child strength training machine for children from 90cm to 150cm tall, with adjustable counter weight in kilogram.
- Unlike the traditional weight adjustment using pin, the weight adjustment of these machines is electronically controlled to best suit children, which is safe and easy to operate.
- The fully coverd electronic counter weight stack is free of the danger that a child might get hurt by a traditional pin counter weight stack.
- The overall color is bright and vivid, making it fun for children to exercise.
- Each machine has cartoonic instructions that are for children to understand. They can easily understand how to use a machine and what to pay attention to.
- There are 29 strength training machines, covering all parts of body of a child.








Seated Chest Press Machine

Aotong Series

- Model: TS-01
  Specification: 1200×1600×1050mm
- Target Muscles:
  Pectoral major, bicep, tricep, and deltoid
- Usage:
  Hold the handles with both hands, push forward until arms are straight, return to the starting position, and repeat.






Seated Shoulder Press Machine

Aotong Series

- Model: TS-03
  Specification: 1200×1600×1050mm
- Target Muscles:
  Deltoid, tricep, and trapezius muscle
- Usage:
  Hold the handles with both hands, push upward until arms are straight, return to the starting position, and repeat.






Seated Row Machine

Aotong Series

- Model: TS-04
  Specification: 1220×1180×1050mm
- Target Muscles:
  Latissimus dorsi muscle and bicep
- Usage:
  Pull the handles toward body, slowly return to the starting postion, and repeat.






Seated Bicep Curl Machine

Aotong Series

- Model: TS-06
  Specification: 1200×1350×1050mm
- Target Muscles:
  Bicep and brachioradialis muscle
- Usage:
  Raise the handles upward and then toward body until biceps are fully contracted. Slowly return to the starting postion and repeat.






Seated Dip Machine

Aotong Series

- Model: TS-07
  Specification: 1110×1400×1050mm
- Target Muscles:
  Tricep and pectoral major
- Usage:
  Hold the handles with both hands and push downward until arms are straight. Slowly return to the starting position and repeat.






Seated Back Extension Machine

Aotong Series

- Model: TS-09
  Specification: 1060×1265×1050mm
- Target Muscles:
  Back muscles
- Usage:
  Extend back until it touches the back pad. Slowly return to the starting position and repeat.






Seated Crunch Machine

Aotong Series

- Model: TS-10
  Specification: 1060×1265×1050mm
- Target Muscles:
  Abdominal muscle
- Usage:
  Crunch and bend torso forward. Slowly return to the starting position and repeat.






Seated Lat Pull Down Machine

Aotong Series

- Model: TS-12
  Specification: 1600×1235×1815mm
- Target Muscles:
  Latissimus dorsi muscle,and bicep
- Usage:
  Hold the handles with both hands and pull downward (do not sit right under the handles).
  Slowly return to the starting position and repeat.






Seated Leg Curl Machine

Aotong Series

- Model: TS-13
  Specification: 1200×1350×1050mm
- Target Muscles:
  Posterior thigh muscle
- Usage:
  Place legs on the column sponge and press it down. Slowly return to the starting position and repeat.






Seated Leg Extension Machine

Aotong Series

- Model: TS-14
  Specification: 1200×1350×1050mm
- Target Muscles:
  Quadriceps
- Usage:
  Hold the handles with both hands, place legs behind the column sponge, and raise it up by extending legs. Slowly return to the starting position and repeat.





Seated Leg Press Machine


Aotong Series

- Model: TS-15
  Specification: 1700×1300×1050mm

- Target Muscles:
  Hip and thigh muscles

- Usage:
  Hold the handles with both hands and lean closely against the backrest. Press the footplate forward with legs, slowly return to the starting position, and repeat.





Seated Calf Raise Machine

Aotong Series

- Model: TS-17
  Specification: 1300×1150×1050mm

- Target Muscles:
  Calf muscles

- Usage:
  Hold the handles with both hands and do tiptoes by raising heels. Slowly return to the starting position, and repeat.

CONCEPT OF PHYSICAL FITNESS

- The WHO defines "physical fitness" as:

  The ability of the body to have sufficient energy and mental capacity to carry out daily tasks, enjoy leisure activities, and cope with emergencies without undue fatigue.

- Physical fitness includes:

  "health fitness" and "skill fitness". Health fitness includes cardiorespiratory endurance, muscular strength, muscular endurance, flexibility, and body composition; skill fitness includes agility, balance, coordination, explosiveness, reaction time, and speed.

- Child physical fitness means:

  Physical fitness training combines children's playful nature, no longer limited to the form of exercise, and integrates exercise into playfulness, through a reasonable amount of exercise in order to enhance children's physical fitness.Physical fitness helps to enhance children's physical and mental qualities, concentration, group participation and sense of competition, and to better harmonize parent-child relationships.



Child fitness training machines
(1st generation)



Child fitness training machines
(1st generation)

TARGETED TRAINING IN PHYSICAL FITNESS

1. Cardiorespiratory fitness: the ability of the human body to sustain aerobic activity. It measures the ability of the cardiovascular system and the respiratory system inhaling, transporting, absorbing and utilizing oxygen, and the level of metabolism and energy generation. It is an important symbol of human health or physical strength.

2. Strength: muscle strength refers to the muscle tension or contraction against resistance, and can be expressed by the maximum force load that can be overcome when muscle contracts. Muscular endurance refers to muscle maintaining contraction under a certain load for a period of time, and can be expressed by the maximum number or the longest period of time of repition of muscle under a certain load.

3. Flexibility: the range of movement of the joints of the human body, as well as the elasticity and stretching ability of the ligaments, muscles, muscle bonds, skin and other tissues across the joints. Good flexibility ensures that the limbs have a large range of motion, and can freely complete a variety of actions to prevent muscle and joint ligament injuries or reduce the degree of injury.

4. Agility: the ability to respond quickly and accurately to stimuli under complex conditions and to control the body flexibly and to improvise. Agility is a kind of ability of the human body's movement technique and other various physical qualities in the process of movement.

5. Balance: the ability of the human body to maintain its stability when in motion or at rest. It reflects the body's ability to coordinate stimuli from vestibular organs, muscles, tendons, proprioceptors in joints, and vision. Static balance refers to the ability to maintain a static posture in which the body's center of gravity and posture are relatively static; dynamic balance refers to the ability to adjust and control the body's center of gravity and posture in a state of motion.

6. Coordination: when two or more actions or events occur at the same time or successively, they form a kind of mutual adaptation, mutual cooperation, mutual synergy, mutual symmetry, and a kind of human body movement state or action space-time relationship that is properly coordinated. Under the control of the central nervous system, the muscle groups associated with a particular movement or action work together in a certain spatio-temporal relationship to produce smooth, accurate and controlled movement.

Benefits of child physical fitness

- Enhance physical fitness and adaptability
  1. Promote muscle development
  2. Promote bone development
  3. Promote organ development

- Stimulate sensory nerves, promote brain development
  1. Promote growth of nervous system
  2. Improve children's mood
  3. Develop brain and accelerate intellectual development

- Regulate body and develop good habits
  1. Correct children's physique
  2. Form good exercise habits
  3. Improve children's overall health

Development of child physical fitness in China and other countries

Parents' investment in and attention to child physical fitness in foreign countries

The concept of child physical fitness was first proposed abroad and has been highly valued by many families. The concept of child physical fitness covers the physiological characteristics of children at all stages of their growth from early childhood to adolescence, as well as a longitudinal view of the gender differences between the ages of children. Specifically for children of all ages, exercise methods, healthy diet, injury prevention, and supportive training are coupled with fun, in order to help children develop good exercise habits, as well as a healthy diet and lifestyle. The ultimate goal of child physical fitness is to develop well-coordinated body, to reduce fat storage in the body, to effectively prevent diseases caused by physical weakness, and to improve children's memory and concentration.

Tel/WhatsApp: +86 18453178888

Web: www.taishansports.cn

Email: info@taishansports.com

HQ & Factory: No.1 Taishan Tiyu Rd, Laoling,
Dezhou City, Shandong Province. China. 253600

TaiShan Sports

taishansports

TaiShan
SINCE 1978

TAISHAN SPORTS | 2024

FITNESS EQUIPMENT

Taishan Sports

TaiShan Sports Brings Sports Enjoyment To The World



—— Abouts Us ——

One-stop Global Sports Solution Service

Zero Complaints

We have served more than 1,000 international and domestic top sports events including 6 Olympic Games and 3 Youth Olympic Games, with "Zero Complaints".

Zero Breakdowns

As the world's top event service provider, We take high product quality seriously and will settle for nothing less than equipment "Zero Breakdown".

Zero Faults

With "Zere Failure" service level and the value pursuitof "no small matters in game" in mind, we have builtthe world's leading sports brand.

—— Company Info ——

As a world-famous sports equipment manufacturer and seller, Taishan Sports is Taishan Sports' presence in many world-class sports events has earned it unmatchable prestige industry. It has successfully served multiple major sports events, such as Olympic Games, Youth Olympic Games, Asian Games, FISU World University Games, and National Games, using its pioneering CD2S (Consult, Design, Supply, and Service) service model for major sports events. Credited as “an Olympic miracle” by the former IOC president Jacques Rogge, Taishan Sports’ high standard service with “Zero Faults, Zero Breakdowns, Zero Complaints” has made itself a proud national brand.



01 Cardio Series
FITNESS EQUIPMENT

Commercial Treadmill
LED Screen

- Model: TS-K800-LED
- With European high technology, the treadmill is globally competitive and looks both luxurious and aggressive.
- The signal transmission system utilizes world-beating transmitter, making treadmill control more precise and eliminating sudden stops and spinning.
- A Φ100mm treadmill roller is used to prolong the lifespan of the motor and the roller, and reduce noise.
- Anti-static and unique electromagnetic resistance design is applied to the entire treadmill to ensure safetyduring use.
- The treadmill roller is specially designed to effectively keep the belt straight, increasing product stability.
- The ultra high-strength columns and oversized handrails improve stability, providing a luxurious and aggressive appearance.
- Anti-slip pads are located on either side, allowing users to stand more comfortably, highlighting human-centered design concept.
- The uniquely designed emergency stop button has an extended lifespan, ensuring that the members have the best running experience possible.

www.taishansports.cn
TaiShan

TS-K800-LED



TS-M-8809EL-LCD



Elliptical Machine

TS-M-8809EL-LCD

- Solid, sturdy steel main frame finished with high-grade anti-rust baked paint.
- Extra-large stride trajectory with ergonomic pedals that are fully covered with anti-slip rubber.
- ABS reinforced plastic shells cover many spots on the machine, giving it a stylish and trendy appearance that is visually attractive and stunning, while ensuring the durability.
- Two way motion options are available, and the belt drive provides safe, noiseless, and smooth opertaions of the machine.
- The large size LCD screen displays various excersice data in a stylish way that can only be experienced with high-end products.
- Overall size (L*W*H): 2210*730*1635
  Net Weight: 130kg

TS-M-7808U-LCD



Upright Bike

TS-M-7808U-LCD

- The appearance of the machine is simple but sleek,fresh, exuding a sense of high value and professionalism and highlighting the product's premium quality and exceptional style.
- The ultra-luxurious, uniquely ergonomic adjustable seat makes the sitting posture more comfortable and the exercise more enjoyable.
- The product is made from high-quality steel and, with advanced domestic and international design concepts, it looks stylish, beautiful, and robust.
- Equipped with an advanced electromagnetic resistance adjustment system, it allows for a proper, safe, and stable control of exercise intensity.
- The handheld heart rate sensor allows for convenient and quick monitoring of heart rate during exercise, enabling users to experience the effects of the workout.
- Overall size (L*W*H): 1215*730*1575
  Net Weight: 63kg

TS-M-7808R-LCD



Recumbent Bike

TS-M-7808R-LCD

- The appearance of the machine is simple but sleek,fresh, exuding a sense of high value and professionalism and highlighting the product's premium quality and exceptional style.
- The ultra-luxurious, uniquely ergonomic adjustable seat makes the sitting posture more comfortable and the exercise more enjoyable.
- The product is made from high-quality steel and, with advanced domestic and international design concepts, it looks stylish, beautiful, and robust.
- Equipped with an advanced electromagnetic resistance adjustment system, it allows for a proper, safe, and stable control of exercise intensity.
- The handheld heart rate sensor allows for convenient and quick monitoring of heart rate during exercise, enabling users to experience the effects of the workout.
- Overall size (L*W*H): 1765*730*1470
  Net Weight: 86kg

TS-M-5807



Commercial Spinning Bike

TS-M-5807

- The oval-shaped tudes used in the entire bike provide a consistent and aesthetic appearance.
- The sleeve-type seat adjustment is replaced by the sliding rail seat adjustment system, which reduces the amount of exposed electroplated parts of the bike to prevent corrosion from sweat, thus alleviating maintenance pressure for clubs.
- The current model has improved adjustment knobs on both the handlebars and the seat that are more robust, durable, and aesthetic and less prone to failure. On the older version of the bike, the sweat guard consisted of three separate plastic plates fixed to the frame. The front one in particular had the same design as the bicycle fender, which hugely compromised the aesthetic appeal of the bike. Moreover, it was not secured with screws but hung on the frame, making it easy to fall off and break. However, the new model features an integrated sweat guard developed from a single mold, which not only effectively protects against sweat but also boasts a much more attractive design.
- Overall size (L*W*H): 1200*620*1240
  Net Weight: 57kg

TS-M-5809



www.taishansports.cn TaiShan

Commercial Spinning Bike

TS-M-5809

- The ergonomic frame allows users to adjust the seat forward and backward, up and down.
- The handlebars can be adjusted up and down.
- The frame comes with a water bottle cage.
- Adjustable toe clips for a more precise fit.
- It features an imported, thickened bottom bracket and high-strength large pedals. The chance of failure is reduced and lifespan increased.
- The delt drive can operate in two ways according users' choice and promise smoother exercise.
- The bike weighs 70kg and has a 20kg flywheel to ensure stable exercise.
- Front moving wheels for easy and convenient movement.
- Resistance type: felt brake system; Resistance adjustment: stepless.
- Unique protective cover design to prevent sweat corrosion of the flywheel.
- The handlebar can adjust smoother and is more stable and less prone to corrosion and rusting.
- The entire bike features a streamlined design, enhancing the product's aesthetic appearance.
- Overall size (L*W*H): 1160*625*1305
  Net Weight: 70kg

02 Strength Training

FITNESS EQUIPMENT

Selectorized Equipment - Deluxe Series

Seated Chest Press Machine

TS-T8-001

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1515*1100*1675
  Net weight: 242kg

TS-T8-001



TS-T8-002



Pec Deck Machine

TS-T8-002

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1515*1235*1635
  Net weight: 234kg

TS-T8-002A



Straight-arm Chest Fly Machine

TS-T8-002A

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1595*1205*1995
  Net weight: 221kg

TS-T8-003



Shoulder Press Machine

TS-T8-003

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1540*1590*1635
  Net weight: 226kg

TS-T8-004



Seated Rowing Machine

TS-T8-004

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1580*1055*1635
  Net weight: 237kg

TS-T8-006



Biceps Curl Machine

TS-T8-006

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1445*1200*1635
  Net weight: 201kg

TS-T8-007



Tricep Dip Machine

TS-T8-007

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1575*1235*1635
  Net weight: 224kg

TS-T8-008



Assisted Pull-Up And Dip Machine

TS-T8-008

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1455*1280*2405
  Net weight: 298kg

TS-T8-009



Seated Back Extension Machine

TS-T8-009

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1235*1310*1635
  Net weight: 215kg

TS-T8-010



Abdominal Crunch Machine

TS-T8-010

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1235*1310*1635
  Net weight: 180kg

TS-T8-011



Seated Torso Rotation Machine

TS-T8-011

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1520*1300*1635
  Net weight: 193kg

TS-T8-012



Seated Lat Pulldown Machine

TS-T8-012

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1820*1470*1980
  Net weight: 254kg

TS-T8-012A



Seated Cable Row Machine

TS-T8-012A

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1700*1035*1635
  Net weight: 204kg

TS-T8-012C



Seated Cable Lat Pulldown Machine

TS-T8-012C

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1820*1470*1980
  Net weight: 254kg

TS-T8-013A



Lying Leg Curl Machine

TS-T8-013A

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1690*1130*1635
  Net weight: 225kg

TS-T8-014




Leg Extension Machine

TS-T8-014

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1450*1180*1635
  Net weight: 244kg

TS-T8-015



Seated Leg Press Machine

TS-T8-015

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 2030*1060*1635
  Net weight: 270kg

TS-T8-016A



Glute Kickback Machine

TS-T8-016A

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1350*950*1635
  Net weight: 208kg

TS-T8-017



Seated Calf Extension Machine

TS-T8-017

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1620*1085*1635
  Net weight: 209kg

TS-T8-018



Hip Abduction and Adduction Machine

TS-T8-018

- The weight stack box is made from 60*120 bread-shaped tubes and 50*120 flat oval tubes to give the appratus an elegant appearance while retaining a sense of strength and style.
- Featured with convenient water bottle holder, rep counter, high-quality cast aluminum pulley, stainless steel seat adjustment handle, high-strength premium steel cable, and precisely machined bearing sockets and shafts. The overall quality and service life of the equipment is increased.
- The seat cushion is one-piece molded using polyurethane foaming technology, ensuring no deforming or sagging.
- The weight stack includes solid steel plates, with shock-absorbing pads between each plate to enhance durability and comfort.
- Adopts reinforced strong magnetic pins for improved safety during exercise.
- The handles are made of high-strength TPV material that never breaks, thus increasing the durability of the apparatus.
- Equipped with Φ5.8mm steel cable that includes six strands of nine-thread steel wire for high strength, easily withstanding over ten thousand times of stretching.
- Overall size (L*W*H): 1350*950*1635
  Net weight: 208kg

TS-T8-03S



Shoulder Press and Bench Press Machine

TS-T8-03S

- The main frame is made from 50*120*2.5T flat oval tubes with a streamlined design, offering a sleek and modern appearance.
- The seat cushion is mad from one-piece modeled PU, with firmness controlled at 65°±5°to ensure a moderate firmness. The leather can withstand 8,000 times of scraping by a 500g weight without peeling or fading.
- The cam is made from high-quality 8.0T hot-rolled lazer-cut plate and equipped with welded guiding cables, resistance to twisting and deformation, as well as corrosion.
- The protective boards are made from one-piece injection-molded ABS plastic
- The weight stack plates are made of solid steel that passes a 48-hour salt spray test without rusting.The weight stack pin is made from precisely machined 304 stainless steel.
- The steel cable has been tested to withstand a maximum load of 1000KG and passed an endurance test of 100,000 cycles.
- Overall size (L*W*H): 1950*1460*1660
  Net Weight: 215kg

TS-T8-0607



Seated Bicep Curl and Tricep Extension Machine

TS-T8-0607

- The main frame is made from 50*120*2.5T flat oval tubes with a streamlined design, offering a sleek and modern appearance.
- The seat cushion is mad from one-piece modeled PU, with firmness controlled at 65°±5°to ensure a moderate firmness. The leather can withstand 8,000 times of scraping by a 500g weight without peeling or fading.
- The cam is made from high-quality 8.0T hot-rolled lazer-cut plate and equipped with welded guiding cables, resistance to twisting and deformation, as well as corrosion.
- The protective boards are made from one-piece injection-molded ABS plastic
- The weight stack plates are made of solid steel that passes a 48-hour salt spray test without rusting.The weight stack pin is made from precisely machined 304 stainless steel.
- The steel cable has been tested to withstand a maximum load of 1000KG and passed an endurance test of 100,000 cycles.
- Overall size (L*W*H): 1500*1100*1660
  Net Weight: 210kg

TS-T8-0910



Back Extension and Abdominal Crunch Machine

TS-T8-0910

- The main frame is made from 50*120*2.5T flat oval tubes with a streamlined design, offering a sleek and modern appearance.
- The seat cushion is mad from one-piece modeled PU, with firmness controlled at 65°±5°to ensure a moderate firmness. The leather can withstand 8,000 times of scraping by a 500g weight without peeling or fading.
- The cam is made from high-quality 8.0T hot-rolled lazer-cut plate and equipped with welded guiding cables, resistance to twisting and deformation, as well as corrosion.
- The protective boards are made from one-piece injection-molded ABS plastic
- The weight stack plates are made of solid steel that passes a 48-hour salt spray test without rusting.The weight stack pin is made from precisely machined 304 stainless steel.
- The steel cable has been tested to withstand a maximum load of 1000KG and passed an endurance test of 100,000 cycles.
- Overall size (L*W*H): 1480*1250*1660
  Net Weight: 215kg

TS-T8-12S



Seated Cable Lat Pulldown and Low Row Machine

TS-T8-12S

- The main frame is made from 50*120*2.5T flat oval tubes with a streamlined design, offering a sleek and modern appearance.
- The seat cushion is mad from one-piece modeled PU, with firmness controlled at 65°±5°to ensure a moderate firmness. The leather can withstand 8,000 times of scraping by a 500g weight without peeling or fading.
- The cam is made from high-quality 8.0T hot-rolled lazer-cut plate and equipped with welded guiding cables, resistance to twisting and deformation, as well as corrosion.
- The protective boards are made from one-piece injection-molded ABS plastic
- The weight stack plates are made of solid steel that passes a 48-hour salt spray test without rusting.The weight stack pin is made from precisely machined 304 stainless steel.
- The steel cable has been tested to withstand a maximum load of 1000KG and passed an endurance test of 100,000 cycles.
- Overall size (L*W*H): 1900*1520*2250
  Net Weight: 230kg

TS-T8-1314



Leg Curl and Extension Machine

TS-T8-1314

- The main frame is made from 50*120*2.5T flat oval tubes with a streamlined design, offering a sleek and modern appearance.
- The seat cushion is mad from one-piece modeled PU, with firmness controlled at 65°±5°to ensure a moderate firmness. The leather can withstand 8,000 times of scraping by a 500g weight without peeling or fading.
- The cam is made from high-quality 8.0T hot-rolled lazer-cut plate and equipped with welded guiding cables, resistance to twisting and deformation, as well as corrosion.
- The protective boards are made from one-piece injection-molded ABS plastic
- The weight stack plates are made of solid steel that passes a 48-hour salt spray test without rusting.The weight stack pin is made from precisely machined 304 stainless steel.
- The steel cable has been tested to withstand a maximum load of 1000KG and passed an endurance test of 100,000 cycles.
- Overall size (L*W*H): 1650*1150*1660
  Net Weight: 245kg

Selectorized Equipment - Value Series

TS-SLA- 001 Seated Chest Press Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 200N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 002 Pec Deck Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 201N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 002A Straight-arm Chest Fly Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 202N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 003 Shoulder Press Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 203N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-LA- 004 Seated Row Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 205N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 006 Biceps Curl Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 206N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 007 Triceps Dip Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 207N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 008 Assisted Pull-Up And Dip Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 208N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 009 Seated Back Extension Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 209N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 010 Abdominal Crunch Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 211N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 011 Seated Torso Rotation Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 212N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 012 Seated Lat Pulldown Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 213N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 012A Seated Cable Row Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 214N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 012C Seated Cable Lat Pulldown Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 213N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 013 Seated Leg Curl and Extension Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 215N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA-013A Lying Leg Curl Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 216N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 014 Leg Extension Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 217N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 015 Seated Leg Press Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 218N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 016 Multi Hip & Glute Selectorized Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 219N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 016A Standing Glute Kickback Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 220N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 017 Seated Calf Extension Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 221N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 018 Hip Adduction Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.

- Assisted seat adjustment system adopts four linked axises and a set of 222N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

TS-SLA- 019 Hip Abduction Machine



Features:

- One-piece molded PU seat cushion with ergonomic design.


- Assisted seat adjustment system adopts four linked axises and a set of 222N gas springs, providing users with perfect adjusting experience.

- Injection-molded ABS plastic protective plates receive two layers of automotive grade baking paint. The Armani-style leather treatment showcases craftsmanship.

- All-aluminum pulleys with precisely machined CNC bearing positions and the black electrostatic sprayed exterior. Perfection can be found in every detail.

Cable Machines and Free Weight Equipment

TS-H-005



Cable Crossover Machine

TS-H-005

- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Weight stack has a strong magnetic pin for convenient and safe adjustments during exercise.
- High-quality pulleys with a diameter of 106.2mm used in the transmission parts.
- Adopts ultra-durable steel cables with a diameter of 4.8mm.
- Overall size (L*W*H): 3885*870*2325
  Net Weight: 336kg

TS-H-005A



Functional Trainer

TS-H-005A

- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Weight stack has a strong magnetic pin for convenient and safe adjustments during exercise.
- High-quality pulleys with a diameter of 106.2mm used in the transmission parts.
- Adopts ultra-durable steel cables with a diameter of 4.8mm.
- Overall size (L*W*H): 1690*1150*2350
  Net Weight: 380kg

Smith Machine

TS-H-020

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 2460*1750*2390
  Net Weight: 239kg



Squat Rack

TS-H-021

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1775*1285*2160
  Net Weight: 155kg



Plate-loaded Linear Leg Press Machine

TS-H-022

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 2375*1615*1470
  Net Weight: 272kg



Plate-loaded Hack Squat Machine

TS-H-022A

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 2540*1005*1635
  Net Weight: 199kg



TS-H-023



Olympic Flat Bench

TS-H-023

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- The molded seat cushion provids additional comfort and durability.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1400*1220*1175
  Net Weight: 62kg

TS-H-024



Olympic Decline Bench

TS-H-024

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- The molded seat cushion provids additional comfort and durability.
- The position of the back cushion can be easily adjusted, increasing safety.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 2100*1650*1190
  Net Weight: 84kg

TS-H-025



Olympic Incline Bench

TS-H-025

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- The molded seat cushion provids additional comfort and durability.
- The position of the back cushion can be easily adjusted, increasing safety.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1885*1640*1395
  Net Weight: 101kg

TS-H-025B



Olympic Shoulder Press Bench

TS-H-025B

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- The molded seat cushion provids additional comfort and durability.
- The position of the back cushion can be easily adjusted, increasing safety.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1645*1440*1885
  Net Weight: 102kg

TS-H-026

Roman Chair

TS-H-026

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- The position of the back cushion can be easily adjusted, increasing safety.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- The molded seat cushion provids additional comfort and durability.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1350*720*960
  Net Weight: 47kg



TS-H-027

Pull-Up/Dip/Leg Raise Machine

TS-H-027

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The molded seat cushion provids additional comfort and durability.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1480*1155*2300
  Net Weight: 74kg



TS-H-028

Fixed Crunch Bench

TS-H-028

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The molded seat cushion provids additional comfort and durability.
- The position of the back cushion can be easily adjusted, increasing safety.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1860*725*1090
  Net Weight: 51kg



TS-H-029

Plate-loaded Calf Raise Machine

TS-H-029

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- The position of the back cushion can be easily adjusted, increasing safety.
- Made from high-quality, standard elliptical steel tubes.
- The molded seat cushion provids additional comfort and durability.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1380*600*920
  Net Weight: 53kg





Dumbbell Rack

TS-H-030

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Overall size (L*W*H): 2345*835*860
  Net Weight: 76kg



T-bar Row Machine

TS-H-031

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Overall size (L*W*H): 1950*855*645
  Net Weight: 70kg



Ab Crunch Bench

TS-H-032

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Overall size (L*W*H): 2040*980*1045
  Net Weight: 53kg



Stretch Bench

TS-H-033

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Overall size (L*W*H): 1540*490*950
  Net Weight: 30kg

TS-H-034

Adjustable Crunch Bench

TS-H-034

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The molded seat cushion provids additional comfort and durability.
- The position of the back cushion can be easily adjusted, increasing safety.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1900*720*860
  Net Weight: 56kg



TS-H-035

Flat Crunch Bench

TS-H-035

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The molded seat cushion provids additional comfort and durability.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 2010*725*1035
  Net Weight: 55kg





TS-H-036

Flat Bench

TS-H-036

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The molded seat cushion provids additional comfort and durability.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1675*700*450
  Net Weight: 27kg



TS-H-037

Adjustable Bench

TS-H-037

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The molded seat cushion provids additional comfort and durability.
- The position of the back cushion can be easily adjusted, increasing safety.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1425*780*1100
  Net Weight: 43kg

TS-H-038

Utility Bench

TS-H-038

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The molded seat cushion provids additional comfort and durability.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1170*540*875
  Net Weight: 29kg



TS-H-039

Barbell Rack

TS-H-039

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Overall size (L*W*H): 1135*810*1440
  Net Weight: 40kg



TS-H-040

Preacher Curl Bench

TS-H-040

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The molded seat cushion provids additional comfort and durability.
- Movement follows the principles of human kinesiology.
- Overall size (L*W*H): 1005*690*965
  Net Weight: 43kg



TS-H-041

Plate Tree


TS-H-041

- Advanced concepts from home and abroad can be seen in the appearance and the design.
- Made from high-quality, standard elliptical steel tubes.
- The tubes used for main frame are 2.5mm thick.
- Overall size (L*W*H): 970*845*1055
  Net Weight: 35kg



03 Flooring Series

FITNESS EQUIPMENT



• Outdoor Basketball Court Flooring

TS-FS001 / Training

Size	30.48cm×30.48cm×1.3cm
Shock absorption	20% - 50%
Vertical deformation	≤ 3mm
Tensile strength	≥ 0.7MPa
Tear strength	≥ 5kN/m




• Indoor Badminton Court Flooring

TS-FS002 / Competition

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa

Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5



• Indoor Table Tennis Flooring

TS-FS004 / Competition

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa


Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5



• Indoor Badminton Court Flooring

TS-FS003 / Club training


Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥ 40%



• Indoor Table Tennis Flooring

TS-FS005 / Club training

Size	5.0mm ± 0.1mm
Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥ 40%




• Indoor Table Tennis Flooring

TS-FS006 / Competition

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa

Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5



• Indoor Tennis Court Flooring

TS-FS007 / Club training

Size	5.0mm ± 0.1mm
Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥40%



• Outdoor Tennis Court Flooring

TS-FS008 / Competition


Size	30.48cm×30.48cm×1.3cm
Shock absorption	20% - 50%
Vertical deformation	≤ 3mm
Tensile strength	≥ 0.7MPa
Elongation at break	≥ 90%
Tear strength	≥ 5kN/m



• Outdoor Tennis Court Flooring

TS-FS009 / Club training


Size	30.48cm×30.48cm×1.3cm
Shock absorption	20% - 50%
Vertical deformation	≤ 3mm
Tensile strength	≥ 0.7MPa
Elongation at break	≥ 90%
Tear strength	≥ 5kN/m



• Indoor Volleyball Court Flooring

TS-FS011 / Club training

Size	5.0mm ± 0.1mm
Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥40%



• Gym Flooring

TS-FS013 / Club training

Size	5.0mm ± 0.1mm
Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥40%



• Indoor Volleyball Court Flooring

TS-FS010 / Competition

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa

Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5




• Gym Flooring

TS-FS012 / Professional

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa

Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5




Compound rubber

• Spcial Rubber Flooring for Gym Weight Area

TS-FS014 / Professional

Name	Compound rubber flooring
Specification	1000×1000×20mm
Material	The 1.6mm thick rubber surface is made of EPDM partical and high standard rubber powder. No peeling in 6 to 7 years. The base uses eco-friendly rubber partical.



Starry rubber

• Spcial Rubber Flooring for Gym Weight Area

TS-FS015 / Club training

Name	Starry rubber flooring
Specification	1000×1000×20mm
Material	The 1.6mm thick rubber surface is made of EPDM partical and high standard rubber powder. No peeling in 6 to 7 years. The base uses eco-friendly rubber partical.

Tel/WhatsApp: +86 18453178888

Web: www.taishansports.cn

Email: info@taishansports.com

HQ & Factory: No.1 Taishan Tiyu Rd, Laoling,
Dezhou City, Shandong Province. China. 253600

TaiShan Sports

taishansports

TaiShan
SINCE 1978

TAISHAN SPORTS | 2024

GYMNASTICS

Taishan Sports

TaiShan Sports Brings Sports Enjoyment To The World

CATALOGUE

Shandong Taishan Sports Equipment Co., Ltd

01 Taishan Sports

About Us 02
Company Info 03
FIG Certifications 04

02 Gymnastics Series

Parallel Bars 07
Horizontal Bars 15
Ring Frame 20
Pommel Horse 25
Vaulting Table 31
Uneven Bars 39
Balance Beam 45
Artistic Floor 51
Club Gymnastics 57
Trampoline 63
Happy Gymnastics 78
Ninja Series 85
Landing Mats 91

03 Event Cases

Events 100
Cases Design 103

01

TAISHAN SPORTS

Abouts Us 02 | Company Info 03 | FIG Certifications 04



—— Abouts Us ——

One-stop Global Sports Solution Service

Zero Complaints

We have served more than 1,000 international and domestic top sports events including 6 Olympic Games and 3 Youth Olympic Games, with "Zero Complaints".

Zero Breakdowns

As the world's top event service provider, We take high product quality seriously and will settle for nothing less than equipment "Zero Breakdown".

Zero Faults

With "Zere Failure" service level and the value pursuitof "no small matters in game" in mind, we have buildthe world's leading sports brand.

—— Company Info ——

As a world-famous sports equipment manufacturer and seller, Taishan Sports is now leading China's sports industry. It has successfully served multiple major sports events, such as Olympic Games, Youth Olympic Games, Asian Games, FISU World University Games, and National Games, using its pioneering CD2S (Consult, Design, Supply, and Service) service model for major sports events. Credited as "an Olympic miracle" by the former IOC president Jacques Rogge, Taishan Sports' high standard service with "Zero Faults, Zero Breakdowns, Zero Complaints" has made itself a proud national brand.

Entitled as National Sports Goods Engineering Technology Research Center, National Industrial Design Center, National Enterprise Technology Center, and Postdoctoral R&D Station, Taishan Sports is fully capable of conducting R&D of and testing on national level sports goods. With nearly 300 patents in hand, it has led and participated in setting over 60 domestic and international sports industry standards. More than 100 of its products have been approved by FIG, IJF, WT, UWW, WA, and IWUF, and its XPE multifunctional sports mats are listed on the China Torch Program. With all of its competitive gymnastic equipment approved by FIG, Taishan Sports has unprecedentedly adopted carbon fiber composite in production, never stopping technological innovation and material upgrade. Meanwhile, it continues to popularize gymnastic equipment and has come up with products for children and the elderly, creating "Taishan quality shared around the globe".

—— Qualifications ——

Official FIG Partner




2008 Beijing Olympic Games



The 11th National Games



The 16th National Games



2011 Shenzhen Universiade


The 8th Artistic Gymnastics Asian Championships



The 12th National Games



The 7th National City Games


The 45th Artistic Gymnastics world Championships


The 2nd Nanjing Youth Olympic Games


2017 Taipei Universiade


2018 Doha Artistic Gymnastics world Championships



2018 Doha Artistic Gymnastics world Championships


2018 Indonesia Asian Games


2019 Naples Universiade



The 1st Artistic Gymnastics Asian Youth Championship



The 1st Rhythmic Gymnastics Asian Youth Championship

—— FIG Certifications ——

We have the most of the FIG Certifications in China



02

GYMNASTICS SERIES

Parallel Bars 07-14	Horizontal Bars 15-19	Ring Frame 20-24
Pommel Horse 25-30	Vaulting Table 31-38	Uneven Bars 39-44
Balance Beam 45-50	Artistic Floor 51-56	Club Gymnastics 57-62
Trampoline 63-77	Happy Gymnastics 78-84	Ninja Series 85-90
Landing Mats 91-98		



Parallel Bars



Horizontal Bars



Ring Frame



Pommel Horse




Vaulting Table



Uneven Bars



Balance Beam



Artistic Floor




Club Gymnastics



Trampoline



Happy Gymnastics



Ninja Series



Landing Mat

Parallel Bars

GYMNASTICS SERIES

Carbon-fiber Parallel Bars


New Composite Material

Model: JZ1016

- Bar length: 350cm; bar material: fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
- Each column is composed of 1 seamless stainless steel tube and 1 carbon fiber column that are glued together to ensure the coaxiality and stability of the column.
- Made of special, thelifting rod has a specially treated surface which ensures flexbility and quick adjustment.
- The base is made of rectangular stainless steel tube welded together.
- Height adjusts form 160cm to 210cm in (5±0.2)cm increment. Width adjusts steplessly form 42cm to 62cm. 230cm clearance betwen the uprights on the long side.
- 304 stainless steel inner adjustment tube and unique three-point locking device.
- Features: Ensures equipment safety and higher bar flexibility and stability in use. Surface finished with baked black paint.



Carbon Fiber













Competition Parallel Bars

FIG Certifications

Model: TQ1001B

- Bar length: 350cm; bar material: fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm. The improved bar has a Patented built-in safety device which effectively prevents sudden injury and personal injury.
- Each column is made of two seamless steel pipes riveted together through advanced thermal process to ensure stability.
- Lifting rod is made of stainless steel, which is resistant to corrosion, with treated surface to ensure the flexibility of the lifting process. Each gear is clearly marked with quick adjustment.
- The locking device handle adopts plastic-impregnated technology, which is extremely comfortable. The round nut is more secure and stable.
- The base is welded with high-quality rectangular steel tubes, and the X-shaped design enhances the overall stability.
- Height is adjustable between 160cm-210cm, with each increment of 5cm, with stepless adjustment between 42cm-62cm, distance between columns is 230cm.
- Features: Ensures the safety using the equipment while increasing the bar surface elasticity. Overall stability of the parallel bars is guaranteed. Surface is baking varnish (red, Pantone 1955c).
  Advantages: Anti-fracture surface, anticorrosion of metal parts, height and width adjustment can be completed in one step.



Bars

Type	Competition Parallel Bars	Training Parallel Bars	Children Parallel Bars
Model	TQ1001B.03	TQ2001.03	TQ2003.01.04
Length	350cm	350cm	170cm



Training Parallel Bars

- Model: TQ2001A
  1. Bar length: 350cm; bar material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
  2. Bars adjust from 160cm to 210cm in 5cm increment. Distance between two bars can steplessly adjust from 42cm to 62cm.
- Features: Highly safe and stable. Elastic bar surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.



Mobile Training Parallel Bars

- Model: TQ2001A/1
  1. Bar length: 350cm; bar material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
  2. Bars adjust from 140cm to 200cm in 5cm increment. Distance between two bars can steplessly adjust from 42cm to 62cm.
- Features: Highly safe and stable. Elastic bar surface finished with baked varnish (gray). It is an solid system that consists of bars, uprights, and base. Leveling device on the base for uneven floor. 4 wheel for easy move.



Juvenile Training Parallel Bars

- Model: TQ2002A
  1. Bar length: 270cm; bar material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
  2. Bars adjust from 120cm to 170cm in 5cm increment. Distance between two bars can steplessly adjust from 32cm to 42cm.
- Features: Suitable for juvenile training. Surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.



Low Parallel Bars

- Model: TQ2004
  1. Bar length: 270cm; material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
  2. Distance between two bars can be steplessly adjusted from 32cm to 42cm. Columns on the long side are 200cm apart.
- Features: Surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.



Multifunctional Parallel Bars

- Model: TQ2071
  1. Bar length: 350cm; bar material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
  2. One bar can adjust from 132cm to 192cm, the other from 132cm to 232cm, all in 5cm increment. Distance between two bars can steplessly adjust from 39cm to 59cm.
- Features: Highly safe and stable. Elastic bar surface finished with baked varnish (gray). It is an solid system that consists of bars, uprights, and base. Leveling device on the base for uneven floor. 4 wheel for easy move.





Parallel Bars Safety Bench

- Model: TQ2047
  Bench size: 255cm*25.5cm
  Weight: 34kg
  Material: High quality red pine with eco-friendly varnished surface.
- Features: A training assistant device for parallel bars, suitable for juvenile practicers. Its special locking handle allows for easy height adjustment. Metal part spray-painted in silver and consists of bench surface ring, adjusting tube, and lifting frame.



Children Parallel Bars

- Model: TQ2003
  1. Bar diameter: 4cm; length: 170cm; material: high quality fiberglass with wooden cover.
  2. Bars adjust from 95cm to 135cm in 5cm increment. Distance between bars can steplessly adjust from 26cm to 130cm.
- Features: Uprights with special locking handles for quick height adjustment and connected to the base through special clamping screw knobs for quick bar distance adjustment. Surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.

Parallel Bars Training Blocks

Model	Dimensions		
TQ2006	L 160cm	W 60cm	H 100cm
TQ2006/1	L 160cm	W 60cm	H 120cm

- Material: Blocks filled with eco-friendly material, has increased elasticity to prevent injury during training, and are linked through Velcro tapes to ensure stability.
- Features: Blocks are elastic and stable. Uprights are connected to the base through special clamping screw knobs for quick, stepless blocks distance adjustment. Surface of the metal part finished with baked varnish (silver). It is an solid system that consists of blocks, uprights, and base.



Parallel Bars Cart

Model	TQ2048 (for TQ1001)	TQ2048A (for TQ1001B)
Dimension	100cm×100cm×20cm	
Weight	7.5kg	

- Features: The cart can lever up parallel bars easily. Heavy duty caster wheels allow free movement while preventing damage to the floor. Surface spray-painted in silver.



Horizontal Bars


GYMNASTICS SERIES


Carbon-fiber Horizontal Bar

New Composite Material

Model: JZ1017

- The bar is 2.8cm in diameter and 240cm in length, made of special elastic material and has anti-rust columns at either end which are 240cm apart.
- The uprights are made of carbon fiber composite material.
- The positioning pins in the adjusting columns allow for easy, quick adjustment.
- Each tension cable uses stainless steel wire which is 0.6cm in diameter and two turnbuckles for quick tightening.
- The bar adjusts from 275cm to 295cm in 5cm increment with special locking system. The floor embedded parts are 5500mm apart on the long side and 4000mm on the short side.
- Features: The height adjustment is quick and convenient. The locking system is firm and stable. The double-tension-cable system increases overall elasticity and stability. The oversize column feet can disperse shock and absorb pressure for athletes. Surface is finished with baked paint (black).









Competition Horizontal Bar

- Model: TQ1002
  1. The bar is 2.8cm in diameter, 240cm long, and made of elastic material.
  2. The uprights are made of high quality φ6*0.4cm machined seamless steel tubes.
  3. The adjusting columns are made of high quality φ5*1cm seamless steel tubes with specially treated surface to ensure easy adjusting.
  4. Each tension cable uses stainless steel wire which is 0.6cm in diameter and two turnbuckles for quick tightening.
  5. The bar adjusts from 270cm to 305cm in 5cm increment with special locking system.
- Features: The height adjustment is quick and convenient. The locking system is firm and stable. The double-tension-cable system increases overall elasticity and stability. The oversize column feet can disperse shock and absorb pressure for athletes. It can be used for competition and training. Surface is finished with baked varnish (red, PANTONE 1955c). It is an solid system that weighs 80kg and consists of bar, uprights, and tension cables.

Bar

Type	For Competition Horizontal Bar	For Children Horizontal Bar	Multifunctional Horizontal Bar
Model	TQ1002.01	TQ2003.01.04	TQ2007.07
Dimension	Length 240cm, diameter 2.8cm	Length 170cm, diameter 4cm	Length 240cm, bar surface: φ2.8cm



Horizontal Bar Counterweight

- Model: TQ2023A
  Specification: The two anchor points are 550cm apart on the long side and 400cm apart on the short side. Each counterweight is at least 800kg.
  Material: The counterweights are made of high quality carbon steel. The frame is welded 5*0.3cm rectangular steel tubes.
- Features: It's suitable for stadium without counterweights and can be easily assembled and moved around.



Detachable Children Horizontal Bar

- Model: TQ2008/3
  Weight: 45kg
  Specification: Bar is 130cm long and has a diameter of 4cm. It adjusts from 90cm to 150cm in 5cm increment.
  Bar material: High quality fiberglass with wooden cover.
- Features: The detachable design allows for easy transportation and increases structural stability. The special locking lifting handles on the uprights ensure quick adjustment of the bar height. The uprights and the base are connected through a special fastening device so that the position of the bar can be quickly adjusted. Surface is spray-painted. It is a solid system that consists of bar, uprights, base, and adjustable tubes.



Horizontal Bar Safety Bench

- Model: TQ2054
  Specification: The supporting platform is 100cm long and 45cm wide.
  Weight: 28kg
- Features: The supporting platform can easily adjust height with the special adjustment locking handle. It is suitable for assisting horizontal bar practicer. Frame is spray-painted (silver). The whole system consists of supporting platform, lifting tube, frame , and base.



Children Horizontal Bar (A)

- Model: TQ2008
  Specification: Bar is 170cm long and has a diameter of 4cm and adjusts from 155cm to 195cm in 5cm increment.
  Bar material: High-quality fiberglass with wooden cover.
- Features: The special locking lifting handles on the uprights ensure quick adjustment of the bar height. The uprights and the base are connected through a special fastening device so that the position of the bar can be quickly adjusted. Surface is spray-painted in silver. It is a solid system that consists of bar, uprights, base, and adjustable tubes.






Multifunctional Horizontal Bar

- Model: TQ2007
  1. Bar is 240cm long and had a diameter of 2.8cm.
  2. The outer tubes have special locking lifting handles. The ear places allow for quick replacement of the bar during training.
  3. Tension cables are made of φ0.6cm stainless steel wires with turnbuckles for quick adjustment.
  4. Bat adjusts from 90cm to 280cm.
- Features: Height adjustment is quick and easy and not limited by the tension cables. The feet can disperse shock and absorb pressure for athletes. It is a solid system that consists of bar, uprights, base, adjustable tubes, and tension cables.

Ring Frame

GYMNASTICS SERIES



Carbon Fiber Ring

New Composite Material

Model: JZ1012

- Height adjusts from 580cm to 595cm. The two uprights are 346cm apart, and the two rings 50cm apart. The whole system covers a floor area of 400*550cm.
- Rings are made of composite wood which has strong moisture and sweat absorption. Rings adjusts from 280cm to 295cm off the ground in 2.5cm increment.The inner diameter of the ring is φ18cm, its cross section has a diameter of φ2.8cm.
- Crossbeam is made of carbon fiber composite material with built-in rubber spring device for enhanced shock absorption.
- Uprights is made of carbon fiber composite material for increased durability and stability.
- Lifting rods with positioning pins ensure flexible adjustment. The lifting increment is 2.5cm.
- Tension cables are made of φ0.6cm stainless steel wires with 4 turnbuckles for quick adjustment.
- Features: Rings are connected to elastic frame through special steel cables and evenly loaded to provide athletes with sufficient buffer to prevent hand injuries. The oversize feet can disperse shock and absorb pressure for athletes. Doubled tension cables enhance the overall stability. Surface is finished with baked paint (black).









Competition Ring

- Model: TQ1006B
  1. The height is 611cm. The two uprights are 314cm apart and the two rings 50cm apart.
  2. Rings are made of composite wood which has strong moisture and sweat absorption. Rings adjusts from 270cm to 300cm off the ground in 2.5cm increment.
  3. Crossbeam is high quality 12*8cm tubes welded together with built-in rubber spring device for enhanced shock absorption.
  4. Uprights is high quality 6*8*0.2cm and 5.5*7.5*0.2cm rectangular tubes welded together for increased durability and stability.
  5. Lifting rods are made of 7.5*5.5cm steel tube with specially treated surface for easier adjustment. The lifting increment is 5cm.
  6. Tension cables are made of φ0.6cm stainless steel wires with 4 turnbuckles for quick adjustment.
- Features: Rings are connected to rubber spring device through special steel cables and evenly loaded to provide athletes with sufficient buffer to prevent hand injuries. The oversize feet can disperse shock and absorb pressure for athletes. Doubled tension cables enhance the overall stability. Surface is finished with baked varnish (red, PANTONE 1955c).
  Advantages: Rings are anti-fracture, and have strong moisture and sweat absorption.



Training Ring

- Model: TQ2030A
  1. The height is 580cm. The two uprights are 313cm apart and the two rings 50cm apart.
  2. Rings are made of composite wood which has strong moisture and sweat absorption. Rings adjusts steplessly from 80cm to 270cm off the ground.
- Features: Rings are connected to the crossbeam through stainless steel cables and cowhide belts and evenly loaded to provide athletes with sufficient buffer to prevent hand injuries. The oversize feet can disperse shock and absorb pressure for athletes. Doubled tension cables enhance the overall stability. Surface is spray-painted (silver). It is a solid system that consists of crossbeam, uprights, rings, tension cables, and shock absorbing device.



Wall Ring

- Model: TQ2033
  1. Arms are 180cm long and rings are 50cm apart.
  2. Rings are made of composite wood which has strong moisture and sweat absorption. Rings adjusts steplessly from 80cm to 270cm off the ground.
- Features: Rings are connected to the wall mounting frame through stainless steel cables and cowhide belts. Tension cables enhance the overall stability. Surface is spray-painted (silver). It is a solid system that consists of wall mounting frame, fixing flanges, rings, tension cables, and shock absorbing device.



Ring Counterweight

- Model: TQ2023A
  Specification: The two anchor points are 550cm apart on the long side and 400cm apart on the short side. Each counterweight is at least 800kg.
  Material: The counterweights are made of high quality carbon steel. The frame is welded 5*0.3cm rectangular steel tubes.
- Features: It's suitable for stadium without counterweights and can be easily assembled and moved around.





Arm Strength Trainer for Ring

- Model: TQ2031
  Dimension: 260*81*75/120cm
  Sliding board dimension: 70*34cm
  Sliding board is covered with special fiber leather and uses plywood board and heavy duty sponge on the inside. The special sliding device allows for smooth sliding.
- Features: Smooth sliding, easy height adjustment, and overall stability. Surface is spray-painted (silver). The apparatus consists of sliding board, frame, adjusting tubes, uprights, and rings.



Children Ring

- Model: TQ2032
  1. Rings have a diameter of 16cm and are made of composite wood with strong moisture absorption.
  2. Rings adjust from 115cm to 145cm in 5cm increment.
- Features: The special locking lifting handles on the uprights ensure quick adjustment of the ring height. Uprights are connected to the base through special clamping screw knobs for higher stability and safety. Surface is spray-painted (silver). It is a solid system that consists of crossbar, uprights, base, and rings.



Ring Hook


- Model: TQ2094
  Specification: Ring hood is 1650mm long and 64mm wide. Its body is 2.2cm in diameter and the hook is 0.6cm in diameter.
  Material: Aluminum Alloy





Rings and Ring Slings

- Model: TQ1006B.03
  Material: Rings are made of beech plywood. Stainless steel wires and cowhide ring straps are hung on the shock-absorbing bearing system.



Iron Cross Trainer

- Model: TQ2034
  Dimension: 33.4*17*10cm
  Material: The nylon rubber band is built in the main frame. The proper elasticity ensures comfortable touch. The frame is made of high quality carbon steel tubes and hooks welded together and has special hanging device.
- Features: An Iron Cross training aid device that effectively enhances arm and wrist strength. The special elastic fastening device can prevent hand injuries. The hanging device increases overall stability. Surface is spray-painted (silver). It consists of frame, fixing flange, rings, ropes, and shock absorbing device.



Ring Safety Bench

- Model: TQ2052
  Specification: The supporting platform is 80cm long and 50cm wide and can adjust height easily with the special adjustable locking handle.
- Features: It is suitable for assisting ring practicers. Surface is spray-painted (silver). The whole system consists of supporting platform, lifting tube, frame, and base.

Pommel Horse

GYMNASTICS SERIES

Carbon-fiber Pommel Horse

New Composite Material

Model: JZ1013

- Bench surface is made of cowhide. Made of one-step hot pressed wood, bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high. Heavy duty sponge is glued to the upper part of the body.
- Legs are made of carbon fiber composite material. Leg protective sleeves are required during competitions (order separately).
- Lifting rods with positioning pins allow for easy, quick, and flexible adjustment.
- The curved base is made of high quality pressed rectangular steel tubes and 4 moving wheels.
- Pommels are 12cm high. The bench adjusts from 110cm to 130cm in 5(±0.2)cm increment above the ground. The inner distance of pommels adjusts from 374mm to 482mm.
- Supporting parts dimensions: Main tubes are made of carbon fiber composite material. The inner adjusting tubes are made of 80*60*4mm steel tubes with chrome plating rust prevention treatment. Moving wheels and floor protective devices are on the bottom.
- Features: Special cowhide ensure moisture absorption. Heavy duty sponge and hot pressing wood body improves shock absorption to prevent joint injuries for athletes from long-term use. The integrated moving wheels save transporting time. The surface is finished with baked paint (black).



Carbon Fiber






Competition Pommel Horse

- Model: TQ1004B
  1. Bench surface is made of cowhide. Made of one-step hot pressing wood, bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high. A high quality soft layer is glued to the upper part of the body.
  2. Legs are made of 7.5*12.5cm high quality rectangular tubes welded together.
  3. Lifting rods are made of 5*10cm high quality rectangular tubes with treated surface for flexible adjustment.
  4. The curved base is made of high quality pressed rectangular steel tubes and 4 moving wheels.
  5. Pommels are 12cm high. The bench adjusts from 95cm to 125cm in 5(±0.2)cm increment above the ground.
- Features: This new type of pommel horse uses special leather that increases friction. The change of bench shape is conducive to athletes' performance. It is suitable for professional competition and training. The surface is finished with baked paint (red, PANTONE 1955c). The apparatus weighs 76kg and consists of pommels, bench body, supporting legs, and base. Leg protective sleeves are required during competitions (order separately).



Training Pommel Horse


- Model: TQ2024
  1. Bench surface is made of special fiber leather. The one-step hot pressed bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high.
  2. Pommels are 12cm high and the distance in between adjusts from 40cm to 45cm. The bench adjusts from 95cm to 125cm in 5.5cm increment above the ground.
- Features: Heavy duty sponge and transverse pressure infill improves shock absorption to prevent joint injuries to athletes from long-term use. The surface is spray-painted (silver). The apparatus consists of pommels, bench body, supporting legs, and base.



Rotating Mushroom Trainer

- Model: TQ2029
  1. Surface of the mushroom is made of special fiber leather. The mushroom is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
  2. The round platform has a specially processed soft layer and covered with special fiber.
- Features: The oversize round platform provides more supporting area for athletes. The one-piece mushroom using injection molding increases overall flexibility and stability. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, round platform, upright, and base.





Adjustable Mushroom Trainer

- Model: TQ2026
  1. Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
  2. The mushroom head adjusts from 50cm to 70cm in 5cm increment.
- Features: The one-piece mushroom head using injection molding increases overall flexibility and stability. Three special footpads and one rubber micro adjustment device can effectively protect floor and be used on uneven site. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, adjusting tube, and base.



Pommel Horse Components

- Model: TQ1004.02（Apply to TQ1004、TQ1004B）



Low Pommel Horse (A)

- Model: TQ2025
  1. Bench surface is made of special fiber leather. The one-step hot pressed bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high.
  2. Base is made of laminated multiplayer board that provides good overall elasticity and stability.
  3. Pommels are 12cm high and the distance in between adjusts from 40cm to 45cm. The apparatus is 37cm high.
- Features: The wooden bow-shaped base increases overall flexibility and stability. Surface is spray-painted (silver). The apparatus consists of pommels, bench body, and wooden base.



Low Pommel Horse (B)

- Model: TQ2045
  1. Bench surface is made of special fiber leather. The one-step hot pressed bench body has a flexible layer on top and is 160cm long, 36.2cm wide on the upper side, and 16.6cm high.
  2. The distance between two pommels adjust from 40cm to 45cm. The apparatus adjusts from 50cm to 65cm off the ground in 5cm increment.
- Features: Bench body has improved shock absorption that prevents joint injuries to athletes from long-term use. The locking adjustment device allows for quick height adjustment. The surface is spray-painted (silver). The apparatus consists of pommels, bench body, lifting rod, and base.



Single Pommel Mushroom Trainer

- Model: TQ2027
  1. Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
  2. Pommel is 12cm high. The apparatus adjusts from 50cm to 70cm in 5cm increment.
- Features: The one-piece mushroom head using injection molding increases overall flexibility and stability. Three special footpads and one rubber micro adjustment device can effectively protect floor and be used on uneven site. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, adjusting tube, base, and pommel.



Double Pommel Mushroom Trainer

- Model: TQ2028
  1. Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
  2. The distance between pommels is adjustable. The apparatus adjusts from 50cm to 70cm in 5cm increment.
- Features: The one-piece mushroom head using injection molding increases overall flexibility and stability. Three special footpads and one rubber micro adjustment device can effectively protect floor and be used on uneven site. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, adjusting tube, base, and pommel.




Mushroom Trainer (A)

- Model: TQ2050
  Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 100cm.
- Features: Welded one-piece base increases the overall stability. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head and base.



Mushroom Trainer (B)

- Model: TQ2055
  1. Surface of the mushroom is made of special fiber leather. The mushroom is one-step hot pressed and has a diameter of 60cm.
  2. The mushroom head is 46.3cm high.
- The mushroom head using injection molding increases the overall elasticity and stability. The apparatus is for happy children gymnastic equipment and consists of mushroom head, upright, and base.



Mobile Pommel Horse Counterweight

- Model: TQ2073
  1. It is made of steel plates for easy moving and is suitable for stadiums without floor anchor.
  2. Weight: 100kg



Pommel Horse Protective Cover

- Model: TQ2038（apply to TQ1004、TQ1004B）
  Features: It is made of XPE specifically for gymnastics. Difference Colors are available.

Vaulting Table

GYMNASTICS SERIES

Carbon-fiber Vaulting Table

New Composite Material

Model: JZ1015


- The body is 120cm long and 95cm wide. The table body is made of one-step hot pressed multilayer board and coated with special material. Special shock-absorbing material is glued to the upper surface. The movement area and the warning area are clearly distinguished. The table body is made of EV50, natural rubber particles, and microfiber leather. The 3°elevation allows for easy aiming.

- The outer bushing of the upright is made of composite material to ensure durability. The inner tube is made of high quality steel plates welded together with specially treated surface to ensure easy adjustment.

- The overall height is adjustable from 110cm to 140cm in 5cm increment.

- Features: The tongue-shaped platform can effectively avoid accidents and injuries to athletes. The one-step formed upright increases overall safety. Surface is finished with baked paint (black). The apparatus weighs 142kg and consists of table body, upright, protective cover, and locking system.








Vaulting Table

- Model: TQ1005B
  1. The body is 120cm long and 95cm wide. The table body is made of reinforced fiberglass composite material and coated with special material. Special shock-absorbing material is glued to the upper surface.
  2. The upright is made of high quality 0.5cm thick steel tube with specially treated surface to ensure flexible adjustment. Multifunctional locking device separated the inner tube and the outer bushing of the upright if turned counter-clockwise. The table body can be adjusted only when the safety knob is pulled and automatically locked when released.
  3. Base is made of high quality steel plate welded together and has 4 micro adjusting devices to protect the floor and be used on uneven surface.
  4. The overall height is adjustable from 105cm to 135cm in 5cm increment.
- Features: The tongue-shaped platform can effectively avoid accidents and injuries to athletes. The one-step formed upright increases overall safety. A 0.1cm high micro adjusting device is located on the bottom of each leg for easy leveling. Normally leveling can be accomplished by adjusting only one leg. Surface is finished with baked varnish (red, PANTONE 1955c).
  Advantages: One-step formed table body increases the overall durability. Table surface has high friction and can absorb magnesium powder more easily. The soft layer increases elasticity and is conducive to athletes' performance.




Track

- Model: TQ1543
  Specification: 2500cm×100cm×2cm
  Material: Track is made of head-sealed XPE and blanket.



Square Sponge Vaulting Table

- Model: TQ2523/1
  Dimension: 130*95*95cm
  Weight: 58kg
  Material: XPE and heavy duty sponge
  Features: It provides assistance during training and is suitable for beginners.



Mobile Vaulting Table Counterweight

- Model: TQ2056
  1. It is made of steel plates, suitable for stadiums without floor anchor, and can be moved easily.
  2. Weight: 170kg



Folding Vault Board

- Model: TQ2005A
  Dimension: 440*100cm*2.5cm
  Material: It is made of birch wood and gymnastic blanket with anti-slip surface.



Training Vaulting Table

- Model: TQ2022A
  1. The apparatus is 120cm long and 95cm wide and made of molded glass fiber. Special shock-absorbing material glued to the upper surface provides ample buffer. The movement area and the warning area are clearly distinguished.
  2. The overall height is adjustable from 110cm to 135cm in 5cm increment.
- Features: The tongue-shaped platform can effectively avoid accidents and injuries to athletes. The one-step formed upright increases overall safety. The table has improved moisture absorption and antislip. The metal parts are electrostatic painted. Standard color is silver. Other colors are available.



U-shaped Mat II

- Model: TQ2540/1
  Dimension: 120*101*22/10.8cm
  Material: PVC fabric and XPE foam
  Features: It has good stability, comfortable surface, and moderate elasticity and can be easily installed. It is used as protective device for springing board.

U-shaped Mat II (New Shape)

- Model: TQ2556
  Specification: 1400*120*22/5cm
  Material: PVC fabric and XPE foam
  Features: It has good stability, comfortable surface, and moderate elasticity and can be easily installed. It is used as protective device for springing board.



Vaulting Table Base Pad

Model	Specification
TQ2647 (Apply to TQ1005)	100cm×100cm×20cm
TQ2647A (Apply to TQ1005B)	

- Material: PVC material cover, eco-friendly XPE infill.
  Features: Good stability, easy to assemble, soft surface, appropriate flexibility. Mainly used for competition and training of Vaulting.





Hand Pad

- Model: TQ1561
  Dimension: 120*100*3cm
  Material: Micro fiber leather and XPE foam
  Features: It is eco-friendly, has good stability and soft touch, and can be easily installed.

Field Measuring Tape

- Model: TQW0327
  Specification: It has a dip stick for measuring vault track. Maximum measuring length is 30m.



Vault Run-up Start Link Marker

- Model: TQ2095
  Specification: 100*5*5cm
  Material: wood
  Features: It has Velcro straps on the bottom.



Soft Springing Board (5 springs)

- Model: TQ1010B
  Dimension: 120*60*22cm
  Material: It is made of reinforced multilayer fiberglass composite board and gray nonwoven blanket with glued 2cm thick elastic rubber plastic foam. It consists of 5 precisely positioned conical springs of difference heights and safety device on the base, which is made of 2cm thick hot pressed multiplayer birch wood with anti-slip pads at the bottom.
- Features: This new springing board has increased impact resistance and shock absorbtion. The improved anti-slip pads is conducive to athletes' performance. It is suitable for professional competitions and trainings.
  Advantages: It is anti-fracture and convenient for transportation, and has long serivce life.



Soft Springing Board (8 springs)

- Model: TQ1011B
  Dimension: 120*60*22cm
  Material: It is made of reinforced multilayer fiberglass composite board and gray nonwoven blanket with glued 2cm thick elastic rubber plastic foam. It consists of 8 precisely positioned conical springs of difference heights and safety device on the base, which is made of 2cm thick hot pressed multiplayer birch wood with anti-slip pads at the bottom.
- Features: This new springing board has increased impact resistance and shock absorbtion. The improved anti-slip pads is conducive to athletes' performance. It is suitable for professional competitions and trainings.
  Advantages: It is anti-fracture and convenient for transportation, and has long serivce life.



Soft Training Springing Board (5 springs)

- Model: TQ2097
  SDimension: 120*60*22cm
  Material: It has 5 metal springs and rubber plastic buffering layer and is highly bouncy. Surface is covered with tufted blanket. The standard color is blue.



Soft Training Springing Board (7 springs)

- Model: TQ2096
  Dimension: 120*60*22cm
  Material: It has 7 metal springs and rubber plastic buffering layer and is highly bouncy. Surface is covered with tufted blanket. The standard color is blue.

Uneven Bars

GYMNASTICS SERIES

Competition Uneven Bars

Model: TQ1003B

- Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
- Uprights are made of φ5cm*0.35cm high quality seamless steel tubes with special locking and adjusting system.
- The base is made of 12*6*0.3cm high quality flat oval steel tubes with 4 special rubber footpads to increase friction.
- The adjusting rods are made of φ4.2cm*0.8cm high quality seamless steel tubes with specially treated surface. The additional assisting height adjusting handles make adjustment quick and easy.
- The tension system is made of φ0.6cm stainless steel wires with 2 tensioners that allow for quick tension adjustment of the rope.
- The lower rail adjusts from 165cm to 195cm and the higher rail from 245cm to 270cm in 5cm increment. Distance between the two rail adjust steplessly from 110cm to 185cm.
- Features: Specially treated rail surface is conducive to athletes' performance. The optimized tension cable position realizes rail height adjustment without adjusting the length of tension cables while ensuring stability. The additional assisting height adjusting handles and height marks make adjustment quick and easy. The optimized base improves structural rigidity and appearance. The apparatus consists of rails, uprights, base, and tension systems and is suitable for professional competition and training. Surface is finished with baked paint (red, PANTONE 1955c).













Training Uneven Bars (A)

- Model: TQ2010
  1. Rail diameter 4cm, rail length 240cm, made of high quality fiberglass wrapped by beech veneer.
  2. The tension system is made of φ0.6cm stainless steel wirerope, equipped with 2 quick adjustment devices, make the tension of tension ropes can be finished quickly.
  3. The height of the low rail is 135cm-185cm, high rail 205cm-255cm. The distance between two rails is 110cm-185cm steplessly adjustable.

- Features: The rails made of special technology is conducive to the athletes' exertion of difficult performance. The special locking&lifting system saves time for height adjustment during training and competition. The wider base increases the overall stability. Powder coating technology is adopted for the surface treatment(silver).
  Composed of rails, columns, base, regulating rods and tension ropes.







Training Uneven Bars (B)

- Model: TQ2011
  1. Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
  2. The lower rail adjusts from 135cm to 185cm and the higher rail from 205cm to 255cm in 5cm increment. Distance between the two rails adjust steplessly from 110cm to 185cm.

- Features: Uprights are fixed by diagonal braces with connecting devices, so that the apparatus are not limited by the condition of the site or floor hooks. The wider base has moving wheels and increases overall stability. Surface is spray-painted (silver). The apparatus consists of rails, uprights, base, adjusting rods, and diagonal braces.

Rails

Name	Model	Specification
Competition Uneven Bars Surface	TQ1003B.01	bar surface: φ4cm, bar length: 240cm, the material is high quality glass fiber reinforced plastic sheet.
Training Uneven Bars Surface	TQ2010.03, Apply to TQ2010 and TQ2011	Bar surface: φ4cm, bar length: 240cm, the material is high quality glass fiber reinforced plastic sheet.



Children Uneven Bars

- Model: TQ2012
  1. Rails are 170cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
  2. The lower rail adjusts from 95cm to 135cm and the higher rail from 155cm to 195cm in 5cm increment. Distance between the two rails adjust steplessly from 26cm to 130cm.

- Features: The special locking and adjusting handles of the uprights allow for quick height adjustment. Uprights and base are connected by special tightening devices for quick adjustment of the distance between the rails. Surface is spray-painted (silver). The apparatus is stable and consists of rails, uprights, and base.

-

Name	Rail of Children Uneven Bars
Model	TQ2003.01.04
Dimension	φ0.6cm*170cm



Low Horizontal Bar (A)

- Model: TQ2013
  1. Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
  2. The tension system is made of φ0.6cm stainless steel wires with 2 tensioners that allow for quick tension adjustment to the rope.
  3. Height is adjustable from 145cm to 255cm.

- Features: The apparatus is highly stable and safe. Its rail is elastic. The tension system ensures the overall stability. Surface is spray-painted (silver). The apparatus consists of rail, base, and tension system.



Low Horizontal Bar (B)

- Model: TQ2014
  1. Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
  2. The oversize round bases have non-slip rubber pads.
  3. Height is 41cm.

- Features: The oversize bases enhance of the overall stability of the apparatus. Surface is spray-painted (silver). The apparatus consists of rail, uprights, and bases.



Uneven Bars Protective Bench

- Model: TQ2049
  Specification: The platform is 100cm long and 45cm wide, and weighs 30.5kg.
  Material: Covered with special fiber leather, the supporting platform is made of high strength plywood with heavy duty foam glued to the top side. The special locking and adjusting handle allows for quick and easy height adjustment.

- Features: The special fiber leather ensures moisture absorption. The heavy duty foam on the inside can better absorb shock and provide overall comfort. It is suitable for junior uneven bars practicers and is spray-painted (silver). The apparatus consists of supporting platform, lifting tube, frame, and base.



Elastic Handstand Rotation Trainer

- Model: TQ2015
  Specification: The bars are 170cm long with a 4cm diameter, and adjusts from 95cm to 135cm off the ground. The width between the bars and the elastic parts can adjust steplessly.
  Material: The bar is made of high quality glass reinforced plastic with wooden cover. The elastic components are rubber band with heavy duty sponge covered in PU leather and bonded through Velcro straps for good overall elasticity.

- Features: The upright is equipped with special locking and lifting handle which allows for quick height adjustment. The uprights and the base are connected by a special tightening device which allows for quick adjustment of the distance between the elastic parts and the bars. The surface is spray-painted (silver). The apparatus consists of bars, elastic parts, uprights, and base and has good stability.



Palm Protector

- Model: TQW0329
  Specification: small (palm length 9-10cm), medium (palm length 10-11cm), large (palm length 11-12cm).
  Material: full-grain leather.
  Features: It is anti-slip and wear-resistant and protects palms in gymnastic and horizontal bar exercise.

Name	 Bar Protector	 U-shaped Bar Protector
Model	TQ2756	TQ2757
Specification	Length 140cm, outer diameter 11cm , inner diameter 5cm.	Length 140cm, height 10cm, inner diameter 5cm.
Material	Heavy duty foam wrapped in PVC knitting fabric	
Colors	Customizable	
		Applicable for horizontal bar, parallel bar and uneven bar.



360° Flip Protective Frame

- Model: TQ2016
  1. The frame adjusts from 640cm to 670cm in 2.5cm increment. The two uprights are 240cm apart. The height of the belt is adjustable.
  2. The leather belt is equipped with a rotating device attached to the top of the frame through nylon rope.
  3. The pulling system is made of φ0.6cm diameter stainless steel wire and turnbuckles for quick tightening.

- Features: The leather belt rotating device hung down from the top of frame can touch the ground using the pulley and protect athletes from getting injured during exercise. The oversize footpads disperse pressure during exercise. The pulling system enhances the overall stability. The surface is spray-painted (silver). The apparatus consists of beam, uprights, leather belt, base and wire.



Standard Uneven Bars Counterweight Bracket

- Model: TQ2018A
  Specification: The two anchor points are 550cm apart on the long side and 400cm apart on the short side. Each counterweight is at least 800kg.
  Material: The counterweight is made of high quality carbon steel and the frame 5cm*0.3cm square tube welded together.
  Features: It's suitable for stadium without counterweights and can be easily assembled and moved around.

Balance Beam

GYMNASTICS SERIES

Carbon-fiber Balance Beam

New Composite Material

Model: JZ1014

- The length of the beam is 500cm, made of glass fiber composite material.
- The main pipe is made of carbon fiber composite material, and the inner regulating pipe is made of 80×60×4mm steel pipe with galvanized anti-rust treatment.Movable casters and floor protection at the bottom.
- The overall adjustment height is adjustable between 115cm-135cm, and the lifting distance is 5cm.
- Features: Indexing pin can quickly adjust the height of the beam, fast and firm locking. Preformed foam end plug maximally protects the athlete from injury when dismounting the equipment, and the surface adopts paint baking process (black)







Balance Beam

- Model: TQ1007B
  1. The beam is 500cm long, 10cm wide, and 16cm high. The inner tube is made of aluminum alloy material.High density rubber sponge is glued to the top side. The beam is covered with special fiber leather and hygroscopic material for better sweat and shock absorption.
  2. The uprights are made of 5cm*10cm and 6cm*0.4cm high quality steel tubes welded together. The 2 oval shape special locking devices allow for easy height adjustment.
  3. The height is adjustable from 70cm to 125cm in 5cm increment.
  4. Four micro adjustment pads are located on either side of the bottom of the supporting legs to meet adjustment needs in different circumstances and increase stability at the same time.
  5. The elliptical supporting tubes are covered with one-step formed sleeve which has a proper look and is safe to use.
- Advantages: The optimized beam surface is softer and has higher friction coefficient. The optimized soft layer can better adsorb shock while maintaining good support. The new horizontal micro adjustment device ensures the leveling of the apparatus, which is conducive to athletes' performance. It is suitable for professional competition and training. The surface is finished with baked varnish (red, PANTONE 1955c).



Upper Soft Mat for Balance Beam

- Model: TQ2549/1
  Specification: 100cm*46cm*2cm
  The cover is made of microfiber leather and PVC diamond-shaped anti-slip cloth.
  High quality XPE+ foam is on the inside.



Name	Model	Beam Length	Upper Width	Height	Overall Height
Low Balance Beam (B)	TQ2019	500cm	10cm	16cm	40cm
3m Low Balance Beam (B)	TQ2019/1	300cm	10cm	16cm	40cm
2.5m Low Balance Beam (B)	TQ2019/2	250cm	10cm	16cm	40cm

- Features: The beam is covered with special fiber leather and hygroscopic material for better sweat and shock absorption. The special rubber shocking absorbing system increases the overall flexibility. The plum-shaped handles allow for quick adjustment to the distance between the two legs and fast locking. The preformed foam plugs on either end maximize protection of the athletes.







Name	Model	Beam Length	Upper Width	Height	Overall Height
Low Balance Beam	TQ2051	500cm	10cm	16cm	25cm
3m Low Balance Beam	TQ2051/1	300cm	10cm	16cm	25cm
2.5m Low Balance Beam	TQ2051/2	250cm	10cm	16cm	25cm

- Material: High density rubber sponge is glued to the top side. The beam is covered with special fiber leather.
  Feature: The moisture absorbing surface provides good shock absorption. The special rubber shock absorbing system increases the overall elasticity of the beam. Locking is quick and safe. The preformed foam plugs maximize the protection of athletes. The apparatus consists of horizontal beam and main frame.



Training Balance Beam

- Model: TQ2017A
  1. The Beam is 500cm long, 10cm wide on the top, and 16cm high, and covered with special fiber leather and hygroscopic materiel which allows for better shock absorption.
  2. The overall height is adjustable from 70cm to 125cm in 5cm increment.
- Features: The special rubber shock absorbing system increases the overall elasticity of the beam. The handles allows for quick beam height adjustment and fast and firm locking. The foam plugs maximize the protection of athletes. The apparatus consists of beam and legs.



Name	Balance Beam Protective Cover	
Model	TQ2020	TQ1544
Material	XPE laminated gymnastic blanket	Cover: PVC woven fabric Inner material: XPE



Name	Soft Mat for Balance Beam	
Model	TQ2549	TQ2709
Specification	100cm×50cm×2cm	120cm×40cm×2cm
- Features: Good stability, easy to install, soft surface, appropriate flexibility, used with balance beam.



Balance Beam Multifunctional Mat

- Model: TQ2549/6
  Specification: 150×100×1.5cm
  Features: It is used for balance beam auxiliary training, and made of skin-firendly materials, jacquard wire cloth, and memory sponge, making it soft and comfortable. Color options: red, pink, green, and yellow.



Balance Beam Soft Pad

- Model: TQ2021
  Specification: The widened board is 250cm long and 20cm wide
  Materials: High density rubber sponge is glued to the top of the board which is wrapped in special microfiber leather.
  Features: It is fixed to balance beam through special safety belts and suitable for junior practicers.





Balance Beam Cart

- Model: TQ2079
  Features: The cart can transport balance beam easily and has heavy duty industrial casters that allow for easy transportation and protect the floor.


Floor Exercise Mat


GYMNASTICS SERIES

Floor Exercise Mat B

Model: TQ1008B-F

- The mat is 1410cm*1410cm with a 1200cm*1200cm contest area. The diagonal length is 1697cm. The contest area and the safety area are clearly separated. The surface is made of a combination of blanket and buckles are on the bottom.
- The buffer layer is made of 5cm thick XPE puzzle mats on top of 84 precisely assembled laminated plates. There are 2303 springs and a belt around the perimeter. The functionality is at its best.
- Each mat of standard size is equipped with multiple H-shaped parts that link the bottom plates together. The tension straps firmly lock all bottom plates together so that they become one solid piece.
- Features: The new spring shock absorbing system and high quality soft layer provide good cushioning and allow for the best resilience. It is suitable for professional competition and training.









Floor Exercise Mat D

- Mode: TQ1008D
  1. The mat is 1410cm*1410cm with a 1200cm*1200cm contest area. The diagonal length is 1697cm. The contest area and the safety area are clearly separated.
  2. The soft layer is made of 6cm thick EV30 material which has good shock absorption and higher safety.
  3. The bottom plates are made of 1.3cm thick high quality multi-layer birch wood board with its surface made of high quality hot mold-pressed glass fiber. 2304 precisely positioned springs ensure the best functionality.
  4. Each mat of standard size is equipped with multiple H-shaped parts that link the bottom plates together. The tension straps firmly lock all bottom plates together so that they become one solid piece.

- Features: The new spring shock absorbing system and high quality flexible layer provide good cushioning and allow for the best resilience. It is suitable for professional competition and training. The mat consists of springs, bottom plats, soft layer (EV30), and blanket surface.
  Advantages: The high quality tufted blanket surface increases comfort. The new soft layer increases elasticity and is conducive to athletes' better performance.









Rhythmic Gymnastics Floor

- Model: TQ1009B
  1. The floor is 1450cm*1450cm with a 1300cm*1300cm competition area. The 5cm wide boundary distinguishes the competition area and the safety area. Totally 4 rolls of 1450cm*362cm velvet knitted blanket cover the surface. The bottom is fixed by strong adhesive tapes.
  2. The floor consists of 2 layers of 0.9cm thick high quality plywood. The upper layer consists of 121 pieces of 122cm*122cm plywood and the lower payer 100 pieces of 122cm*122cm, 40 pieces of 122cm*61cm,and 4peices of 61cm*61cm plywood. 3136 high quality shock absorbing rubber blockers are precisely positioned on the bottom of the floor to ensure the best functionality.

- Features: The special vibration absorption foam provide good buffering and is conducive to athletes' performance along with the anti-static, non-slip blanket surface.The apparatus consists of bottom plate, surface blanket, and heavy-duty sponge edge floor.
  Weight: 2600kg. Different sizes are available.








Rhythmic Gymnastics Measuring Table

- Model: TQ2098
  Specifications: 131cm×105cm×98cm
  Features: An electronic balance with 1g accuracy.The wooden surface is painted with premium eco-friendly paint.



Rhythmic Gymnastics Hoop

- Model: TQW0116 (Competition)
  TQW0116A (Training)
  Specification: φ80cm
  Material: Eco-friendly PE

Rhythmic Gymnastics Ribbon

- Model: TQW0115 （Competition）
  TQW0115A（Training）
  Material: Ribbon and pole are made of FRP, the handle is made of pvc material.





Rhythmic Gymnastics Rope

- Model: TQW0117 (Competition)
  TQW0117A (Training)
  Material: Fine cotton and line
  Length: 3m

Rhythmic Gymnastics Stick

- Model: TQW0114 （Competition）
  TQW0114A（Training）
  Material: PP





Rhythmic Gymnastics Ball

- Model: TQW0118 （Competition）
  TQW0118A（Training）
  Specifications: φ18cm
  Weight: 0.4kg
  Material: Rubber and plastic



Aerobic Gymnastics Floor

- Model: TQ1170
  1. The overall size is 1200cm*1200cm. The individual competition area is 700cm*700cm, mixed pairs and trios competition area is 1000cm*1000cm (The black matte boundary is part of the competition area).
  2. The floor consists of 100 120cm*120cm high-density parquet pieces and is 7.5cm high. There might be slight color difference among the pieces, which will not affect athletes' performance.
  3. A fast rebound shock absorbing materiel is on the bottom, give the floor good shock absorption (and protection to athletes). The special tension system firmly holds the entire floor together without noise or gaps. It is suitable for professional competitions and training.



Aerobic Gymnastics Step

- Model: TQ1014
  Specification: Trapezoid; top side is 88.5cm*27.5cm and the bottom side 97cm*37cm. Overall height is 15cm.
  Weight: 5.1kg
  Features: The body of the step is made of carbon fiber and strong and smooth on the surface. The top is covered with special anti-skid layer and shock absorbing layer which cancel all noise during use and protect the body of the step.

Club Gymnastics

GYMNASTICS SERIES



Club Parallel Bars


- For Beginners (Indoor)
  Model: TQ2407
  1. The bar is 270cm long and made of fiberglass with wooden cover which has good moisture absorption and elasticity and is anti-fracture.
  2. Height can be adjusted from 120cm to 160cm in 5cm increment. The distance between two bars can be steplessly adjusted from 39cm to 59cm.
  3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.
  Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.

- For Beginners (Outdoor)
  Model: TQ2407/1
  1. The bar is 270cm long and made of fiberglass with nylon cover which is rain and sun proof and anti-fracture, and has good elasticity.
  2. Height can be adjusted from 120cm to 160cm in 5cm increment. The distance between two bars can be steplessly adjusted from 39cm to 59cm.
  3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.
  Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.

- For Intermediate Users (Indoor)
  Model: TQ2408
  1. The bar is 350cm long and made of fiberglass with wooden cover which has good moisture absorption and elasticity and is anti-fracture.
  2. Height can be adjusted from 140cm to 180cm in 5cm increment. The distance between two bars can be steplessly adjusted from 40cm to 64cm.
  3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.
  Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.

- For Intermediate Users (Outdoor)
  Model: TQ2408/1
  1. The bar is 350cm long and made of fiberglass with nylon cover which is rain and sun proof and anti-fracture, and has good elasticity.
  2. Height can be adjusted from 140cm to 180cm in 5cm increment. The distance between two bars can be steplessly adjusted from 40cm to 64cm.
  3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.
  Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.

- For Advanced Users
  Model: TQ2409
  1. The bar is 350cm long and made of fiberglass with wooden cover which has good moisture absorption and elasticity and is anti-fracture.
  2. Height can be adjusted from 160cm to 200cm in 5cm increment. The distance between two bars can be steplessly adjusted from 40cm to 64cm.
  3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.
  Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.





Club Horizontal Bar

- For Beginners (Indoor)

Model: TQ2404

1. The height can be adjusted from 200cm to 240cm in 5cm increment.
2. The bar is 240cm long with a 2.8cm diameter.
3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is finished with chromate coating. The tension system consists of 4 steel wires and wire tighteners.

Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for horizontal bar beginners.

- For Beginners (Outdoor)

Model: TQ2404/1

1. The height can be adjusted from 200cm to 240cm in 5cm increment.
2. The bar is 240cm long with a 2.8cm diameter.
3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is galvanized. The tension system consists of 4 steel wires and wire tighteners. The bar sockets are finished with powder coating.

Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for horizontal bar beginners.

- For Intermediate Users (Indoor)

Model: TQ2405

1. The height can be adjusted from 270cm to 310cm in 5cm increment.
2. The bar is 240cm long with a 2.8cm diameter.
3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is galvanized. The tension system consists of 4 steel wires and wire tighteners.

Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for horizontal bar training.

- For Intermediate Users (Outdoor)

Model: TQ2405/1

1. The height can be adjusted from 270cm to 310cm in 5cm increment.
2. The bar is 240cm long with a 2.8cm diameter.
3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is galvanized. The tension system consists of 4 steel wires and wire tighteners.The bar sockets are finished with powder coating.

Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for horizontal bar training.

- For Advanced Users

Model: TQ2406

1. The height can be adjusted from 275cm to 315cm in 5cm increment.
2. The bar is 240cm long with a 2.8cm diameter.
3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is galvanized. The tension system consists of 4 steel wires and wire tighteners.

Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for professional horizontal bar training.



Club Balance Beam

- Model: TQ4145
  1. The beam is 500cm long and 10cm wide. The height is adjustable from 105cm to 135cm.
  2. The beam is made of molded fiberglass which has high strength, elasticity, and good buffering. The surface is covered with high quality anti-slip leather. The buffer layer is made of special rubber plastic material.
  3. The uprights are made of high quality metal tubes welded together. The surface is finished with power coating.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for balance beam training.



Club Pommel Horse without Rings

- Model: TQ2401
  1. The bench is 160cm long, 35cm wide, and 28cm high. The height can be adjusted from 95cm to 135cm.
  2. The surface is covered with high quality leather. The buffer layer is made of XPE.
  3. The uprights are made of high quality metal tubes welded together. Their surface is finished with power coating (blue).
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for primary pommel horse training.



Club Pommel Horse

- Model: TQ2402
  1. The bench is 160cm long, 35cm wide, and 28cm high. The height can be adjusted from 95cm to 135cm.
  2. The height of the two rings is 12cm. The distance between them can be steplessly adjusted from 45cm to 55cm. The surface is covered with high quality leather. The buffer layer is made of XPE.
  3. The uprights are made of high quality metal tubes welded together. Their surface is finished with power coating (blue).
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for pommel horse training.



Club Vaulting Table

- Model: TQ2403
  1.The table is 120cm long and 95cm wide. The height can be adjusted from 100cm to 130cm.
  2. The table is made of molded fiberglass which has high strength, elasticity, and good buffering. The surface is covered with high quality anti-slip leather. The buffer layer is made of XPE.
  3. The upright is made of high quality metal tubes. Its surface is finished with power coating (blue).
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for vaulting table training.



Children Springboard (Foam)

- Model: TQ2414
  1. Overall size: 77*57*17cm
  2. The surface is covered with blanket and the buffer layer is made of XPE.
  3. The elastic system consists of 2 pieces of XPE foam.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for children's practice. Different colors are available.



Children Springboard (Spring)

- Model: TQ2413
  1. Overall size: 77*57*17cm
  2. The surface is covered with blanket and the buffer layer is made of XPE.
  3. The elastic system consists of 4 conical springs.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for children's practice. Different colors are available.



Club Springboard (Beginner)

- Model: TQ2410
  1. Overall size: 100*50*19cm
  2. The surface is covered with blanket and the buffer layer is made of XPE.
  3. The elastic system consists of S-shaped elastic board.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for beginners' practice. Different colors are available.



Club Springboard (Intermediate User)

- Model: TQ2411
  1. Overall size: 120*60*19cm
  2. The surface is covered with blanket and the buffer layer is made of XPE.
  3. The elastic system consists of S-shaped elastic board and 2 conical springs.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for intermediate users' practice. Different colors are available.

Club Springboard (Advanced User)

- Model: TQ2412
  1. Overall size: 120*60*22cm
  2. The surface is covered with blanket and the buffer layer is made of XPE.
  3. The elastic system consists of S-shaped elastic board and 2 conical springs.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for advanced users' practice. Different colors are available.



Floor Exercise Floor for Training

- Model: TQ2415
  1. Overall size: 14.4*14.4m; competition area: 13*13m; thickness: 0.21m
  2. The base plate is made of high quality multilayer birch plywood connected through Velcro straps. 2304 springs are precisely positioned on the bottom. The buffer layer consists of two layers of interlocking plastic foam pads. This structure provides excellent stability, impact resistance, and elasticity.
  3. The floor is covered with 4 pieces of tufted blankets that provide excellent slip resistance and comfort.
- Features: Nylon makes the floor easy to install and remove. The double board provides excellent anti-crack feature. The overall structure provides great comfort. The floor boundary uses tapes bonded to the surface, making it possible to change the competition area. The floor is suitable for daily training.

Trampoline

GYMNASTICS SERIES

Standard Trampoline

Model: TQ1013

- The size of the main frame is 520*305*115cm. The frame is made of 6.5*3.5cm special oval tubes welded together.
- The size of the net is 426*213cm. The net is made of nylon.
- There are 8 large springs and 110 middle springs. The size of the large spring is φ 3.9*25.8cm and the size of the middle spring φ2.9*25.8cm.
- The springs are covered with special protective pads which are made of highly elastic sponge wrapped in PVC sheet. With a fixed tension system on the bottom, contact with the springs is avoided and elasticity is increased.
- The size of the auxiliary pad is 175*260*115cm with net surface made of polypropylene. One pair per set.
- The apparatus is suitable for professional competition and training.









Tumbling Board

- Model: TQ2064
  1. The overall size is 1400*200*20cm.
  2. The top layer is made of gymnastic blanket and XPE which provide higher elasticity. The XPE is 5cm thick and the blanket is 2.5cm thick.
  3. The shock absorption system consists of 280 high quality springs.



Mini Square Trampoline

- Model: TQ2037A
  1. Main frame size: 130*130cm; net size 65*65cm
  2. The height can be adjusted from 40cm to 50cm in the front and 40cm to 60cm in the rear.
  3. There are 40 high quality springs, each is 18cm long and has a 2.8cm diameter.
- Features: The wheels make it easy to move the trampoline. The surface can be adjusted to sloping to assist jumping or horizontal for warm-up and exercise. The impregnated net has high strength and elasticity and good air permeability. The springs are covered with protective pads.



Mini Open Trampoline

- 1. The overall size is 135*125cm; the net size is 60*60cm.
  2. The height can be adjusted from 35cm to 50cm.
  3. The wheels make moving easy.



Adolescent Long Trampoline

- Model: TQ2036A
  The overall size is 18*2.2*0.6m. The net is 1.5m wide.
  1. The frame is made of high quality rectangular metal tubes welded together. 2m per unit. The length can be adjusted freely. Each unit has 64 high quality springs.
  2. The net is made of imported materials. The thread of the net is 2*1.5mm. The net surface is coated with plastic. The springs are covered with 0.03m-thick protective pads.
  3. The apparatus is equipped with protective pads on both long sides when used in competition. These pads are 0.5m wide and 0.6m thick, and as long as the frame.
  4. The landing area is covered with 3*6*0.6m floor mat. A layer of 3*6*0.1m cushion is added on top during competition.
  5. The jumping end is equipped with a step.
  Note: The protective mats on both long sides, the floor mat, and the jumping end step are optional.





Children Long Trampoline

- Model: TQ2036
  Specification: The overall size is 6*2.1*0.56m. Length can be customized.
  Weight: Each unit is 2m long and weighs 78kg. Length can be indefinitely extended by adding more units.
  Material: The lower base is made of high quality carbon steel tubes welded together and equipped with floor protective pads.
- Features: The modulized frame allows the length to be adjusted according to the size of the site. The beam and the base can be easily linked together. The mesh surface is sewn using black nylon net and PVC woven fabric. It is equipped with high-strength springs with good elasticity and stability. The surface is finished with powder coating (silver). The apparatus consists of beam, base, tensile springs, and mesh surface.


- Children's Long Trampoline Series
  TQ2036/2 5m ;
  TQ2036/3 4.5m (with hooks on the four sides);
  TQ2036/4 5m (with hooks on the four sides);
  TQ2036/5 6m (with hooks on the four sides);
  TQ2036/10 14m ;
  TQ2036/11 9m;
  TQ2036/12 8m ;
  TQ2036/14 10m;
  TQ2036/15 12m ;
  TQ2036/18 15m;
  TQ2036/24 4.5m



Inflatable Gymnastics Mat

- Model: TQW038
  Specification: Size can be customized
- Features: The mat adopts special imported PVC mesh fabric and is made with advanced heat sealing and bonding technologies for good abrasion and fire resistance, and tear and drop resistance. It is eco-friendly and has proper look. Equipped with a high power air pump, it can be quickly inflated and has a long service life.
- Note: Make sure the ground is flat and free of sharp objects and the power is always on when using the mat. It can be cleaned with soft rag and detergent.

Inflatable Slope	Color Options	Size
 Used as somersault training mat or hand mat; made of double-color PVC material with markings.		1.8 × 1.2 × 0.2/0.3m 1.8 × 1.2 × 0.2/0.65m 1.2 × 0.9 × 0.1/0.26m
Air Pump	Use with Inflatable Mat.	Select the number of air pump according to the number of inflatable mat.


Rectangular Inflatable Mat 4	Color Options	Size
 Used for improving body flexibility and balance; made of single-color PVC material.		1 × 0.6 × 0.1m 2 × 0.6 × 0.1m 4 × 0.6 × 0.1m 6 × 0.6 × 0.1m 1 × 0.6 × 0.2m 2 × 0.6 × 0.2m 4 × 0.6 × 0.2m 6 × 0.6 × 0.2m


Round Inflatable Mat 1	Color Options	Size
 Round and double-color; made of PVC material with different color options; used for jumping and free movement.		φ0.7 × 0.1m φ1 × 0.2m φ1.4 × 0.3m


Round Inflatable Mat 2	Color Options	Size
 Round and double-color; made of PVC material with different color options; used for jumping and free movement.		φ0.7 × 0.1m φ1 × 0.2m φ1.4 × 0.3m

Cylindrical Air Roll	Color Options	Size
 Round and double-color; made of PVC material with different color options; used for jumping and free movement.		φ0.6 × 1.2m φ0.75 × 1.2m φ0.9 × 1.2m

Inflatable Mat for Balance Training	Color Options	Size
 Used for improving body flexibility and balance; made of double-color PVC material with a marking in the middle.		3 × 0.4 × 0.1m 5 × 0.4 × 0.1m 7 × 0.4 × 0.1m

Rectangular Inflatable Mat 1	Color Options	Size
 Used for improving body flexibility and balance; made of single-color PVC material.		2 × 1 × 0.1m 2 × 1.5 × 0.1m 2 × 4 × 0.1m 2 × 6 × 0.1m 2 × 8 × 0.1m 2 × 10 × 0.1m 2 × 14 × 0.1m 2 × 16 × 0.1m 2 × 20 × 0.1m 2 × 1 × 0.2m 2 × 1.5 × 0.2m 2 × 4 × 0.2m 2 × 6 × 0.2m 2 × 8 × 0.2m 2 × 10 × 0.2m 2 × 14 × 0.2m 2 × 16 × 0.2m 2 × 20 × 0.2m

Inflatable Mat for Balance Training	Color Options	Size
 Three markings in the long side directionl; made of double-color PVC material; used for gymnatic training protection.		2*12*0.3m 2*15*0.3m 2*20*0.3m

Inflatable Mat for Balance Training	Color Options	Size
 Made of double-color PVC material; used for high jump landing protection and flip training		3*2*0.5m 3*3*0.5m 4*2*0.5m



Parkour Speed Apparatus

Model	Name	Size / m	Product
TQ1020A.01	Step Module	1.9m*2m*1m	
TQ1020A.02	Trapezoid Module with Rails	2.385m*2m*2m	
TQ1020A.03	Three-steps Module	6.6m*2m*2.4m	
TQ1020A.04	Trapezoid Module with Rails 2	4.9m*2m*2.45m	
TQ1020A.05	Module with Rails 1	1.6m*2m*1m	
TQ1020A.06	Module with Rails 2	1m*2m*2.9m	
TQ1020A.07	Balance Beam Obstacle	4.4m*2m*0.5m	
TQ1020A.08	Triangle Module	1.05m*2m*2m	

Safty Zone Obstacles


Model	Name	Size / m	Product
TQ1020A.13	Safety Zone Module 2	2m*2m*0.8m	
TQ1020A.12	Safety Zone Module 1	7m*2m*2m	
TQ1020A.11	Connecting Rails 3	1m*2m*2.8m (above the ground) Set between Module with Rails	
TQ1020A.10	Connecting Rails 2	2m*2m*2.35m (above the ground) Set between Module with Rails	
TQ1020A.09	Connecting Rails	0.05m*2m*2.8m (above the ground) Set between Step modules	



High Platform
56m × 10.208m × 0.8m



Referee Stand
28m × 4m × 2m/2.3m



Parkour Track: Total length: 56m, width: 10.208m, track length: 44m, track width: 2m, safety zone length: 44m, width: 2m.



TSC-Tension Control Sensor Electronic Tensioner

- Model: TCS-01
- Maximum load: 10000N;
- Scale divisions: 1N, 2N, 5N, 10N, 20, 50N, 100N;
- Display: 1.3 inch OLED screen, resolution 128×64;
- Buttons: 4 buttons for power, parameter setting and resetting;
- Indicator lights: 7 indicators respectively indicate the charging progress, working indication and alarm;
- Alarm: adjustable alarm volume. When overload or underload, the alarm light and the buzzer go off.
- Power supply: 1500mAh lithium battery; charge via type-C port;
- Safety overload: 120%F.S.
- Operating temperature: -20-60℃.






Tumble Track


- Model: TQ1012
  1. The run-up area is 1100cm long and consists of high quality composite multilayer birch boards and a metal stand.
  2. The tumbling area is 2500cm long and consists of 20 independent units linked together. The elastic part of each unit has 13 pieces of 4cm*2.5cm high quality fiberglass tubes. The bottom is equipped with a metal bracket and a built-in special rubber buffer device that cancels noise.
  3. The landing area is 300cm*600cm and consists of three 30cm-thick floor mats.
  4. The flexible layer is made of 6cm-thick heat-sealed XPE foam. The cover is made of gymnastic nylon-non-woven carpet. The total length is 3600cm.
- Features: The special nylon-non-woven carpet is highly anti-slip. The rectangular fiberglass tube increase resilience and is noiseless and stable. The apparatus consists of three parts: run-up area, tumbling area, and landing area. The metal parts are silver and the cover and the floor mats blue.



Gymnastics Court Pad


- Model: TQ2043
  specification: Each unit is 200cm long, 135cm high, and 4cm thick.
  Features: The pads are connected through aluminum alloy latches which make assembly and disassembly easy. The length can be adjusted according to the size of the site. High density waterproof PVC board is on the inside.






Gymnastics High Platform

- Model: TQ1016A
  Specification: Horizontal bar and uneven bar platform: 1800cm*900cm; artistic floor platform: 1800cm*1800cm; balance beam, pommel horse, and ring platform: 1800cm*900cm; parallel bars and vaulting horse platform: 5400cm*1350cm (special size).
  Material: Multilayer boards, high quality rectangular metal tubes.
- Features: Each unit is independent. The entire platform has good stability and can be assembled and disassembled easily. The packaging volume is minimized. It is patented.




Referee Platform

- Model: TQ1270/2
  Specification: 3000cm*400cm*60cm/80cm (double-level)
  Material: Multilayer boards, high-quality rectangular metal tubes, and stainless steel guardrails.
  Features: Stable structure and easy disassembly.




Side Referee Table

- Model: TQ1270/3
  Specification: 160cm×122cm×30cm
  Material: Multilayer board, high-quality metal rectangular tube.
  Features: Stable structure and easy disassembly.



Foam Pit

- Model: TQ2713
  Specification: Customizable
  Bottom structure: The bottom XPE foam is thermally synthesized and adopts a honeycomb structure. A whole piece of XPE foam with holes that are equally apart is laid on top of the bottom XPE foam to increase powder absorption.
- Features: The pit is safe and can be easily installed and cleaned. The pit can effectively absorb magnesium powder and prevent athletes from hazards caused by inhaling the powder when they are using gymnastic equipment.



Embedded Parts

- Underground Embedded Part
  Model: TQ2069
  Specification: 22cm*22cm*12cm (height can be adjusted according to that of floor)
  Features: Suitable for wood flooring. It is fixed beneath wood floor with expansion screws. A single embedded part can withstand 8000N force without being damaged. Put a cover on top when it is not in use to keep the floor surface flush.



- Ground Embedded Part
  Model: TQ2070
  Specification 22cm*22cm*8cm
  Features: Suitable for concrete flooring. It is fixed on the ground with expansion screws. A single embedded part can withstand 8000N force without being damaged.






Small Vaulting Buck

- Model: TQ2090
  Specification: The size of the bench is 50cm*35cm*28cm. The height can be adjusted from 80cm to 110cm in 5cm increment.
  Weight: 26kg
  Material: The surface of the bench is covered with special fiber leather and the bench body is one-step mold pressed.
- Features: The special adjusting locking knobs make height adjustment quick and easy. The surface is spray-painted in silver. The apparatus consists of bench, adjustable legs, and base.






Vaulting Box

- 5-Piece Vaulting Box
  Model: TQ2077
  1. The upper surface is covered with special fiber leather. The built-in body is made of pine board with EVA glued to the top. The size of the entire box is 125cm*78cm*125cm.
  2. The vaulting box consists of 5 pieces that are made using mortise and tenon. The entire box is firm.
  Features: Heavy-duty inner foam increases shock absorption and overall comfort. The surface is sprayed with eco-friendly varnish.

- 7-Piece Vaulting Box
  Model: TQ2053
  1. The upper surface is covered with special fiber leather. The built-in body is made of pine board with EVA glued to the top. The size of the entire box is 130cm*78cm*125cm.
  2. The vaulting box consists of 7 pieces that are made using mortise and tenon. The entire box is firm.
  Features: Heavy-duty inner foam increases shock absorption and overall comfort. The surface is sprayed with eco-friendly varnish.

New Vaulting Buck

- Model: TQ2035
  Specification: The size of the bench is 50cm*36.5cm*28.8cm. The height can be adjusted from 80cm to 110cm in 5cm increment.
  Material: The surface of the bench is made of one-step pressed special fiber leather. The upper part of the bench is made of heavy-duty foam. The vaulting buck is equipped with 4 special micro-adjusting knobs which can effectively protect floor and allow the apparatus to be used on uneven surface.
- Features: The base is made of oval tubes welded together and increases overall safety. The surface is finished with silver powder coating. The vaulting buck consists of bench, uprights, and base.

Big Vaulting Buck

- Model: TQ2091
  Specification: The size of the bench is 60cm*35cm*28cm. The height can be adjusted from 100cm to 140cm.
  Material: The surface is covered with special fiber leather. The built-in body is one-step mold pressed.
- Features: The apparatus assists in jump training. The legs are spray-painted in silver. It consists of bench, adjustable legs, and base.



Wall Bar

- Model: TQ2059
  Specification: 90cm*18cm*280cm
  Material: The wall bar is made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
  Feature: The surface is finished with eco-friendly sprayed varnish.



Double Wall Bar

- Model: TQ2084
  Specification: 180cm*18cm*280cm
  Material: The wall bar is made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
  Feature: The surface is finished with eco-friendly sprayed varnish.



Handstand Bars for Parallel Bars

- Model: TQ2057
  Specification: 40cm×23cm×13cm
  Material: They are made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
  Feature: The surface is finished with eco-friendly sprayed varnish.



Handstand Bars for Parallel Bars (Detachable)

- Model: TQ2057A
  Specification: 25cm×25cm×12cm. The bars are 25cm long and 4cm in diameter.
  Features: The apparatus is detachable and easy to carry. It is made of composite material which is anti-slip-and-fracture.



Handstand Bar for Horizontal Bar

- Model: TQ2058
  Specification: 90cm×23cm×13cm
  Weight: 1.5kg
  Material: They are made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
  Feature: The surface is finished with eco-friendly sprayed varnish.



Handstand Bar for Horizontal Bar (Detachable)

- Model: TQ2058A
  Specification: 82cm×25cm×12cm
  Weight: 1.5kg
  Material: They are made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
  Feature: The surface is finished with eco-friendly sprayed varnish.



Soft Folding Balance Beam

- Model: TQ4108
  Specification: 500cm×10cm×2.5cm. It is made of XPE foam covered in microfiber leather. The surface is comfortable.
  Features: It is foldable and comes with a packing bag for easy moving and installation.



Folding Balance Beam Packing Bag

- It includes three parts:
  1. TQ4108 Soft Folding Balance Beam
  2. TQ2057A Handstand Bars for Parallel Bars (Detachable)
  3. TQ2058A Handstand Bar for Horizontal Bar (Detachable).



Uniaxial Waist Protective Ring

- Model: TQ1019 (large)
  Specification:
  1. Inner diameter: 39cm; outer diameter: 42cm
  2. The ring is made of aluminum alloy. The total weight is 3.1kg, including a soft belt.
  Features: The ring is light and has high strength. It can rotate in two ways and used in trainings for gymnastics, trampoline, and diving skills.

- Model: TQ1019/1 (small)
  Specification:
  1. Inner diameter: 34cm; outer diameter: 37cm
  2. The ring is made of aluminum alloy. The total weight is 3.1kg, including a soft belt.
  Features: The ring is light and has high strength. It can rotate in two ways and used in trainings for gymnastics, trampoline, and diving skills.



Biaxial Waist Protective Ring

- Model: TQ1018 (large)
  Specification:
  1. Inner diameter: 42cm; outer diameter: 48cm
  2. The ring is made of aluminum alloy. The total weight is 3.5kg, including a soft belt.
  Features: The ring is light and has high strength. It can rotate in two ways and used in trainings for gymnastics, trampoline, and diving skills.

- Model: TQ1018/1 (small)
  Specification:
  1. Inner diameter: 36cm; outer diameter: 42cm
  2. The ring is made of aluminum alloy. The total weight is 3.5kg, including a soft belt.
  Features: The ring is light and has high strength. It can rotate in two ways and used in trainings for gymnastics, trampoline, and diving skills.

OTHERS



Springboard Trampoline B

- Model: TQ4129
  Specifications:
  1. The overall size is 120cm*100cm. The height of the front end can be adjusted from 30cm to 40cm.
  2. The surface is sewn with imported rubber coated mesh fabric for comfortable touch and high elasticity.
  3. The frame is made of high quality round metal tubes welded together and 48 springs which are 3.5cm in diameter.





Gymnastic Chalk Powder Tray (For Feet)

- Model: TQ2267
  Specification: 45cm*45cm*5cm
  Features: It holds gymnastic chalk powder for gymnasts to dust their feet.
-

Name	Gymnastic Chalk Powder	
Model	TQW0048	TQW0048/1
Type	Standard Blocks 15kg/box	Small Pieces 10kg/box

Gymnastic Chalk Powder Stand (For Hands)

- Model: TQW0049
  Specification: 90cm high
  Material: The pedestal is made of high quality laminated metal. The powder box is made of hot-pressed fiberglass.
  Features: High strength, durable, and easy to move.



Wooden Gymnastics Bench

- Model: TQ2042
  Specification: 244cm*25cm*25cm
  Material: Multilayer birch
- Features: The four corner of the bottom are covered in anti-slip rubber. The bench is light and can be moved easily. The narrow board on the bottom can be used for balance beam exercise when the bench is flipped over. The surface is sprayed with eco-friendly varnish.

Happy Gymnastics

GYMNASTICS SERIES



Children Gymnastic Equipment Combination A

Model: TQ2060

- Specifications: 461cm×461cm×207cm
- Weight: 193kg (Excluding Mats)
- Features: The overall layout of this apparatus is reasonable and the stability is high. It is mainly used for children's entertainment and physical training.





Children Gymnastic Equipment Combination B

- Model: TQ2061
  Specification: 720cm*350cm*155cm.
  Weight: 205kg
- Includes: TQ2003 Children Parallel Bars*1
  TQ2008 Horizontal Bar for Kids (A)*1
  TQ2012 Uneven Bars for Children*1
  TQ2032 Gymnastic Ring for Kids*1
- Features: The overall layout of this apparatus is reasonable and the stability is high. It is mainly used for children's entertainment and physical training.



Happy Gymnastics Uneven Bars

- Model: TQ2086
  1. The bars are 170cm long and have a diameter of 4cm. It is made of high quality fiberglass coated with wood.
  2. The height of the low bar can be adjusted from 95cm to 135cm and that of the high bar from 155cm to 195cm, both in 5cm increment.
- Features: The uprights have special locking lifting handles for quick height adjustment. The uprights and the base are connected through a special tightening device for quick distance adjustment between the bars. The surface is finished with powder coating (red).



Happy Gymnastic Horizontal Bar

- Model: TQ2083
  1. The bar is 170cm long and has a diameter of 4cm. It is made of high quality fiberglass coated with wood.
  2. The height can be adjusted from 155cm to 195cm in 5cm increment.
- Features: The apparatus is safe and stable and its bar is elastic. The surface is finished with powder coating (red).



Happy Gymnastics Parallel Bars

- Model: TQ2085
  1. The bars are 170cm long and have a diameter of 4cm. It is made of high quality fiberglass coated with wood.
  2. The height of the low bar can be adjusted from 95cm to 135cm in 5cm increment. The distance between the bars can be steplessly adjusted from 26cm to 130cm.
- Features: The uprights have special locking lifting handles for quick height adjustment. The uprights and the base are connected through a special tightening device for quick distance adjustment between the bars. The surface is finished with powder coating (red).



Happy Gymnastic Rings

- Model: TQ2087
  1. The ring has a diameter of 16cm and is made of composite wood which has high moisture and water absorption.
  2. The height can be adjusted from 115cm to 145cm in 5cm increment.
- Features: The two rings are evenly positioned for best shock absorption and can protect children's hands from injuries. The apparatus is stable. The surface is finished with powder coating (red).



Happy Children Obstacle Frame

- Model: TQ4873



Drop-shaped Cushion

- Model: TQ2701
  Specification: 90cm×50cm×40cm
  Features: The cushion is drop-shaped and uses heavy duty foam on the inside.



Children Springboard

- Model: TQ2044
  Specifications: 76cm×57cm×16cm
  Features: It is strong, elastic, and stable and has good anti-slip surface. It is specifically designed for gymnastic beginners and suitable for children's practice.



Children Climbing Board

- Model: TQ2041
  Specification: 180cm*180cm*(93cm-135cm)
  Weight:45kg
  1. 14 handholds in different shapes are fixed to the board through lock nuts in a certain pattern. The board is made of XPE foam and special plywood bonded together using special technology on the inside and covered with PVC woven fabric.
  2. The board is attached to the bar through Velcro Straps. The apparatus is used together with children gymnastic equipment.
- Features: The climbing board is stable, comfortable, can be easily installed, and has soft and elastic surface. It is suitable for children to climb and mainly used for their entertainment and physical exercise. It consists of climbing board, lifting rod, frame, and base. The overall stability is ensured.



Children Climbing Net

- Model: TQ2040
  Specification: 180cm*180cm*95cm
  Weight: 60kg
  1. The net is made of 50 safety belts. The board has XPE foam and special plywood bonded together using special technology on the inside and covered with PVC woven fabric.
  2. The net bracket is welded into an integral piece and attached to children gymnastic equipment through special tightening device for quick tension adjustment.
  3. The lifting rod is made of special material and its surface is specially treated to ensure flexibility and quick lifting.
- Features; The climbing board is stable, comfortable, can be easily installed, and has soft and elastic surface. It is suitable for children to climb and mainly used for their entertainment and physical exercise. It consists of climbing net, lifting rod, bracket, and base. The overall stability is ensured.



Children Square Trampoline II

- Model: TQ2078
  1. The main frame of the trampoline is 270cm*270cm. The poles are inserted tubes that make installation easy.
  2. The net is 210cm*210cm and made of black nylon mesh and PVC woven fabric.
  3. The fence is made of nylon and 210cm high.
- Features: The main frame is made of round tubes welded together and highly safe. Floor protective pads are on the bottom to reduce damage to floor. The net is made of black nylon mesh and PVC woven fabric sewn together and has high strength. Heavy-duty springs ensure overall flexibility and stability. The surface is finished with powder coating (red). The apparatus consists of main frame, base, springs, and net.



Children Square Trampoline

- Model: TQ2037
  1. The main frame of the trampoline is 130cm*130cm and made of round carbon steel tubes welded together.
  2. The net is 70cm*70cm and made of nylon braid rope.
  3. The trampoline is equipped with quick-adjust locking device. The height can be adjusted from 52cm to 65cm.
  4. The lifting rods are made of round carbon steel tubes that are φ3.2cm*0.3cm. The surface is specially treated to ensure flexibility and quick lifting.
- Features: The main frame is made of oval tubes welded together and highly safe. Floor protective pads are on the bottom to reduce damage to floor. The net is made of black nylon mesh. Heavy-duty springs ensure overall flexibility and stability. The surface is finished with powder coating (silver).
  Weight: 30kg.
  The apparatus consists of main frame, base, springs, and net.



Name	Tumbling Mat	
Model	TQ4870	TQ4870/1
Specification	100×70×75cm	120×70×90cm
Material	PVC woven fabric + heavy duty foam	



Children Round Trampoline

- Model: TQ2082
  Specification: The main frame has a diameter in φ158cm and 43cm high.
- Features: The main frame is welded into one integral piece and safe. Floor protective pads are on the bottom to reduce damage to floor. The net is made of black nylon mesh and PVC woven fabric sewn together. Heavy-duty springs ensure overall flexibility and stability. The surface is sprayed in silver. The apparatus consists of main frame, springs, and net.



Children Round Trampoline Peripheral Mat

- Model：TQ2539
  Specification: φ1900cm*700mm
  Material: PVC woven fabric and heavy-duty foam



Children Hexagon Trampoline

- Model: TQ2081
  Specification: The outer circle of the main frame has a diameter in 187.5cm. The height is 44cm.
- Features: The main frame is welded into one integral piece and safe. Floor protective pads are on the bottom to reduce damage to floor. The net is made of black nylon mesh and PVC woven fabric sewn together. Heavy-duty springs ensure overall flexibility and stability. The surface is sprayed in silver. The apparatus consists of main frame, springs, and net.



Double Mini Trampoline

- Model: TQ1015
  Specification: 350cm*190cm*70cm. It is made of high quality oval steel tubes welded together. The net is 292cm*92cm and made of 6mm-wide nylon cord. There are 96 high quality springs, spring protective pads, and 3 anti-slip foot pads.



Happy Children Balance Beam

- Model: TQ2577
  1. Specification: 4m*0.3m/0.2m*0.3m
  2. Material: It is made of high quality PVC woven fabric and anti-slip PVC leather. The infill is made of XPE foam.

Happy Children Gymnastic Vaulting Box

- Model: TQ2579
  1. Specification: 1.2m*1.2m*0.9m/0.4m
  2. Material: The cover is made of high quality PVC woven fabric and the infill heavy-duty foam.



Happy Children Colorful Folding Pad

- Model: TQ4779
  Specification: 305cm*152cm*3.2cm



Happy Children Soft Gymnastic Combination

- Happy Children Gymnastic Ball
  Model: TQ4526
  Specification: φ92cm×φ50cm×92cm





Taishan Ninja Stepping Stone

- Model: TQ2700/1.14 ,
  Specification: 914x533x635mm
  Material: PVC leather, woven fabric, infill: heavy-duty foam.
- Model: TQ2700/1.15
  Specification: 1143×711×889mm
  Material: PVC leather, woven fabric, infill: heavy-duty foam.




Taishan Ninja Mailbox

- Model: TQ2700/1.16
  Specification: 825×400×500mm
  Material: PVC leather, woven fabric, infill: heavy-duty foam.



Taishan Ninja Jump Box

- Model: TQ2700/1.17
  Specification: 1215×610×625mm, with anti-slip surface.
  Material: PVC leather, woven fabric, infill: 30x XPE and heavy-duty foam.



Taishan Ninja Warrior Wall

- Model: TQ2700/1.19
  Specification: 2086×1200×1200mm,
  Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Warped Wall

- Model: TQ2700/1.20
  Specification: 1829×1067×2185mm
  Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Table, 3 Piece Design

- Model: TQ2700/1.21
  Specification:1220×762×915mm
  Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Slanted Steps

- Model: TQ2700/1.22
  Specification: 754×610×630mm, a set of 4 pieces
  (The structure is the same as TQ2700/1.01)
  Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Cylinder

- Model: TQ2700/1.23
  Specification: φ730×750mm
  Material: PVC leather, woven fabric, infill: high load sponge.

Landing Mat


GYMNASTICS SERIES

Landing Mat

There are two types of gymnastic landing mat: competition and training. The materials are PVC woven fabric, compressed foam and XPE. The default color of the landing mat is blue. Other colors are optional.


Features of the competition type: the cover is made from PVC woven fabric. Air can be easily expelled through the holes on the four sides of the mat. The handles on the bottom make moving easy. The structure of the XPE and the foam on the inside is symmetrical. Mats are connected via Velcro straps. They have good stability, easy installation, comfortable surface, and proper elasticity and follow high international standards.

Features of the training type: the materials are PVC woven fabric, compressed foam and XPE. The infill is made from XPE and compressed foam stuck together. Mats are connected via Velcro straps. Air can be easily expelled through the holes on the four sides of the mat. The handles on the bottom make moving easy. They have good stability, easy installation, comfortable surface, and proper elasticity.




Landing Mat for Pommel Horse (Competition type)

- Model: TQ1504A
- Specification: 400cm×400cm×10cm
- Unit size and quantity: 400cm×200cm×10cm (2 pcs)
- Total area: 16㎡




Landing Mat for Pommel Horse

- Model: TQ1585
  (Used with composite material pommel horse)
- Specification: 400cm×400cm×10cm
- Unit size and quantity: 400cm×200cm×10cm (2 pcs)
- Total area: 16㎡



Landing Mat for Parallel Bars (Competition type)

- Model：TQ1510A
  (Used with TQ1001B、JZ1016)
- Specification：1120cm×450cm×20cm
- Unit size and quantity：
  200cm×300cm×20cm (2 pcs)
  100cm×125cm×20cm (4 pcs)
  320cm×70cm×20cm (1 pcs)
  190cm×320cm×20cm (2 pcs)
  200cm×100cm×20cm (1 pcs)
- Total area：33.4 ㎡




Landing Mat for Parallel Bars (Training type)

- Model: TQ1509/1 (Used with TQ2001)
- Specification: 1100cm×450cm×20cm
- Unit size and quantity:
  200cm×300cm×20cm (2 pcs)
  100cm×125cm×20cm (4 pcs)
  300cm×70cm×20cm (1 pcs)
  300cm×190cm×20cm (2 pcs)
  200cm×100cm×20cm (1 pcs)
- Total area: 32.5 ㎡


Landing Mat for Horizontal Bar (Competition type)

- Model：TQ1511A
  (Used with TQ1002, JZ1017)
- Specification：1200cm×300cm×20cm
- Unit size and quantity：
  300cm×200cm×20cm（6 pcs）
- Total area：36 ㎡



Landing Mat for Horizontal Bar (Training type)

- Model：TQ1502A
- Specification：1200cm×200cm×20cm
- Unit size and quantity：
  300cm×200cm×20cm （4 pcs）
- Total area：24 ㎡




Landing Mat for Rings (Competition type)

- Model：TQ1514A
  （Used with TQ1006B、JZ1012）
- Specification：500cm×200cm×20cm
- Unit size and quantity：
  300cm×200cm×20cm （1 pcs）
  200cm×100cm×20cm （2 pcs）
- Total area：10 ㎡



Landing Mat for Rings (Training type)


- Model：TQ1506A
- Specification：600cm×200cm×20cm
- Unit size and quantity：
  300cm×200cm×20cm （1 pcs）
  200cm×150cm×20cm （2 pcs）
- Total area：12 ㎡




LANDING MATS

Landing Mat for Vaulting Table (Competition type)


- Model: TQ1513A
  （Used with TQ1005B, JZ1015）
- Specification：600cm×250cm×20cm
- Unit size and quantity:
  200cm×250cm×20cm （2 pcs）
  100cm×250cm×20cm （2 pcs）
- Total area: 15 ㎡






Landing Mat for Vaulting Table (Training type)

- Model：TQ1505A
- Specification：800cm×300cm×20cm
- Unit size and quantity：
  300cm×200cm×20cm （4 pcs）
- Total area：24 ㎡




Supplemental Mat for Vaulting Table

- Model：TQ1512A.04
  Specification：300cm*200cm*30cm




Landing Mats for Uneven Bars (Competition type)

- Model：TQ1512A
- Specification：1400cm×200cm×20cm
- Unit size and quantity：
  300cm×200cm×20cm （4 pcs）
  200cm×200cm×20cm （1 pcs）
- Total area：28 ㎡




Landing Mats for Uneven Bars (Training type)

- Model：TQ1503A
- Specification：1300cm×200cm×20cm
- Unit size and quantity：
  300cm×200cm×20cm （4 pcs）
  200cm×100cm×20cm （1 pcs）
- Total area：26 ㎡




Upper Protective Mats for Trampoline

- Model：TQ1013.01
- Specification：940cm×305cm×20cm
- Unit size and quantity：
  300cm×200cm×20cm（2 pcs）
  300cm×40cm×16cm （2 pcs）
  201cm×57cm×5cm （2 pcs）
  173cm×57cm×5cm （4 pcs）with arc edge
  173cm×57cm×5cm （2 pcs）
- Total area：20 ㎡



Landing Mats for Trampoline

- Model：TQ1556A
- Specification：1320cm×690cm×20cm
- Unit size and quantity：
  200cm×300cm×20cm（8 pcs）
  200cm×290cm×20cm（2 pcs）
  200cm×120cm×20cm（2 pcs）
- Total area：64.4 ㎡




Mobile Mat

- Model: TQ2546
  Specification: 150cm×100cm×14cm
- Features: the cover is made from PVC woven fabric. It has good stability, easy installation, comfortable surface, and proper elasticity.
  Used in uneven bars and trampoline.




Landing Mats for Balance Beam (Competition type)

- Model：TQ1515A
- Specification：1800cm×400cm×20cm
- Unit size and quantity：
  200cm×200cm×20cm （1 pcs）
  300cm×200cm×20cm （3 pcs）
  100cm×100cm×20cm （4 pcs）
  250cm×200cm×20cm （4 pcs）
  200cm×100cm×20cm （1 pcs）
- Total area：48㎡




Landing Mats for Balance Beam (Competition type)


- Model：TQ1586
  (Used with composite material balance beam)
- Specification：1800cm×400cm×20cm
- Unit size and quantity：
  200cm×200cm×20cm （1 pcs）
  300cm×200cm×20cm （3 pcs）
  100cm×100cm×20cm （4 pcs）
  250cm×200cm×20cm （4 pcs）
  200cm×100cm×20cm （1 pcs）
- Total area：48㎡




Landing Mats for Balance Beam (Training type)

- Model：TQ1507A
- Specification：1700cm×600cm×20cm
- Unit size and quantity：
  200cm×300cm×20cm （9 pcs）
  200cm×150cm×20cm （4 pcs）
- Total area：66㎡





TQ1525 Supplemental Mat1# 200cm×200cm×10cm Used in artistic gymnastics.
TQ1526 Supplemental Mat2# 200cm×300cm×10cm Used in artistic gymnastics, beams and parallel bars.
TQ1527 Supplemental Mat3# 200cm×400cm×10cm Used in horizontal bar,rings and beams.
TQ1528 Supplemental Mat4# 200cm×500cm×10cm Used in uneven bars and horizontal bar.
TQ1529 Supplemental Mat5# 200cm×600cm×10cm Used in vaulting horse.
Features: The mats are made from premium PVC woven fabric. The handles make moving easy. The light foam on the inside provides moderate hardness. It is wear-resistant, water-proof, and durable.



Landing mat

- Model：TQ2725/1
  Specification: 200cm×300cm×50cm
  Material: PVC cover and foam infill



- **Support Block**
  （Customized Size is Acceptable）

Model	TQ2616	TQ2696
Specification	50cm×50cm×50cm	90cm×70cm×50cm

03

EVENT CASES

Events	Cases Design
100-102	103-104

Events & Exhibitions

EVENT CASES



Chengdu 2021 FISU World University Games



The 19th Asian Games Hangzhou 2022

Competition



Artistic Gymnastics Asian Championships 2023



The 17th African Artistic Gymnastics Championships 2023



The 9th Artistic Gymnastics Asian Championships in Qatar 2022




The 31st South East Asian Games 2022

Exhibitions



FSB Cologne in Germany 2023



The 40th China Sport Show 2023



The Canton Fair 2023



The 3rd China International Consumer Products Expo 2023

Gymnasium



Almaty BOP Gymnastic training center 2022



Boulazac Gymnasium in France 2022



Dubai Gymnasium 2022



Abu Dhabi Gymnasium 2022




Almaty Сдюшор 9 gymnastic traning hall 2023

Ninja Series

GYMNASTICS SERIES







Taishan Ninja Ramp Step I

- Model: TQ2700/1.01
  SpecificationL 754*610*630mm; 4 pieces per set; anti-slip surface.
  Material: PVC leather, woven fabric; infill: 30x XPE.
  Weight: 9.5kg per piece; total weight: 38kg.




Taishan Ninja Single Barrier

- Model: TQ2700/1.02
  Specification: 1220×600×760mm
  Material: PVC leather, woven fabric, infill: 30x XPE.
  Weight: 18.5 kg.




Taishan Ninja Single Bench

- Model: TQ2700/1.03
  SpecificationL 600*600*370mm; 4 pieces per set; anti-slip surface.
  Material: PVC leather, woven fabric; infill: 30x XPE.
  Weight: 4.5kg per piece; total weight: 18kg.



Taishan Ninja Bench

- Model: TQ2700/1.04
  Specification:1220x508x660mm
  Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Octagon

- Model: TQ2700/1.05
  Specification: 760*630*630mm
  Material: PVC leather, woven fabric, infill: heavy-duty foam.



Taishan Ninja Ramp

- Model: TQ2700/1.06
  Specification: 2130*1520*450mm
  Material: PVC leather, woven fabric, infill: heavy-duty foam.



Taishan Ninja Folding Ramp

- Model: TQ2700/1.07
  Specification: 1220*610*356mm
  Material: PVC leather, woven fabric, infill: heavy-duty foam.



Taishan Ninja Balance Beam

- Model: TQ2700/1.08
  Specification: 1820×370×200mm, with anti-slip bottom.
  Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Cartwheel Mat

- Model: TQ2700/1.09
  Specification: 530×330×130mm
  Material: PVC leather, infill: 30x XPE.



Ninja Folding Mat

- Model: TQ2700/1.11
  Specification: 1240×2440×50mm
  Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Mat

- Model: TQ2700/1.12
  Specification: 1510×1510×200mm
  Material: PVC leather, infill: ρ22 sponge.



Taishan Ninja Big Mat

- Model: TQ2700/1.13
  Specification: 2000×1480×300mm
  Material: PVC leather, infill: ρ22 sponge.




Taishan Ninja Protective Mat

- Model: TQ2700/1.18
  Specification: 2400×1180×100mm
  Material: PVC leather, infill: ρ27.5 sponge.

Cases Design

EVENT CASES



Basic Information

- Project Location: Japan
- Project Name: Scene design of the 50th Artistic Gymnastics & the 38th Rhythmic Gymnastics World Championships in Japan

Project Concept

- Regional Planning
  In strict accordance with the relevant requirements of the International Federation of Sports, with reasonable spacing, non-interference, all-round comprehensive perspective reasonable planning.
- Product configuration
  Breaking down years of technical barriers, all equipment are made of carbon fiber and are all FIG certified.
- After-sales guarantee
  In accordance with the 3A requirements of the company, we will provide relevant after-sales support personnel, including technical guidance, product installation, translation team, etc., to ensure the smooth progress of the event.



Basic Information

- Event Location: China
- Event Name: the 2022 "Sports Cup" National Gymnastics Team Championship

Event Concept

- Venue Equipment
  High platform, carbon fiber gymnastics equipment, parallel bars, horizontal bars, uneven bars, rings, pommel horse, vaulting table, artistic gymnastics venue, floor exercise venue, certified supplementary MATS, etc.
- Other Equipment
  The venue is equipped with lighting, sound, sports display, timing and scoring equipment.
- Service Guarantee
  According to the needs of different events, Taishan Sports has configured corresponding professional quality inspection, installation, translation and other guarantee teams to ensure the smooth progress of the event.

The gymnastics equipment is certified by FIG, NSCC, etc., to meet the needs of competitions. The products include a full set of gymnastics equipment, special MATS, trampolines, single springboard, artistic gymnastics venues, aerobics venues, etc. The full set of carbon fiber equipment independently developed also fills the gap in the industry. Taishan Sports has successfully served more than 1,000 major events at home and abroad, including the Olympic Games and the Youth Olympic Games.

Tel/WhatsApp: +86 18453178888

Web: www.taishansports.cn

Email: info@taishansports.com

HQ & Factory: No.1 Taishan Tiyu Rd, Laoling,
Dezhou City, Shandong Province. China. 253600

TaiShan Sports

taishansports

TaiShan

Bring sports enjoyment
to the world



2022 Athletics

R&D Strength of Taishan

Taishan Sports is the national advanced collective of light industry, the national mass sports advanced unit, the national manufacturing single champion demonstration enterprise, the national sports industry demonstration unit, the deputy director unit of the National Sporting Goods Standardization Technical Committee, the China Sports, Educational and Sporting Goods Association fitness and sports equipment specialty. Committee director unit. It has been awarded the first place among the top ten of China's light industry sporting goods industry for many years. Has many national research and development platforms such as "National Sports Goods Engineering Technology Research Center", "National Sports Goods Competitive Equipment Testing Laboratory", "National Industrial Design Center", "Postdoctoral Research Station", etc.Undertook 2 national science and technolog support plans and 3 torch plans.

R&DTaishan Sports has participated in the formulation of more than 90 domestic and foreign industry standards, has nearly 1,000 full time and part-time R & D personnel, has obtained more than 1,000 domestic and foreign patents, and has more than 100 products that have passed the IAAF, FIG, FIBA Certification IJF, FIBA, WT, IWUF, FIFA. Relying on technologicalinnovation, Taishan Sports has grown from reaching international standards to leading international standards, and has grown into a world sports industry and human health standard-setting company, with more international voice.























Qualifications































WHAT’ S INSIDE









01 Field Event Equipment THROW

Javelin ---------- 08

Discus、Shot put、Hammer ---------- 12

Ancillary Facility of Throwing Events ---------- 20

02 Field Event Equipment JUMP

Foam Landing Area ---------- 30

Jumping equipment ---------- 34

Ancillary Facility of Jumping Events ---------- 37

03 Track Events Equipment RUN

Starting Block ---------- 50

Hurdle ---------- 52

Ancillary Facility of Running Events ---------- 55

04 Electronic Timing & Scoring

---------- 66

- Javelin
- Discus、Shot Put、Hammer
- Ancillary Facility of Throwing Events



01 Field Event Equipment THROW

JAVELIN





Javelin

Carbon Fiber Javelin

Top grade competition javelins by the full Carbon fiber, it’ s extremely durable carbon fiber and special kinds of resins to offer maximal rigidness that lessens vibrations during flight and guarantees farther throws, get the best performance.

Model	TZ1002-65
Specification (mm)	2200-2300
Weight	600g
M Grade	65m
Material	Carbon Fiber
Certification	

Model	TZ1002-70
Specification (mm)	2200-2300
Weight	600g
M Grade	70m
Material	Carbon Fiber
Certification	

Model	TZ1002-75
Specification (mm)	2200-2300
Weight	600g
M Grade	75m
Material	Carbon Fiber
Certification	

Model	TZ1001-90
Specification (mm)	2600-2700
Weight	800g
M Grade	90m
Material	Carbon Fiber
Certification	

Competition Javelin



Model	Specification (mm)	Weight	M Grade	Color	Material	Certification
PSQF4	2600-2700	800g	85m	Tricolor, Bi-color, Monochrome	High quality alum alloy	
PSQF1	2600-2700	800g	80m	Tricolor, Bi-color, Monochrome	High quality alum alloy	
PSQF5	2600-2700	800g	75m	Tricolor, Bi-color, Monochrome	High quality alum alloy	
PSQF6	2600-2700	800g	70m	Tricolor, Bi-color, Monochrome	High quality alum alloy	
PSQF3	2300-2400	700g	60m	Tricolor, Bi-color, Monochrome	High quality alum alloy	
PSQF7	2200-2300	600g	65m	Tricolor, Bi-color, Monochrome	High quality alum alloy	
PSQF2	2200-2300	600g	60m	Tricolor, Bi-color, Monochrome	High quality alum alloy	
PSQF8	2200-2300	600g	55m	Tricolor, Bi-color, Monochrome	High quality alum alloy	
PSQF9	2200-2300	600g	50m	Tricolor, Bi-color, Monochrome	High quality alum alloy	


Competition Javelin



Model	Specification (mm)	Weight	Color	Material	Certification
TSOTJZBQ-A	2000-2100	500g	Tricolor	High quality alum alloy	
BQS21	2000-2100	500g	Bi-color	High quality alum alloy	
BQS28	2000-2100	500g	Monochrome	High quality alum alloy	
BQS29	1900-2000	400g	Monochrome	High quality alum alloy	
BQS30	1800-1900	300g	Monochrome	High quality alum alloy	

Javelin for Hard Ground







Model	BQX19
Specification (mm)	2600-2700
Weight	800g
Material	High quality alum alloy and Nylon Cover

Model	BQX20
Specification (mm)	2200-2300
Weight	600g
Material	High quality alum alloy and Nylon Cover

Training Javelin



Model	BQX14
Specification (mm)	2200-2300
Weight	600g
Color	Tricolor, Bi-color, Monochrome
Material	High quality alum alloy

Model	BQX15
Specification (mm)	2300-2400
Weight	700g
Color	Tricolor, Bi-color, Monochrome
Material	High quality alum alloy

Model	BQX16
Specification (mm)	2600-2700
Weight	800g
Color	Tricolor, Bi-color, Monochrome
Material	High quality alum alloy

DISCUS



Discus


Carbon Fiber Discus

Model	TBST1
Weight	2kg
Material	Carbon Fiber Discus Cover

Model	TBST2
Weight	2kg
Material	Carbon Fiber Discus Cover



Competition Discus



Model	Specification (mm)	Weight	Material		Certification
TBS11	ϕ180-182	1kg	Steel plastic	High rotation	
TBS12	ϕ180-182	1kg	Steel plastic	Low rotation	
PSSFB1.5	ϕ200-202	1.5kg	Steel plastic	High rotation	
TBS14	ϕ200-202	1.5kg	Steel plastic	Low rotation	
TBS15	ϕ210-212	1.75kg	Steel plastic	High rotation	
TBS16	ϕ210-212	1.75kg	Steel plastic	Low rotation	
TBS17	ϕ219-221	2kg	Steel plastic	High rotation	
TBS18	ϕ219-221	2kg	Steel plastic	Low rotation	
TBS19	ϕ170-172	0.75kg	Steel plastic		
PSSFB2	ϕ180-182	1kg	Steel plastic		
TBS21	ϕ200-202	1.5kg	Steel plastic		
T104H	ϕ210-212	1.75kg	Steel plastic		
PSSFB1	ϕ210-212	2kg	Steel plastic		

Training Discus



Model	Specification (mm)	Weight	Material
TBX13	ϕ170-172	0.75kg	Steel plastic
TBX14	ϕ180-182	1kg	Steel plastic
TBX15	ϕ180-182	1.25kg	Steel plastic
TBX16	ϕ200-202	1.5kg	Steel plastic
TBX17	ϕ210-212	1.75kg	Steel plastic
TBX18	ϕ219-221	2kg	Steel plastic
TBX19	ϕ220-222	2.25kg	Steel plastic
TBX20	ϕ220-222	2.5kg	Steel plastic

Training Discus



Model	TBX22	Model	TBX23
Specification (mm)	ϕ180-182	Specification (mm)	ϕ200-202
Weight	1kg	Weight	1.5kg
Material	Rubber	Material	Rubber
Model	TBX24	Model	TBX25
Specification (mm)	ϕ210-212	Specification (mm)	ϕ210-212
Weight	1.75kg	Weight	2kg
Material	Rubber	Material	Rubber

SHOT PUT



Shot Put

Top-grade Competition Shot Put





Model	Specification (mm)	Weight	Material	Certification
TQW0346	ϕ110	7.26kg	Carbon steel	
FLF710	ϕ111.5	7.26kg	Carbon steel	
TQW0347	ϕ113	7.26kg	Carbon steel	
TQW0348	ϕ116	7.26kg	Carbon steel	
TQW0349	ϕ120	7.26kg	Carbon steel	
TQW0350	ϕ125	7.26kg	Carbon steel	
TQW0351	ϕ129	7.26kg	Carbon steel	
QQS2	ϕ115	6kg	Carbon steel	
Q413	ϕ105	6kg	Carbon steel	
QQS16	ϕ110	6kg	Carbon steel	
QQS21	ϕ120	6kg	Carbon steel	
QQS23	ϕ105	5kg	Carbon steel	
QQS24	ϕ110	5kg	Carbon steel	

Model	Specification (mm)	Weight	Material	Certification
QQS3	ϕ115	5kg	Carbon steel	
TSOTJQSQ-A	ϕ100	5kg	Carbon steel	
TQW0341	ϕ95	4kg	Carbon steel	
FLF720	ϕ95.6	4kg	Carbon steel	
TQW0342	ϕ99	4kg	Carbon steel	
TQW0343	ϕ103	4kg	Carbon steel	
TQW0344	ϕ106	4kg	Carbon steel	
TQW0345	ϕ109	4kg	Carbon steel	
TQW0353	ϕ90	3kg	Carbon steel	
TQW0354	ϕ95	3kg	Carbon steel	
TQW0355	ϕ100	3kg	Carbon steel	
TQW0356	ϕ105	3kg	Carbon steel	
TQW0357	ϕ109	3kg	Carbon steel	

Normal Competition Shot Put



Model	Specification (mm)	Weight	Material
QQP04	ϕ121.5	7.26kg	Cast iron
QQP05	ϕ114	6kg	Cast iron
QQP06	ϕ107.5	5kg	Cast iron
QQP07	ϕ100	4kg	Cast iron
QQP08	ϕ90.5	3kg	Cast iron

HAMMER







Hammer

Top-grade Competition Hammer





Model	Specification (mm)	Weight	Material	Certification
TQW0335/LQP20	ϕ110	7.26kg	Carbon steel	
FLF610/LQP20	ϕ111	7.26kg	Carbon steel	
TQW0336/LQP20	ϕ113	7.26kg	Carbon steel	
TQW0337/LQP20	ϕ116	7.26kg	Carbon steel	
TQW0338/LQP20	ϕ120	7.26kg	Carbon steel	
TQW0339/LQP20	ϕ125	7.26kg	Carbon steel	
TQW0340/LQP20	ϕ129	7.26kg	Carbon steel	
L407/LQP20	ϕ105	6kg	Carbon steel	
LQS172	ϕ110	6kg	Carbon steel	
LQS173	ϕ115	6kg	Carbon steel	
LQS174	ϕ120	6kg	Carbon steel	
LQS181	ϕ100	5kg	Carbon steel	

Model	Specification (mm)	Weight	Material	Certification
LQS182	ϕ105	5kg	Carbon steel	
LQS183	ϕ110	5kg	Carbon steel	
TQW0330/LQP20	ϕ95	4kg	Carbon steel	
FLF620/LQP20	ϕ95.5	4kg	Carbon steel	
TQW0331/LQP20	ϕ99	4kg	Carbon steel	
TQW0332/LQP20	ϕ103	4kg	Carbon steel	
TQW0333/LQP20	ϕ106	4kg	Carbon steel	
TQW0334/LQP20	ϕ109	4kg	Carbon steel	
TQW0358/LQP20	ϕ86	3kg	Carbon steel	
TQW0359/LQP20	ϕ90	3kg	Carbon steel	
TQW0360/LQP20	ϕ95	3kg	Carbon steel	
TQW0361/LQP20	ϕ99	3kg	Carbon steel	

Normal Competition Hammer

Model	Weight	Material
LQP11	7.26kg	Cast iron
LQP12	6kg	Cast iron
LQP13	5kg	Cast iron
LQP14	4kg	Cast iron
LQP15	3kg	Cast iron



Training Hammer




Model	LQP16
Weight	8kg
Material	Cast iron

Model	LQP17
Weight	9kg
Material	Cast iron

Model	LQP18
Weight	10kg
Material	Cast iron

Hammer Wires



Model	LQP19
Specification	1195mm—1125mm
Weight	0.03kg

Color	Silver gray
Material	Spring steel
Performance	Used for hammer

Hammer Handle



Model	LQP21
Weight	0.6kg
Color	Silver gray
Material	Aluminum alloy with spring steel
Performance	Used for hammer

Hammer Gloves



Model	LQP22
Weight	0.25kg
Color	Blue
Material	Genuine leather
Performance	Used for hammer

ANCILLARY FACILITY OF THROWING EVENTS

Javelin Rack (Cart)



TQ1126A



TQ1126B



TQ1126C

Model	TQ1126A / TQ1126B/ TQ1126C
Specification (mm)	1093×671×927 / 1000×522×1097.5 / 1116×522×1116
Color	Pink
Material	High quality welded steel pipe
Performance	This product is solid and reliable, suitable for domestic and international competitions, the javelin of all specifications can be placed and transported easily

Shot Put Rack (Cart)



TQ1129A



TQ1129B



TQ1129C

Model	TQ1129A / TQ1129B / TQ1129C
Specification (mm)	1100×671×927 / 1000×522×1097.5 / 1116×522×1116
Color	Pink
Material	High quality welded steel pipe
Performance	This product is solid and reliable, suitable for domestic and international competitions, the Shot put of all specifications can be placed and transported easily

Hammer Rack (Cart)



TQ1130A



TQ1130B



TQ1130C

Model	TQ1130A / TQ1130B / TQ1130C
Specification (mm)	1100×671×927 / 1000×522×1097.5 / 1116×522×1116
Color	Pink
Material	High quality welded steel pipe
Performance	This product is solid and reliable, suitable for domestic and international competitions, the hammer of all specifications can be placed and transported easily

Discus Rack (Cart)



TQ1131A



TQ1131B



TQ1131C

Model	TQ1130A / TQ1130B / TQ1130C
Specification (mm)	1100×671×927 / 1000×522×1097.5 / 1116×522×1116
Color	Pink
Material	High quality welded steel pipe
Performance	This product is solid and reliable, suitable for domestic and international competitions, the discus of all specifications can be placed and transported easily

Throwing Equipment Combination Rack (Cart)




Model	TQ2102
Specification	1138mm×790mm×936mm
Weight	Nearly 37kg
Color	Pink
Material	High quality welded steel pipe
Performance	Used for Shot put, Hammer, Javelin, Discus.

Stop Board



Model	TQ1159/2
Specification	Arc Length: 1210mm, Height: 80mm
Weight	15kg
Color	White
Material	Aluminum Alloy structure
Performance	Used for Shot put, Hammer



Model	FLF740
Specification	Width 112mm-300mm, Arc string length 1210mm
Weight	15kg
Color	White
Material	Wood spray coating
Performance	Used for Shot put, Hammer



Model	TQ1159/1、TQ1159/3
Specification	Arc Length: 1210mm, Height: 80mm
Weight	15kg
Color	White
Material	Steel structure
Performance	Used for Shot put, Hammer




Model	TQ1159
Specification	Arc Length: 1210mm, Height: 80mm
Weight	15kg
Color	White
Material	Steel and wood mixed structure
Performance	Used for Shot put, Hammer

Throwing Arc of Javelin




Model	TQ1160
Specification	5500mm×324mm×310mm
Color	White
Material	Steel
Performance	This product is embedded in the ground, as javelin throwing symbol

Discus Throwing Circle



Model	FLF910
Specification	The inner circle is ϕ2500mm and the thickness is 80mm
Weight	Nearly 53kg
Color	White
Material	Aluminum alloy frame
Performance	This product is solid and reliable, suitable for all kinds of track and field playground.

Shot Throwing Circle



Model	FLF920
Specification	The inner ring ϕ2135mm and the thickness is 80mm
Weight	Nearly 42kg
Color	White
Material	Aluminum alloy frame
Performance	This product is solid and reliable, suitable for all kinds of track and field playground.

Inner Ring of Discus / Hammer Throwing Circle



Model	TQW0133
Specification	The outer ring is ϕ2500mm, the inner ring: ϕ2135mm, the thickness is 20mm
Weight	Nearly 5kg
Color	White
Material	Fiberglass
Performance	This product adopts splicing form, easy to install.

Long Distance Impact Point Marker



Model	TQ2139
Specification	ϕ300mm×848mm
Color	Pink
Material	Steel
Performance	Record the drop point of throwing equipment in competition

Close Range Impact Point Marker



Model	TQ2139/1
Specification	ϕ200mm×548mm
Color	Pink
Material	Steel
Performance	Record the drop point of throwing equipment in competition

Sector Lines



Model	CHE171
Specification	Width 50mm
Color	White
Material	Nylon fiber
Performance	Solid and durable

Distance Marker for Javelin / Discus



Model	BZH13
Specification	400mm
Weight	8 kg
Color	White
Material	Fiberglass
Performance	Used for javelin and discus

Distance Marker for Shot



Model	BZH14
Specification	400mm
Weight	8 kg
Color	White
Material	Fiberglass
Performance	Used in shot shot

Sector Lines Cart



Model	TQ1137/1
Specification	1435mm×554mm×895mm
Weight	35kg
Color	Pink
Material	Steel frame
Performance	Designed for sector Lines to distinguish the throwing area

Shot Collector




Model	TQ1111
Specification	20520mm×240mm×605mm
Weight	Nearly 110kg
Color	Pink
Material	Steel
Performance	This product is solid and reliable, suitable for domestic and international competitions, easy to assemble, it can quickly convey the shot back to the throwing point.

Remote Control Cart for Throwing Equipment



Model	TQ2136
Specification	760mm×510mm×280mm
Weight	Nearly 13kg
Color	Pink or white
Material	The product shell is welded with high quality aluminum alloy
Performance	This product uses advanced 2.4G remote control system of frequency hopping, not interfere with other channels. Power system adopts 900w brushless motor. Battery is high-quality 12v rechargeable batteries, and the quick charger can fully charge exhausted batteries within one hour. Its speed can reach 25 km/h on grass competition venue. with maximum load of 10kg. The battery can continuously work for nearly 50 minutes with maximum load

Throwing Cage for Discus & Hammer (Fixed)




Model	TQ1117/1
Specification	Standard size of IAAF
Color	White
Material	Aluminum alloy
Performance	Weld firmly, easy to disassemble and assemble, can effectively resist the impact of discus and hammer

Throwing Cage for Discus & Hammer (Moveable)




Model	TQ1117/2
Specification	Standard size of IAAF
Color	White
Material	Aluminum alloy
Performance	Weld firmly, easy to disassemble and assemble, can effectively resist the impact of discus and hammer

Throwing Cage for Discus (Pre-buried)



Model	TQ1116A
Specification	Standard size of IAAF
Color	White
Material	Aluminum alloy
Performance	Weld firmly, easy to disassemble and assemble, can resist the impact of discus effectively

Throwing Cage for Discus (Moveable)



Model	TQ1116A/1
Specification	Standard size of IAAF
Color	White
Material	Aluminum alloy
Performance	Weld firmly, easy to disassemble and assemble, can resist the impact of discus effectively



- Foam Landing Area
- Jumping equipment
- Ancillary Facility of Jumping Events

Field Event Equipment

JUMP 02

FOAM LANDING AREA



High Jump Landing Area

Model	Specification (mm)	Color	Material	Performance	Certification
FLF420	6000×4000×770	Blue and Red	High quality PVC mesh, high quality PVC leather cover, super, soft sponge, XPE.	Used for high jump competition, training	
TQ1573	6000×4150×770				
TQ1572	6000×4150×700				
TQ2559	3150×5000×700				

Support Platform for High Jump Landing Area



Model	TQ1125A
Specification	3800mm×5800mm×100mm
Color	Metal colour
Material	Aluminum alloy
Performance	Used for 6000mm×4150mm high Jump Landing Area. Easy to store and assemble, correct isolation from the ground to protect the landing area from Rainwater and moisture. prolonging service life

Model	TQ1125A/1
Specification	2800mm×4800mm×100mm
Color	Metal colour
Material	Aluminum alloy
Performance	Used for 5000mm×3150mm high Jump Landing Area. Easy to store and assemble, correct isolation from the ground to protect the landing area from Rainwater and moisture. prolonging service life

Top Pad of High Jump Landing Area

Model	Specification (mm)	Material
TQ2559.01	3150×5000×100	Spike resistant mesh fabric on both sides
TQ1572.01	4150×6000×100	Spike resistant mesh fabric on both sides

Protective Shelter for High Jump Landing Area I

Model	TQ2104B
Specification	Used for 6000mm×4150mm high jump landing area
Weight	Nearly 800kg
Color	Blue
Material	High quality welded steel tube, color steel plate.



Performance This product is used as the auxiliary equipment for landing area to against unfavourable weather conditions and damages, The bottom of the frame is equipped with casters, which is convenient and flexible to move.

Protective Shelter for High Jump Landing Area II

Model	TQ2104A
Specification	Used for 6000mm×4150mm high jump landing area
Weight	Nearly 300kg
Color	Blue
Material	Aluminium alloy framework



Performance This product is used as the auxiliary equipment for landing area to against unfavourable weather conditions and damages, The bottom of the frame is equipped with casters, which is convenient and flexible to move.




Pole Vault Landing Area

Model	Specification (mm)	Color	Material	Performance	Certification
FLF520	9000×7000×800	Blue and Red	High quality PVC mesh, high quality PVC leather cover, super, soft sponge, XPE.	Used for Pole vault competition, training	
TQ1593	6600×8200×800				

Top Pad of Pole Vault Landing Area

Model	Specification (mm)	Material
TQ1593.10	6600×8200×100	Spike resistant mesh fabric on both sides and Super soft sponge
TQ1594.08	9000×7000×100	Spike resistant mesh fabric on both sides and Super soft sponge

Support Platform for Pole Vault Landing Area



Model	TQ1151A
Specification	8800mm×6800mm×100mm
Color	Metal colour
Material	Aluminum alloy
Performance	Used for 9000mm×7000mm Pole vault Landing Area. Easy to store and assemble, correct isolation from the ground to protect the landing area from Rainwater and moisture. prolonging service life


Model	TQ1151A/1
Specification	8000mm×6400mm×100mm
Color	Metal colour
Material	Aluminum alloy
Performance	Used for 8200mm×6600mm Pole vault Landing Area. Easy to store and assemble, correct isolation from the ground to protect the landing area from Rainwater and moisture. prolonging service life

Protective Shelter for Pole Vault Landing Area



Model	TQ2118A
Specification	Used for 9000mm×7000mm high jump landing area
Weight	Nearly 400kg
Color	Blue
Material	Aluminium alloy framework
Performance	This product is used as the auxiliary equipment for Pole vault landing area to against unfavourable weather conditions and damages , The bottom of the frame is equipped with casters, which is convenient and flexible to move.

JUMPING EQUIPMENT





Model	Test Weight
325/35	35kg/75lbs
325/40	40kg/90lbs
325/45	45kg/100lbs
325/50	50kg/110lbs
325/54	54kg/120lbs
350/40	40kg/90lbs
350/45	45kg/100lbs
350/50	50kg/110lbs
350/54	54kg/120lbs
350/59	59kg/130lbs
350/63	63kg/140lbs
370/50	50kg/110lbs
370/54	54kg/120lbs
370/59	59kg/130lbs
370/63	63kg/140lbs
370/68	68kg/150lbs
370/73	73kg/160lbs
370/77	77kg/170lbs
400/54	54kg/120lbs
400/57	57kg/125lbs
400/59	59kg/130lbs
400/61	61kg/135lbs
400/63	63kg/140lbs
400/66	66kg/145lbs
400/68	68kg/150lbs
400/70	70kg/155lbs
400/73	73kg/160lbs
400/75	75kg/165lbs
400/77	77kg/170lbs
400/80	80kg/175lbs
400/82	82kg/180lbs

Model	Test Weight
415/57	57kg/125lbs
415/59	59kg/130lbs
415/61	61kg/135lbs
415/63	63kg/140lbs
415/66	66kg/145lbs
415/68	68kg/150lbs
415/70	70kg/155lbs
415/73	73kg/160lbs
415/75	75kg/165lbs
415/77	77kg/170lbs
430/57	57kg/125lbs
430/59	59kg/130lbs
430/61	61kg/135lbs
430/63	63kg/140lbs
430/66	66kg/145lbs
430/68	68kg/150lbs
430/70	70kg/155lbs
430/73	73kg/160lbs
430/75	75kg/165lbs
430/77	77kg/170lbs
430/80	80kg/175lbs
430/82	82kg/180lbs
430/84	84kg/185lbs
445/59	59kg/130lbs
445/61	61kg/135lbs
445/63	63kg/140lbs
445/66	66kg/145lbs
445/68	68kg/150lbs
445/70	70kg/155lbs
445/73	73kg/160lbs
445/75	75kg/165lbs

Model	Test Weight
445/77	77kg/170lbs
445/80	80kg/175lbs
445/82	82kg/180lbs
445/84	84kg/185lbs
445/86	86kg/190lbs
445/88	88kg/195lbs
460/63	63kg/140lbs
460/66	66kg/145lbs
460/68	68kg/150lbs
460/70	70kg/155lbs
460/73	73kg/160lbs
460/75	75kg/165lbs
460/77	77kg/170lbs
460/80	80kg/175lbs
460/82	82kg/180lbs
460/84	84kg/185lbs
460/86	86kg/190lbs
460/88	88kg/195lbs
460/91	91kg/200lbs
475/66	66kg/145lbs
475/68	68kg/150lbs
475/70	70kg/155lbs
475/73	73kg/160lbs
475/75	75kg/165lbs
475/77	77kg/170lbs
475/80	80kg/175lbs
475/82	82kg/180lbs
475/84	84kg/185lbs
475/86	86kg/190lbs
475/88	88kg/195lbs
475/91	91kg/200lbs

Model	Test Weight
475/93	93kg/205lbs
475/95	95kg/210lbs
490/68	68kg/150lbs
490/70	70kg/155lbs
490/73	73kg/160lbs
490/75	75kg/165lbs
490/77	77kg/170lbs
490/80	80kg/175lbs
490/82	82kg/180lbs
490/84	84kg/185lbs
490/86	86kg/190lbs
490/88	88kg/195lbs
490/91	91kg/200lbs
490/93	93kg/205lbs
490/95	95kg/210lbs
500/80	80kg/175lbs

Model	Test Weight
500/82	82kg/180lbs
500/84	84kg/185lbs
500/86	86kg/190lbs
500/88	88kg/195lbs
500/91	91kg/200lbs
500/93	93kg/205lbs
500/95	95kg/210lbs
520/82	82kg/180lbs
520/84	84kg/185lbs
520/86	86kg/185lbs
520/88	88kg/195lbs
520/91	91kg/200lbs
520/93	93kg/205lbs
520/95	95kg/210lbs
520/97	97kg/215lbs
520/100	100kg/220lbs

Pole

ANCILLARY FACILITY OF THROWING EVENTS

Crossbar for High Jump



Model	AFLF410
Specification	4000mm
Weight	2kg
Color	Red and yellow
Material	Fiberglass
Performance	Used for training or competition
Certification	

Model	AFLF410(A)
Specification	4000mm
Weight	2kg
Color	Red and yellow
Material	Carbon fiber
Performance	Used for training or competition


Crossbar for Pole Vault



Model	FLF510
Specification	4500mm
Weight	2.23kg
Color	Red and yellow
Material	Fiberglass
Performance	Used for training or competition
Certification	

Model	FLF510(A)
Specification	4500mm
Weight	2.23kg
Color	Red and yellow
Material	Carbon fiber
Performance	Used for training or competition


Training Elastic Crossbar




Model	TQ2132
Specification	ϕ30mm×4000mm
Color	White and black
Material	Elastic with foam elements
Performance	Used as a crossbar for high jump training, to effectively avoid injuries

High-grade High Jump Stand

Model	TQ1140/1
Specification	600mm-2600mm
Weight	25kg
Color	Gold
Material	Aluminum alloy column
Performance	Used for training or competition



Electronic Pole Vault Stand




Model	FLF500E
Specification	1800mm-6260mm
Weight	Nearly 1600kg
Color	Pink / Silver gray
Material	Aluminum alloy column with steel base
Performance	The production adopts advanced PLC computer control system; transmission system adopts imported high precision guide rail; lifting accuracy can be accurate to 0.2 mm; lifting speed can be up to 800 mm per second; stand spacing and lifting height can be adjusted at the same time to save time; operating power: 2400w, voltage: 220v

Manual Pole Vault Stand



Model	FLF500
Specification	2500mm-6500mm
Weight	200kg
Color	Blue base, white column
Material	Cast iron base, aluminum alloy column
Performance	Manual adjustment, used for competition

Manual Pole Vault Stand (Digital display)



Model	TQ1163
Specification	1800mm-6500mm
Weight	210kg
Color	Pink / Silver gray
Material	Cast iron base, aluminum alloy column
Performance	Manual adjustment(Digital display), used for competition

Measuring Device for Pole Vault



Model	CHG191
Specification	2000mm-6400mm
Weight	4kg
Color	Silver gray
Material	Aluminum alloy
Performance	Used for height measurement

Measuring Device for High Jump



Model	TG17
Specification	1200mm-2500mm
Weight	2kg
Color	Yellow and silver gray intervals
Material	Aluminum alloy
Performance	Used for height measurement

Crossbar Rack



Model	CHG18
Specification	Telescopic 5000mm
Weight	3kg
Color	Silver gray
Material	Aluminum alloy
Performance	For placing crossbar on pegs of pole vault stand

Sand Rake




Model	QT01
Specification	2500mm
Weight	5kg
Color	Red
Material	Aluminum alloy
Performance	With leveling blade, wide head installed on long handle

Crossbar Rack (Cart)



Model	TQ1109
Specification	1968mm×620mm×1409mm
Weight	Nearly 34kg
Color	Pink
Material	High quality welded steel pipe
Performance	Powdered painted steel with strong and stable frame, it is suitable for domestic and international competitions. It is portable and easy to move

Pole Rack



Model	TQ1128A
Specification	718mm×604mm×1010mm
Weight	Nearly 10kg
Color	Pink
Material	High quality welded steel pipe
Performance	Powdered painted steel with strong and stable frame, it is suitable for domestic and international competitions. It is portable and easy to move

Step Marker



Model	TY09
Specification	80mm×80mm
Weight	0.1kg
Color	Various colors
Material	Acrylic resin
Performance	Used for marking

Distance Indicator for Long Jumpr



Model	TQ2101
Specification	4000mm×508mm×555mm
Weight	30kg
Color	Pink
Material	Steel frame
Performance	Used for displaying the distance of long jump and triple jumps

Magnesium Box



Model	TQW0049
Specification	900mm
Weight	17kg
Color	White
Material	Painted iron base, fiberglass case
Performance	Used for magnesium powder

Measuring Tape



Model	Name	Weight	Color	Material
CL11	100m Steel tape	1.75kg	Yellow	Steel material
CL12	50m Steel tape	1.5kg		
CL13	30m Steel tape	1kg		
CL15	50m Tapeline	1kg	Silver gray	Fiber material
CL16	30m Tapeline	0.5kg		

Take-off Board




Model	FLF900(A)
Specification	1220mm×340mm×100mm
Weight	8kg
Color	White
Material	Wood spray paint
Performance	For long jump

Take-off Board



Model	FLF900(B)
Specification	1220mm×300mm×100mm
Weight	7kg
Color	Red and white
Material	Wood spray paint
Performance	For long jump

Take-off Board Box (With cover)




Model	TQ1144A
Specification	Width: 340mm, Use for Take-off Board
Weight	5kg
Color	Silver gray
Material	Aluminum alloy
Performance	Use for long jump


Model	TQ1144
Specification	Width: 340mm, Use for Take-off Board
Weight	10kg
Color	Silver gray
Material	Galvanized steel
Performance	Use for long jump

Model	TQ1144/1
Specification	Width: 300mm, Use for Take-off Board
Weight	9kg
Color	Silver gray
Material	Galvanized steel
Performance	Use for long jump

Model	TQ1144A/1
Specification	Width: 300mm, Use for Take-off Board
Weight	5kg
Color	Silver gray
Material	Aluminum alloy
Performance	Use for long jump

Take-off Board Box (With cover)





Model	TQ1144/2 、TQ1144/3
Specification	Width: 340、300mm, Use for Take-off Board
Weight	10、9kg
Color	Silver gray
Material	Galvanized steel
Performance	Use for long jump

Model	TQ1144A/2 、TQ1144A/3
Specification	Width: 340、300mm, Use for Take-off Board
Weight	5kg
Color	Silver gray
Material	Aluminum alloy
Performance	Use for long jump

Take off Marker



Model	TY08
Specification	400mm×30mm
Weight	4kg
Color	Blue and white
Material	Fiberglass
Performance	For long jump

Pole Vault Box



Model	FLF530
Specification	Standard size of IAAF
Weight	30kg
Color	White
Material	Stainless steel
Performance	Used for training or competition
Certification	

Model	TQ1133/1
Specification	Standard size of IAAF
Weight	30kg
Color	White
Material	Steel
Performance	Used for training or competition

Plasticine Board




Model	TY05
Specification	1220mm×100mm×27mm
Weight	1kg
Color	Red
Material	Wood spray paint
Performance	For long jump

Plasticine Scraper



Model	TY06
Color	Silver gray
Material	Stainless steel
Performance	Used for scraping plasticine

Plasticine



Model	TY07
Color	Green, red, yellow, blue, etc. (Eye-catching contrasting colors should be selected according to the color of the runway.)
Material	Green plasticine
Performance	For long jump

Plasticine Board Rack (Cart)



Model	TQ1123A
Specification	1534mm×522mm×1200mm
Color	Pink
Material	Steel
Performance	This product is firm and reliable and is suitable for domestic and international competitions. It is portable and can be placed with many plasticine boards

Line Marker Cart



Model	CHE12
Specification	1000mm×1000mm
Weight	10kg
Color	Red
Material	Steel pipe main part, with large casters
Performance	Used for drawing the section lines

Scoreboard



Model	PAI09
Specification	1000mm×2000mm
Weight	Nearly 10kg
Color	Adjustable black bracket, large white board
Material	Square tube spray paint base, white board is galvanized material
Performance	Used to record athletes' scores

Pole Vault Display Board of Horizontal Adjustment Range



Model	CHG20
Specification	1000mm×2000mm
Weight	Nearly 10kg
Color	Adjustable black bracket, large white board
Material	Square tube spray paint base, white board is galvanized materia
Performance	Used to record athletes' horizontal adjustment range

Measuring Cane (Peg)



Model	TQ1120
Specification	Height 750mm
Weight	Nearly 0.5kg
Color	Silver gray
Material	High quality welded steel bar
Performance	Easy to carry and measuring in the throwing events

Sector Line Staples (U-nail)




Model	CHE172
Specification	52mm wide
Weight	0.005kg
Color	Silver gray
Material	Galvanized steel
Performance	Used for sector line 5cm wide

Marker Flag / Record Flag



Model	TQ1145
Specification	ϕ240mm×700mm
Weight	Nearly 3kg
Color	Pink
Material	High quality steel tube, Synthetic fabric flag
Performance	Flutter in the wind, the flag sign is obvious, the base is stable and reliable

Record of Iron Flag



Model	TQ1135A
Specification	254mm×128mm×8mm
Weight	Nearly 0.5kg
Color	Pink
Material	High quality welded steel pipe
Performance	Easy to carry and mark the impact point

Scoreboard for Height and Distance



Model	PAI05
Specification	800mm×2000mm×1000mm
Weight	25kg
Color	Main body blue, red and white, black rubber wheel
Material	Rubber bottom wheel, iron main body, plastic tipping card
Performance	Used to display the Features of the athletes

Stop Marker




Model	BZH01
Specification	675mm
Weight	5kg
Color	Orange
Material	Plastic
Performance	Warning

Lots and Canister



Model	QT04
Specification	400mm×300mm
Weight	1kg
Color	Burlywood color
Material	Bamboo
Performance	Used in the athletes lottery

Play Ground Universal Cart



Model	TQ2115B
Specification	2000mm×1000mm×1030mm
Weight	Nearly 55kg
Color	Pink
Material	High quality welded steel pipe, Aluminum alloy pane
Performance	Used for mat and equipment in the track and field

Scoreboard for High Jump




Model	TG18
Specification	1200mm×800mm
Weight	15kg
Color	Blue base, silver-gray strut
Material	Cast iron base, stainless steel support
Performance	Manually flip the card to display the Features of the athlete




- Starting Block
- Hurdle
- Ancillary Facility of Running Events

Track Event Equipment
RUN 03


STARTING BLOCK




High-grade Competition Starting Block




Model	FLF300(E)
Specification	Overall length: 900mm, overall width: 440mm, size of Pedal: 230×160mm
Weight	7.1kg
Color	Silvery white
Material	Aluminum + Stainless steel plate
Performance	Use for competitions




Model	FLF300(A)
Specification	928mm×78mm×8mm
Weight	Nearly 12kg
Color	Silver
Material	Aluminum alloy
Performance	Use for competitions



Model	FLF300(B)
Specification	928mm×78mm×8mm
Weight	Nearly 8kg
Color	Silver
Material	Aluminum alloy
Performance	Use for competitions



Model	FLF300(C)
Specification	928mm×78mm×8mm
Weight	Nearly 12kg
Color	Silver
Material	Aluminum alloy
Performance	Use for competitions




Model	FLF300(D)
Specification	928mm×78mm×8mm
Weight	Nearly 8kg
Color	Silver
Material	Aluminum alloy
Performance	Use for competitions

Staring Block Cart

Model	TQ1121
Specification	1455mm×600mm×1538mm
Weight	Nearly 38kg
Color	Pink
Material	High quality welded steel tube
Performance	For transportation and storage of starting blocks



HURDLE



Hurdle



Competition Hurdle (High-grade)

Model	FLT100
Specification	1067mm、991mm、914mm、838mm、762mm
Weight	13.5kg
Color	Red and white
Material	Square tube and welded riser are made of steel, the hurdle crossbar is plastic
Performance	Height of this product can be adjusted automatically. It can be used in indoor and outdoor for domestic and international competitions



Training Hurdle (Without counterweight)

Model	TQ2114B
Specification	1067mm、991mm、914mm、838mm、762mm
Weight	7kg
Color	Red and white
Material	Square tube and welded riser are made of steel, the hurdle' s crossbar is plastic
Performance	Designed for training juniors and seniors in school and clubs.

Hurdle Cart



Model	TQ2112
Specification	1443mm×1060mm×967mm
Weight	Nearly 48kg
Color	Pink
Material	High quality welded steel tube
Performance	This product is applicable to domestic and international competitions. It saves time and labor for hurdles' transportation

Hurdle Crossbar



Model	JS14
Specification	1190mm×70mm
Weight	0.5kg
Color	White
Material	Plastic material
Performance	For hurdles

Hurdles Measurement Ruler



Model	JS15
Specification	1200mm
Weight	0.6kg
Color	Silver gray
Material	Stainless steel
Performance	For measure the distance between the hurdles

Barriers

ANCILLARY FACILITY OF RUNNING EVENTS

Steeplechase Barriers (Movable)




Model	FLF210
Specification	Adjustable (762-914) mm
Weight	Nearly 85kg
Color	Pink、black、white
Material	High quality welded steel tube, pine wood
Performance	Used for steeplechase , all-around competition and other events
Note	This product contains one set 5m Barriers (TQ2109) and three set 3.94m Barriers (TQ2110), excluding water jump barrier

Mobile Steeplechase Hurdles for 3000m



Model	TQ2109B、TQ2110B
Specification	Adjustable (762-914) mm
Weight	Nearly 85kg
Color	The column is peach and the crossbar is blue and yellow
Material	The column is made of high quality welded steel pipe, and the transverse wood is aluminum core-clad wood structure
Performance	Used for steeplechase , all-around competition and other events
Note	This product contains one set 5m Barriers (TQ2109B) and three set 3.94m Barriers (TQ2110B), excluding water jump barrier

Water Jump Barriers



Model	FLT200
Specification	3660mm×127mm×(762-914)mm
Weight	Nearly 60kg
Color	Pink、blue 、white
Material	High quality welded steel tube, pine wood
Performance	Used for steeplechase , all-around competition and other events
Note	Use as a set of Steeplechase Barriers

Model	TQ2111B
Specification	Adjustable (762-914) mm
Weight	Nearly 60kg
Color	Pink、blue 、white
Material	High quality welded steel tube, pine wood
Performance	Used for steeplechase , all-around competition and other events
Note	Use as a set of Steeplechase Barriers

Relay Baton



Model	FLT350
Specification	280mm-300mm, diameter 40mm±2mm
Weight	0.05kg/pc
Color	Red, black, yellow, blue, white, purple, grey, green 8 colors
Material	Aluminum alloy
Performance	For competition

Lane Markers I



Model	BZH07
Specification	460mm
Weight	8kg
Color	White or Pink
Material	Fiberglass
Performance	Equipped with two false start indicators and big digits, provide quick identification of competitor; s lane, easy to store and move

Lane Markers II



Model	BZH08
Specification	470mm
Weight	6kg
Color	White
Material	Fiberglass
Performance	Equipped with two false start indicators and big digits, provide quick identification of competitor; s lane, easy to store and move

Lane Markers III



Model	BZH081
Specification	420mm
Weight	5kg
Color	White
Material	Fiberglass
Performance	Provide quick identification of competitor; s lane, easy to store and move

Starter's Stand



Model	TQ2113
Specification	1260mm (adjustable) ×885mm ×2595mm (adjustable)
Weight	40kg
Color	Pink
Material	Steel frame, Stainless steal arm, Fiberglass smoke screen
Performance	The adjustable height, Stable, durable and rust resistant with powder painted steel. Used for referees' starting

Starter's Stand



Model	TQ1146A
Specification	739mm×777mm×1300mm
Color	Pink
Material	Aluminium alloy
Performance	Stable, durable and rust resistant with powder painted. Used for referees' starting

Starting Gun (2 bullets)



Model	FL13
Specification	200mm×140mm
Weight	2.5kg
Color	Black
Material	Steel
Performance	Used for starting

Steeplechase Barriers Cart



Model	TQ1108
Specification	1026mm×823mm×755mm
Weight	Nearly 25kg
Color	Pink
Material	High quality welded steel tube
Performance	Convenient, moving fast

Copper Bell



Model	PAI121
Specification	200mm×120mm
Weight	6kg
Color	Copper yellow
Material	Brass
Performance	Warning effect

Lap Counters (With bell)



Model	TQ2131
Specification	1535mm×606mm×606mm
Weight	Nearly 25kg
Color	Pink
Material	High quality welded steel tube
Performance	Clear digital plastic unit (0-9) with brass bell, Easy to move with castor wheels

Wind Indicator



Model	TQ1132
Specification	ϕ240mm×1500mm
Weight	Nearly 5kg
Color	Pink
Material	High quality welding steel tube, Synthetic fabric wind-sock
Performance	Easy to place, moving with the wind to indicates the wind direction

Track Kerbing


Model	TQ1114
Specification	Overall Length: 400mm;Height: 50mm; Width: 55mm
Weight	260kg
Color	Silver gray
Material	Aluminum Alloy in Arc
Performance	Spliced Installation with Customized Length

Finish Post



Model	TQ1127A
Specification	ϕ250mm×1400mm
Weight	Nearly 7.6kg
Color	White
Material	High quality welded steel tube
Performance	It is durable and easy to place. Track and field running events are used with red ribbons fixed

Cutting-in-Lane Cone



Model	TQ1154
Specification	50mm×50mm×130mm
Weight	Nearly 0.5kg
Color	Yellow (Different from runway color)
Performance	Designed to mark breakline in the 800 m event.complies with IAAF

Race Course Cone




Model	BZH02
Specification	290mm
Weight	0.075kg
Color	Orange
Material	Plastic material
Performance	Warning ef fect. Designed to lay out race course in track events and race walking

Foul Bulletin Board for Walking Race



Model	PAI11
Specification	1000mm×2000mm
Weight	25kg
Color	Adjustable black bracket with large white board on top
Material	Square tube spray paint base, white board is galvanized material.
Performance	Used to record athletic performance

Set of Walking Judges Paddles



Model	PAI10
Specification	ϕ120mm, 160mm handle
Weight	0.3kg
Color	Yellow, red
Material	Acrylic board, crystal handle
Performance	Set of three race walking judges paddles (Bent knee, Loss of contact. Disqualification)

Lane Race Foul Marker



Model	BZH09
Specification	105mm×145mm
Weight	0.015kg
Color	Red & black, yellow & black, black, red
Material	PVC material
Performance	For referee

Winners Platform (4 persons×3)



Model	TQ1106
Specification	6000mm×600mm×（600mm、450mm、300mm）
Weight	Nearly 105kg
Color	Pink
Material	Steel frame, wood panel, carpet surface
Performance	Three steps, used for awards, strong and durable

Referee's Hand Flag



Model	TQZ03
Specification	Flag 450mm×350mm, Flagpole 500mm
Weight	Nearly 0.4kg
Color	Black handle, red, yellow, green
Material	Sponge grip, aluminum handle, silk cloth flag
Performance	For referee

Cutting-in-Lane Flag



Model	TQ1136
Specification	1500mm
Weight	Nearly 5kg
Color	Red, white
Material	High quality welding steel tube, silk cloth
Performance	It indicates that the player can leave his / her own lane

Tortuous Lane Flag



Model	TQ1134
Specification	280mm×240mm×450mm
Weight	Nearly 3kg
Color	Pink
Material	High quality welding steel tube, silk cloth
Performance	Put it on the bend, indicating entering the curve

Starter's Raglan Sleeve



Model	FL15
Specification	ϕ240mm×350mm
Color	Orange
Material	Silk
Performance	For starter

Water-suction Sweeper



Model	CHE10
Specification	The roller is ϕ600mm
Weight	43kg
Color	White
Material	Steel tube with large casters
Performance	Used for water absorption

Detector of Shoe Tack



Model	JS231
Specification	80mm×80mm
Weight	0.38kg
Color	Silver gray
Material	Stainless steel
Performance	Used for testing

Megaphone



Model	QT13
Specification	400mm×160mm
Weight	0.8kg
Color	White
Material	ABS plastic
Performance	For referee

Stopwatch







Model	Name	Specification (mm)	Weight	Color	Material
PC3830A	30 Lap/Split Stopwatch	82mm×62mm×23mm	0.068kg	Black	ABS Plastic
PC3860	60 Lap/Split Stopwatch	82mm×62mm×23mm	0.068kg		
PC100D	100 Lap/Split Stopwatch	88mm×60mm×21mm	0.064kg		

Spray Cooling Device



Model	TQ1164
Specification	Maximum effective spray area: 10000×2000×2500mm

Performance

High-pressure fog-dropping Generation Sprayer
Voltage: 220V
It can be used in different environment

Sunshade



Model	TQW0367
Specification	ϕ2700mm
Weight	320kg
Color	Green
Material	Aluminum alloy skeleton
Performance	Rain protection, sun shading

Awning



Model	TQW0367/1
Specification	3000mm×3000mm×2500mm
Color	Yellow, silver gray
Material	Steel frame, ceiling PVC
Performance	Rain protection, sun shading

Athletes Rest Seats



Model	TQ2135
Specification	2700mm×1815mm×2187mm
Weight	Nearly 160kg
Color	Pink、blue、white
Material	Aluminum alloy, plastic sunshade board
Performance	For rest, sunshade with storage space

Steel Structure Seat




Model	TY-011L
Specification	2000mm×470mm×420mm
Weight	Nearly 25kg
Color	Green
Material	Steel profile
Performance	For rest

Folding Massages Bed



Model	TQW0376
Specification	1860mm×600mm×(480-720)mm, Head pillow L: 270mm, handrail W:100mm
Weight	16kg
Color	Silver foot frame, dark grey bed
Material	Aluminum alloy foot frame, soft fire-retardant sponge, PU leather
Performance	Relaxing massage for athletes, sturdy and durable.

Timers and Judges Stand




Model	TQ2128A
Specification	////////
Weight	280kg
Color	White
Material	Steel body, plastic seat
Performance	//////////
Model	TQ2128A/1
Specification	///////////////
Weight	280kg
Color	White
Material	Steel body, plastic seat
Performance	//////////////////////

Timers and Judges Stand



Model	TL12
Specification	24 seats Telescoping Type
Weight	300kg
Color	White, red
Material	Steel body, plastic seat
Performance	///////////






04 Electronic Timing & Scoring

TRACK AND FIELD TIMING AND SCORING SYSTEM - FIELD EVENTS

Timing and scoring system chart of Field events



Laser Range Finders



Model	TQW-J001
Specification	200mm (length) ×180mm (width) ×380mm (height)

Performance

1.Customized model, suitable for field event ranging system (throwing, long jump, high jump), real-time synchronous output;
2.Measurement error accuracy: error < 5mm;
3.Coordinates: 24000 known points;
4.Data collection points: 24000 observation points;
5.With long-term battery, the operation time is up to 10 hours;
6.Waterproof and dust proof grade: IP54;
7.Measuring speed: 1.2 seconds for precision measurement, 0.7 seconds for rough measurement, 1.4 seconds for tracking;
8.Fixing method: tripod;
9.Operating temperature: -25℃~55℃.

High Resolution Digital Camera



Model	TQW-G002
Specification	210mm×90mm×80mm

Performance

1.Used for short distance measurement in field events, real-time synchronous output, high precision;
2.Ranging error < 5mm;Image resolution 1920×1080; Frame rate: 10-60 frames/second;
3.Test result encryption management, accurate and reliable;
4.The camera is equipped with infrared blocking device and embedded with automatic identification program, which can capture photos automatically;
5.The camera is designed with a special aluminum alloy shell, waterproof grade: IP56;
6.Operating voltage: power supply in DC24V or POE network;
7.Operating temperature: -25℃~55℃.

Three-side Foor Delay Screen



Model	TQW-S003

Performance

1.Display minute and second decline display;
2.Synchronous timing, mobile, metal frame;
3.The maximum timing interval is 9 minutes and 59 seconds, and the timing is set by the controller.

Athlete Scores Screen



Model	TQW-G004
Specification	720mm×400mm×90mm

Performance

1.Single-side high brightness PH10 monochrome LED display, resolution: 128×64;
2.Frame yellow plastic spraying, four sets of caster wheel, with 10m power line, with 10m data line;
3.Operating voltage: AC220V.

Double-sided Rotating 360 Degree LED Display Board




Model	TQW-S005
Specification	1930mm×790mm×1340mm，screen size: 1930mm×970mm；

Performance

1.Outdoor full-color double-sided 360° high-brightness LED display with PH10SMD;
2.Double-sided 15° bevel display Angle, outdoor waterproof structure design, protection level IP65;
3.Equipped with wireless wire electric remote control for rotation, the screen body is reserved with waterproof layering, and the axial flow fan at the bottom keeps constant temperature inside the screen;
4.The screen body is lifted with double lifting points, and the front and rear trailer traction device is movable. Four fixed belts are needed to protect the rotating shaft and gear;
5.Input voltage: AC160V-AC240V 50HZ.

Reference Positioner



Model	TQW-J006
Specification	100mm×100mm×45mm
Performance	All-metal locator, a set of 12 pairs of positioning image reference points, improve the accuracy of image interpretation, with automatic image positioning function

Delay Controller



Model	TQW-Y007

Performance

1.Control the LED display's minute and second decline display;
2.The maximum timing interval: 9 minutes and 59 seconds, can be set to save the maximum timing interval of any number of timing.

Data Hub



Model	TQW-Y008
Performance	Connect infrared blocking device and LED performance display

Image Distance Measurement



Software screenshots of standing broad jump



Trajectory diagram of a solid ball

TRACK AND FIELD TIMING AND SCORING SYSTEM - TRACK EVENT

Competition Photos Finish Set




Model	TQW-X009
Specification	300mm×160mm×120mm

Performance

1.Color high-speed linear array CCD camera, timing accuracy: 1/5000 seconds, narrow gap sampling interval: up to 1/14000 seconds;
2.Collection of finish line image narrow gap width: 14μm;
3. Anti-glare, automatic exposure adjustment, finish line width ⩾500lux;
4.Real-time image preview system and right-angle endoscope are convenient to quickly find the finish line, and the display screen displays comprehensive information;
5.The camera has a gyroscope horizontal lamp, which can set up the debugging camera effectively and quickly;
6.RJ45/GIGE gigabit network data interface, standard TCP/IP protocol;
7.Dual-frequency wireless handshake communication protocol, supporting wireless and wired signaling timing;
8.Terminal equipment ac 220V±10%, power consumption of 1000 watts;
9.Operating temperature: -10 ℃~35℃.

Timing and scoring system chart of Track events



Timing Control and Interpretation Machine



Model	TQW-J010

Performance

1.Receiving starting signals complementary to high speed camera;
2.Hardware timing control trigger interface, support multiple triggers, support wireless trigger time start;
3.Connect the timing handle to control image collection, or push the button to do so;
4.RS232 data is connected to the computer to provide manual starting function.



Camera Interface Module



Model	TQW-X011
Specification	160mm×55mm×50mm Cable length: 5m

Performance

1.Wired starting module, real-time clock module, track race LED display module, power module, image acquisition and control module;

2.Aluminum alloy hub, connected to AUX interface of high-speed camera.

Three Dimensional Fretting Head



Model	TQW-S012
Specification	190mm×150mm×130mm

Performance 3 d adjustable left and right up and down, with tripod detachable device (horizontal fine tuning, finish line focus use).

The Tripod



Model	TQW-S013
Specification	1000mm high

Performance

1.Professional aluminum tripod, maximum elevation up to 2300mm, all aluminum alloy structure;

2.Special bag for tripod and shoulder strap.

Infrared Photoelectric Sensor Device



Model	TQW-H014

Performance

1.Working principle: infrared blocking, maximum operating distance: ⩾15m, Signal transmission distance: ⩾500m;

2.Control mode: wired handle (Used in middle and long distance running);

3. Working voltage: DC12V, charger: DC14.4V 0.5A;

4. Supporting power cord: coil spring DC wire 1.2m.

Ultrasonic Anemometer



Model	TQW-C015
Specification	200mm×200mm×300mm

Performance

1.Ultrasonic measurement of wind speed, using industrial-grade measurement module, supporting wireless data transmission, supporting three-side wind speed display screen;

2.The measuring accuracy is 0.1m/ s, supporting manual and automatic track field wind speed and direction testing and synchronous display;

3.Installation method: install according to the arrow direction of anemometer;

4.Communication: wired/wireless;

5.Operating voltage: AC220V / DC24V;

6.Operating temperature: -15℃~65℃.

Directional Antenna



Model	TQW-D016
Specification	300mm×300mm×20mm

Performance

1.PVC material, signal reading effective width 1-12m;

2.The data reading Angle is 60°, which can be used in combination with two antennas;

3.Timing accuracy: 0.01 seconds.

Electronic Starting Block



Model	TQW-D017

Performance

1.Standard plastic track, all steel, with stability nail;
2.International standard size, adjustable pedaling position, with starting foul sensor, detection accuracy of 2000 times/second.The detection error is less than 1ms and the measurement range is more than 20kg;
3.The starter is certified by iaaf, equipped with hand handle, 45W tweeter and tail reserved data interface.

Mobile Starting Foul Signal Monitoring and Acquisition Machine



Model	TQW-Y018

Performance

1.Starting foul detection host, wired connection to each starting gear, starting foul light display, starting reaction time display, embedded printer interface;
2.The product can use wireless starter, wired starter, electronic starter gun, all three kinds of starter;
3.Built-in thermal printer can measure and print athletes' starting reaction time, pedal pressure curve and foul time, which can be used for arbitration in later track events and detection and analysis of athletes' starting technology.

Starting Foul Detection Device



Model	TQW-Q019
Specification	400mm×350mm×170mm

Performance

1.External interface: foul audio output interface, foul wireless output interface, RJ45 computer communication interface, mike starting interface, electronic starting gun interface, electronic starter interface, external power interface;
2.The 8-inch touch screen is equipped with starting response display, pressure curve display and starting time display, with an accuracy of < 0.5ms;
3.Built-in thermal printer: print the trigger response time and foul time of each group of athletes;
4.Equipped with: 3.5-inch stereo wired mike, 3.5-inch stereo bluetooth mike;
5.Operating voltage: DC24V 3A, operating temperature: -25℃~55℃.

Electronic Recording Machine



Model	TQW-D020
Specification	300mm×260mm×120mm

Performance

1.2.4g rf antenna, frequency 10% adjustable, maximum number of reads 500 / second;
2.Built-in battery, residual battery display, label ID display;
3.Conflict prevention function;
4.Data transmission: USB to RS485;Working voltage: DC12V 0.5A;
5.Operating temperature: -25℃~55℃.

Electronic Ring Label



Model	TQW-D021
Specification	45mm×35mm×10mm

Performance

1.Full PVC design, durability, silicone wristband, detachable rear panel;
2.Wearing method: Wrist, ankle and vest placement;
3.Working voltage: CR2030 button battery;
4.Waterproof grade: IP65;
5.Storage and storage: 25 with 4 layers.

Day Time Thousands of Meters Lap Cunter (Single face)



Model	TQW-B022

Three-face Lap Counter Display



Model	TQW-S023
Specification	560mm×560mm×400mm

Performance

1.Hoisting copper bell at the bottom of the ring screen;
2.Outdoor high brightness LED digital ring recorder;
3.Digital LED number: 2; Display direction: 3 sides; Display number: 0-99
4.Control mode: Control handle;
5.Operating voltage: AC220V-AC240V 50HZ;
6.Operating temperature: -25℃~55℃.

Three-face Wind Speed Display



Model	TQW-S024
Specification	900mm×900mm×750mm

Performance

1.Three sides of high brightness LED display screen, waterproof and dustproof, movable;
2.Display mode: High brightness LED digital tube;
3.Serial port output: RS485;
4.Data transmission: Wireless RF200;
5.Operating voltage: AC110-240V 50HZ.

Track Two-line Display



Model	TQW-J025

Specification

Event display screen: 1600mm×320mm×100mm
Performance display screen: 1600mm×340mm×100mm

Performance

1.Project display screen: outdoor PH10 high brightness monochrome LED display screen, brightness > 1200LXD; Achievement display screen: outdoor high brightness seven LED seven digital tube, brightness > 1200LXD;
2.Communication mode: wireless, frequency: 433MHZ, transmission distance: ⩾500m;
3.Operating voltage: AC220V±10%;
4.Operating temperature: -15℃~45℃;
5.Waterproof and dust-proof, detachable design, can be lifted, vehicle-mounted.

Wireless Electronic Starter



Model	TQW-W026
Specification	220mm×200mm×180mm

Performance

1.Starting mode: Manual voice starting and automatic voice starting;
2.Status display: OLED display displays the working status of the host;
3.Equipped with tweeter and audio source output interface; audio source transmission range ⩽50m;
4.Working voltage: DC12V 7A, power charger: 14.4V 0.5A;
5.Operating temperature: -25℃~55℃.

Ultrasonic Electronic Starter



Model	TQW-C027
Specification	120mm×80mm×80mm

Performance

1.Wireless portable starter, supporting wired starter signal output;
2.Ultrasonic starting sensor, only to gunshot induction, double induction head each other;
3.Wireless operating distance, open ground induction distance ⩾500m;
4.Working voltage: DC9V.

Electronic Starting Gun



Model	TQW-D028
Specification	150mm (length) ×90mm (width) ×25mm (height)

Performance

1.Aluminum alloy gun body, ultra-bright neon lamp tube, instantly lit up, visible distance of > 200m during the day;
2.Integrated microphone socket with gun body, with the specification of 3.5mm interface;
3.Electronic starting gun cable: 3mm, equipped with waterproof 8-core aviation plug.

Intercom



Model	TQW-F029
Performance	It is used for communication when starting of a race. it can also be connected to electronic starting gun, headset design.

Foul Warning Receiver



Model	TQW-F030
Specification	60mm×95mm×20mm
Performance	Wireless waist hanging, starting fouls signal reception, high synchronization accuracy.

Electronic Recording Machine



Model	TQW-D031

Performance

1.Uhf reader, maximum concurrent number of 500 people/second;
2.Support multi-antenna connection;
3.RJ45 network interface, supporting wireless data transmission.

Loop Controller




Model	TQW-J032

Performance

1.Middle and long distance loop controller, add and subtract control, reset control;
2.Supporting cables: length 5m.

Double Line Display Data Transmitter



Model	TQW-S033

Performance

1.USB interface, plug and play;
2.Wireless frequency: 433MHZ, wireless transmission distance ⩾500m, wireless frequency ±10% adjustable;
3.Supporting USB cable: 1.2m.

Wireless Receiver



Model	TQW-W034

Performance

1.The first line of high brightness PH10 monochrome LED display, waterproof and dust-proof, showing the track events;
2.The second row is a high brightness LED 8-word display, waterproof and dustproof, showing the time of the competition and the first place;
3.Built-in track wireless control card, wireless 433MHZ data transmission.Support wired data communication, work response time of 1ms, synchronization with high-speed camera clock signal, timing accuracy up to 0.0001 second.

Track Signal Main Cable



Model	TQW-J035
Performance	14 core data connection cable, connect each starter junction box.

Recording Reader



Model	TQW-J036

Performance

1.Wireless RFID chip timing loop host, RS485 communication mode, multi-group timing antenna interface;
2.Automatic circle recording, which automatically records the number of laps and time of each athlete, with high anti interference ability and good anti-chip conflict performance. The reading frequency of 500 pieces per second is adjustable with precision;
3.Unique anti-collision tag algorithm to eliminate the possibility of concurrent tag conflicts;
4.Operating voltage: AC220V 50HZ.

TaiShan

SHANDONG TAISHAN SPORTS EQUIPMENT CO.,LTD
Address: No.1 Taishan Sports Rd, Leling, Dezhou City, Shandong Province. China
Web: www.taishansports.cn
Email: info@taishansports.com

TaiShan
SINCE 1978

TAISHAN SPORTS | 2024

BALL EQUIPMENT

Taishan Sports

TaiShan Sports Brings Sports Enjoyment To The World

CATALOGUE

Shandong Taishan Sports Equipment Co.,Ltd



01 Taishan Sports

About Us 02
Company Info 03
Certifications 04

02 Ball Equipment Series

Basketball 07
Football 29
Volleyball 37
Table Tennis 41
Badminton 45
Tennis 49
Padel 55
LED Display Screen 59
Venue Seat Series 66

03 Event Cases

Exhibitions 88
Gymnasius 88

01

TAISHAN SPORTS

Abouts Us 02

Company Info 03

Certifications 04



—— Abouts Us ——

One-stop Global Sports Solution Service

Zero Complaints

We have served more than 1,000 international and domestic top sports events including 6 Olympic Games and 3 Youth Olympic Games, with "Zero Complaints".

Zero Breakdowns

As the world's top event service provider, We take high product quality seriously and will settle for nothing less than equipment "Zero Breakdown".

Zero Faults

With "Zere Failure" service level and the value pursuit of "no small matters in game" in mind, we have built the world's leading sports brand.

—— Company Info ——

As a world-famous sports equipment manufacturer and seller, Taishan Sports is now leading China's sports industry. It has successfully served multiple major sports events, such as Olympic Games, Youth Olympic Games, Asian Games, FISU World University Games, and National Games, using its pioneering CD2S (Consult, Design, Supply, and Service) service model for major sports events. Credited as "an Olympic miracle" by the former IOC president Jacques Rogge, Taishan Sports' high standard service with "Zero Faults, Zero Breakdowns, Zero Complaints" has made itself a proud national brand.

Entitled as National Sports Goods Engineering Technology Research Center, National Industrial Design Center, National Enterprise Technology Center, and Postdoctoral R&D Station, Taishan Sports is fully capable of conducting R&D of and testing on national level sports goods. With nearly 300 patents in hand, it has led and participated in setting over 60 domestic and international sports industry standards. More than 100 of its products have been certified by FIG, IJF, WT, UWW, WA, and IWUF, and its XPE multifunctional sports mats are listed on the China Torch Program. With all of its competitive gymnastic equipment certified by FIG, Taishan Sports has unprecedentedly adopted carbon fiber composite in production. At the same time, it continues to popularize gymnastic equipment and has come up with products for children and the elderly, creating "Taishan quality shared around the globe". Meanwhile, Taishan Sports is always insisting on continuous technological innovation and material upgrading in other fields.




















—— Certifications ——



FIBA Certification
(3×3 Basketball Stand)



FIBA Certification
(including 5 certified basketball stands)

02

BALL EQUIPMENT SERIES

Basketball 07-28	Football 29-36	Volleyball 97-40
Table Tennis 41-44	Badminton 45-48	Tennis 49-54
Padel 55-58	LED Display Screen 59-65	Venue Seat Series 66-86



Basketball



Football



Volleyball




Table Tennis



Badminton



Tennis



Padel



LED Display Screen



Venue Seat Series

Basketball

Ball Equipment Series

- **Advanced Competition Elastic Balance Basketball Stand**

Model	TQ1461
Basket Height	3.05m
Extension arm size	3.25m
Backboard size	1800mm × 1050mm
Basket	φ450mm
Backboard material	Tempered glass
Basketball stand color option	
Protective pads colors are optional and images can be customized	
Backboard cover colors available	

Using in indoor environment. Optional 24 second timer. There should be more than 4.2m space outside the end line of the site. With elastic balance structure and spring auxiliary lifting, it can be moved with manual assistance.

NEW

COMPETITION
LEVEL 1&2





NEW

COMPETITION LEVEL 1&2



- **TQ1461A**

With electro-hydraulic structure and electro-hydraulic auxiliary lifting


TQ1461B (No international certification)

With manual-hydraulic structure and manual-hydraulic auxiliary lifting

Parameter	Optional 24 second timer
Basket Height	3.05m
Extension arm size	3.25m
Backboard size	1800mm × 1050mm
Basket	φ450mm
Backboard material	Tempered glass
Basketball stand color optional	
Sheath colors are optional and patterns can be customized	
Backboard cover colors available	

Using in indoor environment. There should be more than 4.2m space outside the end line of the site. With positioning pin, ground anchor, it can be moved with manual assistance.

NEW



- **Competition Elastic Balance Basketball Stand**

Model	TQ1462
Basket Height	3.05m
Extension arm size	3.25m
Backboard size	1800mm × 1050mm
Basket	φ450mm
Backboard material	Tempered glass
Basketball stand color optional	
Sheath colors are optional and patterns can be customized	
Backboard cover colors available	

Using in indoor environment. Optional 24 second timer. There should be more than 4.2m space outside the end line of the site. With elastic balance structure and spring auxiliary lifting, it can be moved with manual assistance



- **Intermediate Training Electro-hydraulic Basketball Stand**

Model	TQ1462A/1
Basket Height	3.05m
Extension arm size	2.25m
Backboard size	1800mm × 1050mm
Basket	φ450mm
Backboard material	Tempered glass
Basketball stand color optional	
Sheath colors are optional and patterns can be customized	
Backboard cover colors available	

Using in indoor environment. Optional 24 second timer. With electro-hydraulic structure and electro-hydraulic (220V) auxiliary lifting, it can be moved with manual assistance; There should be more than 3.2m space outside the end line of the site.

3×3

Approval Level 1



- **3×3 Basketball Stand**

Model	TQ1463	Backboard size	1800mm × 1050mm
Basket Height	3.05m	Basket	φ450mm
Extension arm size	2.25m	Backboard material	Tempered glass
Basketball stand color optional			
Sheath colors are optional and patterns can be customized			
Backboard cover colors available			

It can be used in outdoor environment. Optional 12 second timer. There should be more than 3.2m space outside the end line of the site. With elastic balance structure and spring auxiliary lifting, it can be moved with manual assistance.

NEW

3×3

Approval Level 2





• Luxury Fixed Single Post Basketball Stand

Model	TQ1464
Basket Height	3.05m
Extension arm size	1.8m
Backboard size	1800mm × 1050mm
Basket	φ450mm
Backboard material	Tempered glass
Basketball stand color optional	
Sheath colors are optional and patterns can be customized	
Backboard cover colors available	

Using in indoor environment. Embedded fixed structure.
There should be more than 1.15m space outside the end line of the site.

COMPETITION LEVEL 2

NEW



• Intermediate Training Elastic Balance Basketball Stand

Model	TQ1465	Backboard size	1800mm × 1050mm
Basket Height	3.05m	Basket	φ450mm
Extension arm size	2.25m	Backboard material	Tempered glass
Basketball stand color optional			
Sheath colors are optional and patterns can be customized			
Backboard cover colors available			

Using in indoor environment. Optional 24 second timer. There should be more than 3.2m space outside the end line of the site.
With elastic balance structure and spring auxiliary lifting, it can be moved with manual assistance.



NEW

- **TQ2357**
  Youth Manual Lifting Basketball Stand

  TQ2357/1
  Youth Electric Lifting Basketball Stand

Specification	It can be moved with manual assistance
Basket Height	1.4 - 3.05m
Extension arm size	0.7m - 1.1m
Backboard size	1200mm × 800mm
Basket	φ450mm
Backboard material	Tempered glass



COMPETITION LEVEL 1&2



- **TQ3.25ZN**
  Competition Intelligent Self-propelled Basketball Stand

Extension arm size	3.25m	Backboard size	1800mm × 1050mm
Basket	φ450mm	Accessories	Standard 24-second timer
Base dimension	Length 2300 x Width 1120 x Front height 733 x Rear height 515mm.		
Material	High transparent tempered glass backboard (with high light signal strip), the basketball arm folding and self-moving can be achieved by wireless remote control.		

COMPETITION LEVEL 1&2



• TQ2.25XT
2.25m Concaved Box Basketball Stand


Model	TQ2.25XT	Backboard size	1800mm × 1050mm
Extension arm size	2.25m	Basket	φ450mm

Material: The extension arm of the basketball stand is welded with 160×80×3mm rectangular high-quality carbon steel pipe, which effectively improves the overall stiffness of the basketball stand. The front and rear columns of the basketball stand are welded with 150×3mm rectangular high-quality carbon steel pipes, and the base is welded with 40×20×3mm rectangular high-quality carbon steel pipes and 3mm high-quality carbon steel plates. At the same time, the base is equipped with counterweight. The overall coating process has good anti-corrosion to ensure that the basketball stand can be used outside the room for a long time.

• Electro Hydraulic Basketball Stand

Model	TS-1004
Extension arm size	3.25m
Backboard size	1800 × 1050m
Backboard material	Tempered glass


Model	TS-1004/1
Extension arm size	2.55m
Backboard size	1800 × 1050m
Backboard material	Tempered glass



• Manual Hydraulic Basketball Stand

Model	TS-1003
Extension arm size	3.25m
Backboard size	1800 × 1050m
Backboard material	Tempered glass

Model	TS-1003/1
Extension arm size	2.55m
Backboard size	1800 × 1050m
Backboard material	Tempered glass



• 2.75
Elastic Balance Competition Basketball Stand

Model	TQ1450/1
Extension arm size	3.25m
Basket height	2.75m
Backboard size	1800mm × 1050mm
Basket size	φ450mm
Accessories	Optional 24 second timer.
Material	High light transmission tempered glass, with spring assisted arm folding



• 2.75
Intelligent Self-Propelled Competition Basketball Stand

Model	TQ1452/1
Extension arm size	2.25m
Basket height	2.75m
Backboard size	1800mm × 1050mm
Basket size	φ450mm
Accessories	Optional 24 second timer.
Material	High light transmission tempered glass, with intelligent self-walking

• 2.75
Elastic Balance Basketball Stand

Model	TQ1453/2
Extension arm size	2.25m
Basket height	2.75m
Backboard size	1800mm × 1050mm
Basket size	φ450mm
Material	High light transmission tempered glass, with spring assisted arm folding



• Manual Hydraulic Basketball Stand

Model	TS-1002
Extension arm size	3.25m
Backboard size	1800 × 1050m
Backboard material	Tempered glass

Model	TS-1002/1
Extension arm size	2.55m
Backboard size	1800 × 1050m
Backboard material	Tempered glass





Movable Basketball Stand

Model	TSTQL3040
Extension arm size	2.25m
Specifcation	4865mm×1800mm×3950mm
Backboard material	SMC backboard



Movable Basketball Stand

Model	TSTQL3040A/2
Extension arm size	2.25m
Specifcation	4865mm×1800mm×3950mm
Backboard material	Tempered glass backboard (three-point support)



Hydraulic-like Basketball Stand

Model	TQ2365
Extension arm size	2.25m
Backboard size	1800 × 1050m
Backboard material	Tempered glass backboard

Model	TS-1005/1
Extension arm size	2.25m
Backboard size	1800 × 1050m
Backboard material	SMC backboard



Detachable Basketball Stand

Model	TQW0383
Extension arm size	2.25m
Backboard size	1800 × 1050m
Backboard material	Tempered glass

Model	TQW0383/1
Extension arm size	2.25m
Backboard size	1800 × 1050m
Backboard material	SMC backboard



One-arm Basketball Stand

Model	TSTQL3061
Extension arm size	2.25m
Specifcation	3148mm×1800mm×3940mm
Backboard material	SMC backboard



One-arm Basketball Stand

Model	TQ3061/2
Extension arm size	2.25m
Specifcation	3148mm×1800mm×3940mm
Backboard material	SMC backboard (three-point support)



Petrel Type Basketball Stand

Model	TQ2364
Extension arm size	2.25m
Specifcation	5920mm×1800mm×3950mm
Backboard material	SMC backboard

Model	TQ2364/2
Extension arm size	2.25m
Specifcation	5920mm×1800mm×3950mm
Backboard material	Tempered glass backboard



Four-Arm Basketball Stand

Model	TQ2387
Extension arm size	1.8m
Specifcation	5044mm×5044mm×3955mm
Backboard material	Tempered glass backboard



Box-type Solar Basketball Stand

Model	TSTQL3109
Extension arm size	2.25m
Specifcation	4863mm×1800mm×4666mm
Backboard material	SMC backboard



Buried Solar Basketball Stand

Model	TSTQL3108
Extension arm size	1.8m
Specifcation	2585mm×1800mm×4674mm
Backboard material	SMC backboard



Buried Solar Basketball Stand

Model	TSTQL3111
Extension arm size	1.8m
Specifcation	2637mm×1800mm×4701mm
Backboard material	SMC backboard



One-arm Solar Basketball Stand

Model	TSTQL3110
Extension arm size	2.25m
Specifcation	3148mm×1800mm×4664mm
Backboard material	SMC backboard



Buried Basketball Stand

Model	TSTQL3041
Extension arm size	1.8m
Specifcation	2585×1800×3940 mm, φ165mm column
Backboard material	SMC backboard



Basketball Stand

Model	TSTQL3062
Extension arm size	1.8m
Specifcation	2596×1800×940 mm, φ180mm column
Backboard material	SMC basckboard



Leisure Basket Rack

Model	TSTQL3039
Extension arm size	1.5m
Specifcation	2260×1200×3350 mm, φ140mm column
Backboard material	SMC backboard



Shooting Apparatus

Model	TQW0384
Extension arm size	Ring height 3050mm
Backboard material	Steel, Removable



Adjustable Basketball Stand

Model	TQW22000010
Adjusting height	2.35-2.75m
Box size	1.4*0.8m
Weight	140kg



Backetball

Model	TQW0011-05	Specifcation	5#
	TQW0011-06		6#
	TQW0011-07		7#
Material	Microfiber		



Ball Storage Cart

Model	TQW0839
Specifcation	880mm×650mm×650mm
Material	Stainless steel bracket, oxford fabric



Ball Folding Cart

Model	TQW0385
Specifcation	900mm×600mm×790mm
Material	Steel



Basketball Scoreboard

Model	TQW0840
Specifcation	1230mm×422mm×1835mm
Material	Steel frame, PVC board



• Wall-mounted Basketball Stand

Model	TQ2381
Specifcation	Length of arm can be customized
Backboard material	Tempered glass



• Wall-hanging Side-Folding Basketball Stand

Model	TQ2371
Arm size	2.25m (arm size can be customized)
Backboard material	Tempered glass
Specifcation	Using in indoor environment, With manual folding, electric folding parts are optional.




• FIBA Competition Backboard

Model	TQ1450.06
Specifcation	1800mm×1050mm
Backboard material	Tempered glass




• Tempered Glass Backboard (three-point support)

Model	TQ3040/2.03
Specifcation	1800mm×1050mm
Backboard material	Tempered glass



• SMC Backboard

Model	TQ3040.07
Specifcation	1800mm×1050mm
Backboard material	SMC



• SMC Fan-shaped Backboard

Model	TQ3039.00-01
Backboard material	SMC



• Spring Basketball Hoop

Model	TQ3200.11 (with hoop net)
Specifcation	φ450mm,
Installation hole distance	126mm×107mm

18mm Made of high-strength carbon steel, with built-in high-elastic springs, which has good cushioning properties. It uses a high-quality thick steel plate base to increase the Hoop support area, which is sturdy and durable.



• Basketball Hoop (for FIBAcertifed basketball stand)

Model	TQ1450.01.07
Specifcation	φ450mm
Installation hole distance	126mm×107mm

18mm high-quality carbon structural steel, built-in spring, has good cushioning performance, and meets the requirements of the FIBA.



• Suspended Substitution Cards

Model	TQW0041
Specifcation	240mm×160mm×4mm
Material	PVC



• Basketball Net

Model	TQ3200.11-04
Specifcation	Polyester
Material	Wearresistant and anti-aging



• Basketball Net

Model	TQW0870
Specifcation	Wire diameter :5 mm, Flat rope :7 mm
Material	Polyester, Total length: 50 cm, Joint sewing treatment, with anti-rebound design.



• Whistle Horn

Model			TQW22000006
Specifcation			6.6cm diameter, 19.5cm height
Net weight	230g	Decibels	115-130
Sound transmission range			About 500 meters

Football

Ball Equipment Series



- **Football Goal（11v11）**

Model	TQ2383
Material	Aluminum alloy
Specification (inner dimension)	Width 7320mm Height 2440mm Lower Depth 3000mm Upper Depth 2400mm

Model	TSTQ3008
Material	Steel tube
Specification (inner dimension)	Width 7320mm Height 2440mm Lower Depth 3000mm Upper Depth 2400mm



- **Football Goal（7v7）**

Model	TQ2380
Material	Aluminum alloy
Specification (inner dimension)	Width 5500mm Height 2000mm Lower Depth 2000mm Upper Depth 1400mm

Model	TSTQ3007
Material	Steel tube
Specification (inner dimension)	Width 5500mm Height 2000mm Lower Depth 2000mm Upper Depth 1400mm





• Football Goal (5v5)

Model	TQ2379	Model	TSTQ3006
Material	Aluminum alloy	Material	Steel tube
Specification (inner dimension)	Width 3000mm Height 2000mm Lower Depth 1500mm Upper Depth 900mm	Specification (inner dimension)	Width 3000mm Height 2000mm Lower Depth 1500mm Upper Depth 900mm



• Football Training Hurdle II

Model	TSWZQ109
Specification	Height can be 160mm, 240mm, 310mm
Material	Environmental-friendly PVC material, antioxidation, not easy to loose, color is bright.



• Sensitive Ladder

Model	TSWZQ104-01	TSWZQ104-02
Specification	3000mm 6 sections	4000mm 8 sections
Material	High-density webbing + eco-friendly PP, easy to stretch freely, fast, soft and strong	



• Fixed Football Goal (11v11)

Model	TQW0371
Specification	7320mm×2440mm
Material	Aluminum alloy
Model	TQ2399
Material	Steel tube
Specification (inner dimension)	Width 7320mm Height 2440mm Lower Depth 3000mm Upper Depth 3000mm

• Fixed Football Goal (7v7)

Model	TQW0372
Specification	5000mm×2000mm
Material	Aluminum alloy
Model	TQW0369/1
Specification	5000mm×2000mm
Material	Steel tube



• Football Tunnel

Model	TQW0533
Specification	12000mm×2500mm×2300mm
Material	Combined, stainless steel, PVC awning.
Model	TQW0533/1
Specification	12000mm×2500mm×2300mm
Material	Telescopic, stainless steel, PVC awning.



Football Training Hurdle I

Model	TSWZQ112
Height	150mm, 230mm, 300mm, 400mm, 500mm
Material	Eco-friendly PVC material, riot-proof, crack-proof and weather-proof, reinforced and wear-resistant, stable and beautiful.



Football Marker Cone

Model	TSWZQ103-01	TSWZQ103-02
Specifications	180mm high	230mm high
Material	Eco-friendly LDPE material that allows cone's shape to change naturally when pressed and is hard to break.	



Football

Model	TQW0012-04	TQW0012-05
Specifications	4#	5#
Material	High quality PU	



Football Net

Model	ZSH16(11v11) ZSH18 (7v7) ZSH181(5v5)
Specification	Standard
Material	High quality polyester and nylon material, weathering, rain, sun, impact resistance, durable.



Football Disk Dish

Model	TSWZQ102
Specifications	Bottom dia.:195mm, upper dia.: 95mm, height: 80mm
Material	High-density webbing + eco-friendly PP, easy to stretch freely, fast, soft and strong.



Football Substitution Cards

Model	TSWZQ116
Specifications	640mm×304mm
Material	Environment-friendly PVC, incorruptible to acid or alkali, not easy to deform.



Football Reserve Seats III

Model	TS-Z03
Specification	Height 1860mm, depth 1400mm
Material	Aluminum alloy profile, PC Solid sheets.



Simulating 5-man Football Wall (movable)

Model	TSWZQ108
Specification	Height 1760mm, single widest part 460mm
Material	Aluminum alloy



Football Reserve Seats IV

Model	TQW0843
Specification	Height 2000mm, depth 750mm
Material	Stainless steel pipe, PC Solid sheets.



Football Simulate Single Wall (fixed)

Model	TSWZQ107
Specification	Height 1760mm, widest part 460mm
Material	Aluminum alloy



• Football Red and Yellow Cards

Model	TSWZQ113
Specifications	175mm×118mm
Material	Thickened PVC sheet, PU leather wallet



• Football Handflag

Model	TQW0373
Specifications	450mm×350mm
Material	Waterproof cloth




• Football Coaching Map

Model	TSWZQ111
Specifications	290mm×235mm×320mm
Material	Magnetic board, foldable design, with 28 magnetic chess pieces, strong magnetic, easy to carry.



• Football Tactic Board

Model	TSWZQ110
Specifications	615mm×460mm
Material	Magnetic board, no assembly required. 26 magnetic numbers, adjustable height, rewritable battle plate.



• Football Scoreboard

Model	TQW0323
Specification	800mm × (1685—2300)mm
Material	Steel frame, PVC card, height adjustable.



• Football Corner Flag (fixed)

Model	TSWZQ106
Specification	Height 1500mm
Material	Imported eco-friendly PP material, good toughness, hard to break



• Football Corner Flag (water injection based)

Model	TSWZQ105
Specification	Height 1500mm, base diameter φ200mm
Material	Imported eco-friendly PP material, good toughness, hard to break.



• Football Training Pole

Model	TSWZQ101-01	TSWZQ101-02
Specification	1000mm	1500mm
Material	ABS environmental-friendly material bright color, good toughness, no deformation, wear resistance.	

Volleyball

Ball Equipment Series



- **Movable Volleyball Net Pole (manual lifting)**

Model	TQW0374
Specification	Box size: 1500mm×750mm×300mm Pole height range: 2060-2550 mm
Material	Aluminum alloy

Model	TSTQ3003
Specification	Box size: 1590×670×350mm Pole height range: 2060-2550 mm
Material	Steel tube





- **Fixed Volleyball Net Pole (manual lifting)**

Model	TS-YPW-013
Specification	Outer diameter of pole 89mm height range 1960mm-2550mm
Material	Aluminium alloy

Model	TS-YPW-0131
Specification	Outer diameter of pole 89mm height range 1960mm-2550mm
Material	Steel tube

- **Fixed Volleyball Net Pole (spring lifting)**

Model	TS-YPW-014
Specification	Outer diameter of pole 89mm, height range 2060mm-2550mm
Material	Aluminium alloy


Model	TS-YPW-0141
Specification	Outer diameter of pole 89mm height range 2060mm-2550mm
Material	Steel tube





Movable Net Poles for Volleyball and Badminton

Model	TQ2370
Specifications	12970×670×(1454/1664/1920/2120) mm
Application	It is used for volleyball and badminton competitions at schools and youth clubs



Volleyball Scoreboard

Model	TQW0832
Specifications	817mm×422mm×1720mm
Material	Steel frame, PVC board



Volleyball Net (high-grade)

Model	PQ15
Specification	9500mm×1000mm wire hole 100mm×100mm
Material	Polyethylene PE, tarpaulin, with four edges



Volleyball Net (normal)

Model	PQ16
Specification	9500mm×1000mm wire hole 100mm×100mm
Material	Polyethylene PE, without hemming



Volleyball Referee Chair

Model	TQW0831
Specifications	1000mm×1000mm×2400mm
Material	Steel; height adjustable




Competition Volleyball

Model	TQW0013
Specifications	5#
Material	Microfiber



Volleyball Substitution Cards

Model	TQW0833
Specifications	240mm×160mm×4mm
Material	PVC



Volleyball Net Height Measurer

Model	PQ20
Specifications	Aluminum alloy

Table Tennis

Ball Equipment Series



Foldable Table Tennis Table I

Model: TQW0844

- Comply with QB/T2700-2005 standard
- Table top: With indoor special ball board medium fiber density board, the board thickness is 18mm. With the panel rainbow MDF+ cyanogen veneer process, the color is new blue, which has waterproof and anti-oil effect, no irritating odor, scratch resistant and easy to clean.
- PVC edges are used on all sides, the table has a white edge with a width of 20mm, the middle line is 3mm, the flatness is ≤4mm, the elasticity is 220-260mm, the elasticity uniformity is ≤15mm, the surface gloss is ≤10; mesa friction coefficient is ≤0.7.
- Around the table, 25mm*50mm high-quality steel pipe is used to make the skirt bracket, equipped with plastic corner protection to ensure the flatness.
- Foot: 30*60m*1.5mm high quality steel pipe, with arch design structure principle. It contains moving casters, which can be retracted to ensure the bearing capacity of the arch. The small arch folds small on the table top, the big arch folds again, the color is red, and the joint of the footing and the ground and the countertop has multiple height adjustment functions.
- The whole table expansion size: 2740*1525*760mm,
- Application: Used in training and professional competitions
- Weight of the whole table: ≥115kg



Foldable Table Tennis Table II

Model: TQW0845

- Table top: With indoor special ball board medium fiber density board, the board thickness is 25mm. With cyanogen veneer process, the color is new blue, which has waterproof and anti-oil effect, no irritating odor, scratch resistant and easy to clean.
- PVC edges are used on all sides, the table has a white edge with a width of 20mm, the middle line is 3mm, the flatness is ≤4mm, the elasticity is 220-260mm, the elasticity uniformity is ≤10mm, the surface gloss is ≤10; mesa friction coefficient is ≤0.4.
- Around the table, 25mm*50mm high-quality steel pipe is used to make the skirt bracket, equipped with plastic corner protection to ensure the flatness.
- Foot: adopts the arch structure of Zhaozhou Bridge. It is an arch bridge floor structure, containing stable steel frame to ensure the bearing force of the arch. The surface is welded with high-quality steel plate as a whole, with the thickness ≥50mm. The color is red, and the joint of the footing and the ground and the table top has multiple height adjustment functions.
- The whole table expansion size: 2740*1525*760mm,
- Application: Used in training and professional competitions
- Weight of the whole table: ≥200kg





• Outdoor Table Tennis Table

Model	TSTQL3038
Basket Height	2740mm×1572mm×914mm
Material	Table board: SMC (sheet-shaped molded reinforced plastic) one-step compressing moulding under high temperature. The net is made of 2mm thick steel plate. The bottom of table board is made of "well" grid stiffener structure. The support frame of each half board is designed with 4 vertical 4 horizontal support connections, the level of the table can be adjusted. Suitable for training.



• Table Tennis Chief Referee's Chair

Model	TQW0837
Specifications	Packing size 1680mm×700mm×390mm
Application	Foldable, lightweight, easy to carry, use for competition



• Table Tennis Second Referee's Chair

Model	TQW0838
Specifications	450mm×450mm×1200mm
Application	Use for competition



• Table Tennis Net Rack

Model	TQW0834
Specifications	Post height 152.5mm+2mm，distance to table-board 152.5mm+/-3mm
Application	Spiral mounting, accurate and reliable, easy installation, high tension force of the rack, clamping firmly. Equipped with net and net measurer.



• Table Tennis Table

Model	TSTQ2396
Basket Height	740mm×1525mm×760mm
Material	Movable table leg is made of 40mm×40mm×2mm high-strength steel pipe. Suitable for training and ftness



• Table Tennis Net

Model	PPQ17
Specifications	1740mm±20mm
Material	Using polyethylene woven network wire, increase the ability to beat, enhance the service life.



• Table Tennis Scoreboard

Model	TQW0836
Specifications	388mm×190mm×220mm
Material	Steel shell, special cardboard core sheet



• Table Tennis Referee Tool Holder

Model	TQW0835
Specifications	118mm×70mm
Performance	Equipped with red, yellow and white cards, a ruler and an edge picker, necessary for the referees



• The Hoarding for Table Tennis Venue

Model	TQW0841
Specifications	1400mm×750mm
Performance	Steel frame, high intensity oxford cloth

Badminton

Ball Equipment Series




- **Movable Net Poles for Volleyball and Badminton**

Model	TQ2370
Specifications	12970mm x 670mm x 1454/1664/1920/2120mm
Application	It is used for volleyball and badminton competitions at schools and youth clubs



- **Badminton Net Poles (movable)**

Model	TSTQ3005
Specifications	7470mm×356mm ×1550mm
Material	High quality carbon steel



- **Badminton Net Poles (buried)**

Model	TSTQ3004
Specifications	6190mm×45mm×1550mm
Material	High quality carbon steel





• Badminton Net Poles I

Model	TB-YPW-006
Specifications	55kg
Material	Steel casting iron




• Badminton Net Poles II

Model	TQW0352A
Specifications	80kg
Material	Casting Iron



• Badminton Net Poles III

Model	TQW0352
Specifications	100kg
Material	Steel welding



• Badminton Scoreboard

Model	TQW035
Specifications	817mm×422mm×1720mm
Material	Steel frame, PVC board



• Badminton Referee Chair I

Model	TYC-009
Specifications	1470mm×850mm×2040mm, Seat height 1530mm
Material	Made of mold-pressed aluminum alloy with rubber wheels for quick moving




• Badminton Referee Chair II

Model	TB-YPW-009A
Specifications	900mm×900mm×1820mm
Material	Steel



• Badminton Net Height Veasurer

Model	TQW0456
Material	Aluminum alloy




• Badminton Net

Model	TQW353
Specifications	6100mm×760mm
Material	Ageing-resistant Polyester

Tennis

Ball Equipment Series



- **Fully Movable Tennis Post**

Model	TYZ-010
Specifications	13140mm×1000mm×1070mm
Material	Made of mold-pressed aluminum alloy, can be moved in all directions and used sn multifunctional courts



- **Aluminum Alloy Bench I**

Model	TY-016
Specifications	1995mm×725mm×765mm
Material	Fully made of aluminum alloy



- **Steel Bench**

Model	TY-011L
Specifications	2000mm×470mm×420mm
Material	Made of refned steel structure





• Tennis Net (Double String)

Model	TW-002
Specifcation	12800mm×1070mm, mesh: 35mm×35mm, wire diameter φ3mm
Material	Polyethylene ropes, acid and alkali resistance, and the top edging are made of PVC and sewn on four layers. The top six-grid double-layer encryption design increases the strength of network, which prevents the occurrence of mesh borken due to high-speed tennis, fully meets the requirements of international high-end events



• Tennis Net (Single String)

Model	TW-001
Specifcation	12800mm×1070mm, mesh: 40mm×40mm, wire diameter φ2.5mm
Material	Polyethylene ropes, acid and alkali resistance, and the top edging are made of PVC and sewn on four layers. The top six-grid double-layer encryption design increases the strength of network, which prevents the occurrence of mesh borken due to high-speed tennis, fully meets the requirements of international high-end events.



• Wind Blocking Fence

Model	TFW-028A
Specifcation	2000mm×18300mm
Material	PE wiredrawing woven, with PVC covered edge, acid and alkali resistance, moistureproof, strongly heat-resistance, chemical stability, long service life, strong weather resistance, windbreak rate 60% to 70%



• Tennis Resting Chair

Model	TQW22000003
Size	2020*760*860mm



• Aluminum Alloy Bench (with Shed)

Model	TY-019P
Specifications	1960mm×875mm×1950mm
Material	PC shading plate for long-term outdoor use. The surface is coated with super weather resistant pure polyester powder, without screw plate, durable




• Aluminum Alloy Bench II

Model	TY-014L
Specifications	2040mm×1000mm×1995mm
Material	Fully made of aluminum alloy



• Tennis Scoreboard I

Model	TQW0412
Specifications	1200mm×500mm×1750mm
Material	Aluminum alloy



• Tennis Scoreboard II

Model	TQW0413
Specifications	1195mm×422mm×1980mm
Material	Steel frame, PVC fop



Tennis Referee Chair

Model	TCY-809
Seat height	2100mm, international standard size
Overall size	1700mm×900mm× 3250mm
Material	Fully made of aluminum alloy, the base uses perforated plate. The chair legs are equipped with high elasticity rubber pads, dual umbrella plughole design.





Straight Tennis Post

Model	TYZ-006
Specifications	80mm×80mm
Thickness	4mm
Post Height	1435mm
Embedded Depth	367mm
Material	Made of reinforced aluminum alloy with precision worm and turbo type tightening device.



Tennis Court Squeegee

Model	TQW0386
Specifications	1500mm×860mm×920mm
Material	Thickened 9mm strips, larger ground covering area, push water more thoroughly. The use of directional wheel design solves the problem of swaying left and right, free handing design, easier to change the strips.



Movable Tennis Post

Model	TBLJB-1004
Specifications	310kg
Material	Fully made of aluminum alloy



Sponge Roller

Model	TXS-32
Specifications	1500mm×860mm×920mm
Material	Made by aluminum alloy, high absorbent with imported sponge.




Singles Support Rod

Model	TDZ-16
Specifications	Height 1065mm
Material	Fully made of aluminum alloy, 304 stainless steel screws, adjustable height.

Padel

Ball Equipment Series






- **Padel**

Specifications	20m*10m (L*W)
Component	Column and Mesh; Tempered Glass; Artificial Turf; Light System; Pole with net





• Column and Fence

Column (Hot dip galvanized tube)

1.1 Corner column & main Cross-bar
Adopts 80mm*80mm*3mm high quality steel tube.
1.2 Other columns
Adopts 80mm*60mm*3mm high quality steel tube

Fence (Galvanized steel wire mesh)


2.1 Frame
Adopts 40mm*20mm*2mm high quality steel tube
2.2 Height
Ends and both sides: 4m (3m glass +1m mesh)
Middle of sides: 3m
2.3 Size
Wire diameter : 4mm
Mesh distance : 50x50mm

Color: can be customized



• Tempered Glass

Type	Explosion-proof tempered glass
Dimension	2m*3m(W*H)
Thickness	12mm
Qty	18 pcs
Package	wooden carton
GW	3240kgs



• Artificial Turf

Pile Height	12mm
Dtex	8000
Density	52500stiches/m²
Backing	PP+ Net
Coating	SBR
Color	Blue or Green
Qty	200m²
Roll size	4*20m, 2 rolls 2*20m, 1 roll



• Light System

Light Column

Height	6m
Material	Galvanized Steel tube with 80*60*3mmfor lower and 50*50*2.5mm for upper

Lgiht

Power supply voltage	AC180-240V
System power	200W/pc
Qty	8pcs (2 pcs for each column)



• Pole with Net

Net

Net Size	10m(L)*920mm(H)
Material	PE net with PVC cloth
Mesh hole	45mm
Net color	net black, cloth white

Pole

Height	970mm
Material	Square steel tube with 80*60*3mm



• Racket I

Material	50% Carbon
Length	46.5cm
Weight	365+/-10g

• Racket II

Material	3K
Length	46.5cm
Weight	365+/-10g



			
Item	Padel	Padel Pro	Padel Pro S
Size	2.5 inch	2.5 inch	2.5 inch
Weight	56-59.4g	56-59.4g	56-59.4g
Rebound	1.35-1.47M	1.35-1.47M	1.35-1.47M
Material	20% domestic wool, natural rubber.	45% TTI wool, natural rubber.	57% TTI wool, natural rubber.

LED Display

Ball Equipment Series

- LED Indoor Display Main Technical Parameters


	Models	PH1.6 Full color	PH1.9 Full color	PH2.5 Full color	PH3 Full color	PH4 Full color	PH4.572 Full color	PH5 Full color	PH6 Full color	PH7.62 Full color
Unit Module	Pixel Pitch (mm)	1.6	1.9	2.5	3	4	4.572	5	6	7.62
	Module Size (mm)	240×240	240×240	240×240	192×192	160×160	146×146	160×160	192×192	244×122
	Physical Density (Dots / ㎡)	360000	275625	160000	111111	62500	47839	40000	27777	17222
	Glowing Point Color				1R 1G 18					
	LED Package	SMD1010	SMD1010	SMD2121	SMD2121	SMD2121	SMD3528	SMD3528	SMD3528	SMD3528
	Module Resolution	144×144	126×126	96×96	64×64	40×40	32×32	32×32	32×32	32×16
	Module Power	56W	58W	40W	42W	40W	30W	30W	30W	20W

Main Technical Parameters										
	Best Viewing Distance	1.7m	2m	2.5m	4m	5m	6m	6m	7m	8m
	Best View Angle	120°	120°	120°	120°	120°	120°	120°	120°	120°
	Maximum Power (W / ㎡)	168	175	120	1200	1600	1400	1200	1000	650
	Cabinet Resolution	288×288	252×252	192×192	128×128	160×160	128×128	128×128	128×128	128×96
	Box Size (mm)	480×480	480×480	480×480	384×380	640×640	585×585	640×640	768×768	976×732
	Box Weight (kg)	11	11	11.5	15	32	30	32	40	32
	Power Supply	MBI5024, MBI5036, MBI5042 etc (16-Channel Constant Current LED Driver)								
	Drive Way	1/24 Scan Constant Current Rive	1/16 Scan Constant Current Drive		1/8 Scan Constant Current Drive					
	Frame Change Frequency	≥60Hz/s								
	Refresh Frequency	≥2000Hz/s		≥3200Hz/s	200Hz/s~1000Hz/s					
	White Balance Brightness (CD/㎡)	≥800	≥800	≥1600	≥1800	≥2000	≥2000	≥1800	≥1500	≥1100
	Working Environment Temperature and Humidity	-10℃ -+45℃ /10-90%RH								
	Working Voltage	220 ± 10% or 380 ± 10% (Three-phase Five-wire System)								
	Grayscale / Color	280 Trillion Colors ≥ Display ≥ 10 7M Colors								
	Brightness Adjustment	RGB 0-100 Linearly Adjustable								
	Input Signal RF	RF,S-VIDEO.RGBHV.YUV.YC & Composition etc								
	Control System	Synchronous or Asynchronous Control System								
	MTBF	≥5000 hours								
	Life	≥100000 hours								
	Failure Point	< 0.0001								



Outdoor LED Display Main Technical Parameters

	Models	PH6 Full-color	PH10 Full-color	PH10 Double Colors (monochromatic)	PH12 Full color	PH16 Full color	PH16 Double Colors (monochromatic)	PH20 Full color	PH20 Double Colors (monochromatic)	PH25 Full color
Unit Module	Pixel Pitch (mm)		10	10	12	16	16	20	20	25
	Module Size (mm)	192×192	160×160	160×160	192×192	256×128	256×128/256	320×160	320×160	200×200
	Physical Density (Dots / ㎡)	27777	10000	10000	6944	3906	3906	2500	2500	1600
	Glowing Point Color	1R 1G 1B	1R 1G 1B	1R 1G	1R 1G 1B	1R 1G 1B	2R 1G	1R 1G 1B	2R 1G	1R 1G 1B
	LED Package	SMD3535	SMD346	SMD346	SMD346	SMD546	SMD546	SMD546	SMD546	SMD546
	Module Resolution	32×32	16×16	16×16	16×16	16×8	16×8	16×8	16×8	8×8
	Module Power	30W	20W	12W	20W	40W	30W	40W	30W	20W
Main Technical Parameters	Best Viewing Distance	7m	10m	10m	12m	14m	14m	17m	17m	23m
	Best View Angle	120°	110°	110°	110°	110°	110°	110°	110°	110°
	Maximum Power (W / ㎡)	1000	900	500	650	1200	300	800	500	430
	Cabinet Resolution	96×96	64×64	64×48	64×48	64×48	64×48	64×48	64×48	48×40
	Box Size (mm)	576×576	640×480	640×480	768×576	1024×768	1024×768	1280×960	1280×960	1200×1000
	Box Weight (kg)	32	40	40	40	60	60	80	80	80
	Power Supply	MBI5024, MBI5036, MBI5042 etc (16-Channel Constant Current LED Driver)								
	Drive Way		1/2 or 1/4 scan constant current drive			Static drive				
	Frame Change Frequency	≥60Hz/s								
	Refresh Frequency	200Hz/s~1000Hz/s								
	White Balance Brightness (CD/ ㎡)	≥5500	≥5000	≥4500	≥4500	≥7000	≥6000	≥5300	≥4500	≥4500
	Working Environment Temperature and Humidity	-10℃ -+45℃ /10-90%RH								
	Working Voltage	220 ± 10% or 380 ± 10% (Three-phase Five-wire System)								
	Grayscale / Color	Gray/color 280 trillion color≥ Display ≥10 7M color								
	Brightness Adjustment	RGB 0-100 Linearly Adjustable								
	Input Signal RF	RF,S-VIDEO.RGBHV.YUV.YC & Composition etc								
	Control System	Synchronous or asynchronous control system								
	MTBF	≥5000 hours								
	Life	≥100000 hours								
	Failure Point	< 0.0001								



• Transparent Borderless 24-second Timer

Model	TSW-1002A
Specifications	680mm×110mm×570mm
Function	Full time, 24 seconds offense
Accessories	Console, cable×2, display×2, optional wireless control, tripod, etc



• Single-sided 24-second Timer

Model	TSW-1001A
Specifications	600mm×500mm×150mm
Function	Full time, 24 seconds offense
Accessories	Console, cable×2, display×2, optional wireless control, tripod, etc



• Three-sided 24-second Timer

Model	TSW-1001B
Specifications	600mm×500mm×150mm
Function	Full time, 24 seconds offense
Accessories	Console, cable × 2, display × 2, optional wireless control, tripod, etc



• All-sided 24-second Timer

Model	TSW-1001C
Specifications	600mm×500mm×150mm
Function	Full time, 24 seconds offense
Accessories	Console, cable×2, display×2, optional wireless control, tripod, etc



• Scoreboard I

Model	TSW-1002B
Specifications	1000mm×600mm×70mm
Function	Display team name, scores, fouls (comparisons), possession of balls, full time
Accessories	Display×1, tripod×1, high-power remote controller×1



• Scoreboard II

Model	TSW-1002C
Specifications	2400mm×1200mm×70mm
Accessories	Display×1, console×1, cable×1
Function	Display team name, scores, fouls (comparisons), suspend count, innings, possession of balls, full time, 24 seconds, 4 innings scores



• Scoreboard III

Model	TSW-1002F
Specifications	5000mm×1700mm×70mm (size can be customized)
Function	Display team name, scores, fouls (comparisons), suspend count, innings, possession of balls, full time, 24 seconds, 4 innings scores, fouls of 2 teams
Accessories	Display×1, console×1, cable×1, highpower remote controller×2



• Scoreboard V

Model	TQW22000008
Specifications	1500mm×3000mm×70mm
Function	Team name, scores, fouls (comparisons), suspend count, innings, possession of balls, full time, 24 seconds
Accessories	Display×1, console×1, cable×1
Optional	Stand, wooden case, wireless control



• Scoreboard IV

Model	TSW-1002H
Specifications	1800mm×900mm×70mm
Function	Team name, scores, fouls (comparisons), suspend count, innings, possession of balls, full time, 24 seconds
Accessories	Display×1, console×1, cable×1
Optional	Stand, wooden case, wireless control



• Football Scoreboard

Model	TSW-1005
Specifications	1800mm×900mm×70mm
Function	Display of team name, round, scores, playing time
Accessories	Display×1, high-power remote controller×1
Optional	Stand, wooden case



• Serving Display

Model	TSW-1008
Specifications	405mm×260mm×50mm
Function	Display possession of balls
Accessories	Display×1, power adapter×1



• Electronic Clock

Model	TQW22000004
Specifications	58cm×21cm×3.5cm
Input Voltage	110-220v



• Football Substitution Cards

Model: TSW-1004



• Time Clock

Model: TSW-1006



• Backboard LED Strip

Model	TSW-1012
Specifications	1700mm×920mm×70mm (2 sets)
Application	For 24-second countdown



• Basketball Time Out Siren

Model: TSW-1013

• Volleyball Time Out Siren

Model: TSW-1014



• Trihedral Team Foul Display


Model: TSW-1015B

Venue Seat Series

Ball Equipment Series

» Telescopic Tribune Series





◇ **Manual Low-back stadium telescopic tribune**

81001 TSCG-KTY-A1

◇ **Electric Low-back stadium telescopic tribune**

81002 TSCG-KTY-A2

Layer width	850mm
Layer height	310mm
Pedal material	Wood plate, Iron plate, Aluminum plate
Seat Type	Low-Back Stadium Chair
Seat pitch	480mm
Folding modes	Manual or Electric






◇ **Manual** front-mounted stadium telescopic tribune

81003 TSCG-KTY-B1






Layer width	850mm	Layer height	310mm
Seat Type	Hollow plastic folding chair w/o handrails	Seat pitch	500mm
Folding modes	Manual or Electric	Flipping Mode	Manual
Pedal material	Wood plate, Iron plate, Aluminum plate		



◇ **Electric** front-mounted stadium telescopic tribune

81004 TSCG-KTY-B2





◇ **Electric** front-mounted telescopic tribune

81004 TSCG-KTY-B3

Layer width	850mm
Layer height	310mm
Pedal material	Wood plate, Iron plate, Aluminum plate
Seat Type	Hollow plastic folding chair w/o handrails
Seat pitch	500mm
Folding modes	Manual or Electric
Flip Mode	Auto




◇ **Manual** front-mounted soft telescopic tribune

81005 TSCG-KTY-C1

◇ **Electric** front-mounted soft telescopic tribune

81006 TSCG-KTY-C2





Layer width	850mm	Layer height	310mm
Seat Type	Soft sponge chair w/ handrails	Seat pitch	500mm
Folding modes	Manual or Electric	Flip Mode	Manual
Pedal material			Wood plate, Iron plate, Aluminum plate




◇ **Manual** back-mounted stadium telescopic tribune

81007 TSCG-KTY-D1

◇ **Electric** back-mounted stadium telescopic tribune

81008 TSCG-KTY-D2





Layer width	850mm	Layer height	310mm
Seat Type	Front-mounted hollow plastic chair w/o handrails	Seat pitch	500mm
Folding modes	Manual or Electric	Flip Modes	Manual or Automatic
Pedal material			Wood plate, Iron plate, Aluminum plate




◇ **Manual** back-mounted stadium telescopic tribune with handrail

81009 TSCG-KTY-E1

◇ **Electric** back-mounted stadium telescopic tribune with handrail

81010 TSCG-KTY-E2



Layer width	850mm	Layer height	310mm
Seat Type	Rear-mounted hollow plastic chair with handrails	Seat pitch	500mm
Folding modes	Manual or Electric	Flip Modes	Manual or Automatic
Pedal material		Wood plate, Iron plate, Aluminum plate	




◇ **Manual**-The hollow bench telescopic tribune

81011 TSCG-KTY-F1

◇ **Electric**-The hollow bench telescopic tribune

81012 TSCG-KTY-F2






Layer width	850mm	Layer height	310mm
Seat Type	Hollow benches	Seat pitch	470mm
Folding modes	Manual or Electric	Flip Modes	Manual or Automatic
Pedal material		Wood plate, Iron plate, Aluminum plate	







◇ Fixed Tribune

83001 TSCG-KTY-H1

Layer width	850mm
Layer height	310mm
Pedal material	Wood plate, Iron plate, Aluminum plate
Seat Type	Optional
Seat pitch	480mm
Folding mode	Fixed

≫ Fixed Seats Series

In broad outdoor stadium, indoor gymnasium, and lecture hall where activities are organized, grandstand and seats are necessary. As activities are frequently organized at these venues, stadium seating is the most suitable solution to make sure activities can start quickly and on time.

◉ Seat Types

Hollow plastic chair without back

80001 TSCG-KTY-Y001



Low-back hollow plastic chair

80002 TSCG-KTY-Y002



Mid-back hollow plastic chair

80003 TSCG-KTY-Y003A



Mid-back hollow plastic chair

80004 TSCG-KTY-Y003B



High-back hollow plastic chair

80005 TSCG-KTY-Y004



Front-mounted folding chair

80006 TSCG-KTY-Y005




Hanging hollow plastic chair

80007 TSCG-KTY-003



Straight hollow plastic chair

80008 TSCG-KTY-004



Floor-to-ceiling hollow plastic chair

80009 TSCG-KTY-005



Movable hollow plastic chair

80010 TSCG-KTY-006



Straight hollow plastic folding chair

80011 TSCG-KTY-005



Hanging hollow plastic turnover chair

80012 TSCG-KTY-006



Straight hollow plastic turnover chair

80013 TSCG-KTY-009



Straight hollow plastic turnover chair

80014 TSCG-KTY-010



◉ Hollow Seat Installation

- **Front mounted seat installation**

  Connect to the stamped steel piece with sprayed surface.



- **Hanging seat installation**

  Connect the Φ32mm tube to the die cast aluminum alloy hanging bracket with sprayed surface.




- **Straight seat installation**

  Connect the Φ32mm tube to the die cast aluminum alloy vertical bracket with sprayed surface.



- **Movable seat installation**

  Connect the 60mm*40mm rectangular tube to the oval column bracket with sprayed surface.







◇ Aluminum movable stands

83003 TSCG-KTY-H2

Layer width	700mm
Layer height	200mm
Plate width	240mm
Plate thickness	3mm






◇ Aluminum alloy stage

84001 TSCG-WT-A

Name	Aluminum alloy stage
Material	Aviation aluminum alloy 6061-T6
Specification	1220×1220mm
Load capacity	500kg/cm2
Height	0.6m, 0.8m, 1m, 1.2m (adjustable)



Aluminum alloy stage structure



≫ Deluxe Soft Seat Series

Deluxe soft seat

82001 TSCG-RB-660



Deluxe soft seat

82002 TSCG-RB-690



Deluxe soft seat

82004 TSCG-RB-510




Deluxe soft seat

82006 TSCG-RB-1120



Color and material options



Deluxe soft seat

82008 TSCG-RB-630



Deluxe soft seat

82009 TSCG-RB-700



Deluxe soft seat

82010 TSCG-RB-650



Deluxe soft seat

82012 TSCG-RB-670



Color and material options



» Wood Flooring Series



◉ Maple wood grades

Name	Taishan maple wood sports flooring
Specifications	Canadian maple wood and Russian birch



Grade A wood flooring has the highest quality and the smallest color difference. It has no flaws, such as knots, bug holes, sap holes, or cores. The patterns are same on both sides. Each piece is flat, and has same width on either side and cracks that are no deeper or longer than 1/5 of the thickness and length of the piece itself. The angle of the lines of the pattern on each piece is smaller than 10°. The surface is smooth without corrosion.

A grade B wood flooring panel is made of the parts that are close to the bark and the core and not significantly different from a grade A wood flooring panel in terms of quality. The deeper the color, the bigger the color difference and the knots. Grade B wood flooring is finished with baked paint for even color shades and better look.

• Plank Flooring

1. Panels are made of 22mm thick solid hardwood, including Manchurian ash tree, beech, robber wood, maple wood, mahogany, and Mongolian oak.
2. Panel size: 22mm×550mm×2180mm; easy for transportation.
3. The special flexible locking and clamping system allows for safe and quick installation.
4. Complied with EN 14904 A4 and approved by FIBA.






• Imported Steel Keel Structure

FIBA approved | DIN standard


This structure has been approved by FIBA and passed DIN standard test. Its steel keel and base flooring provide excellent flexibility and shock absorption. The integrity and rigidity of the structure allow the flooring to have even performance and give athletes better protection. It is suitable for large events such as professional training and competitions, exhibitions, and performance.



• Single-layer Keel Structure

FIBA approved | DIN standard

This structure has been approved by FIBA and passed DIN standard test. Its single-layer pine wood keel and base flooring provide excellent flexibility and shock absorption. The integrity and rigidity of the structure allow the flooring to have even performance and give athletes better protection. It is suitable for large events such as professional training and competitions, exhibitions, and performance.



• Double-layer Keel Structure

FIBA approved | DIN standard

The double-layer keel structure can be installed on various venue conditions and provide excellent flexibility and shock absorption. The integrity and rigidity of the structure allow the flooring to have even performance and meet user's expectations for performance, look, and durability.
The shock absorption of this structure is one of its kind and the performance is outstanding like no other. It meets the requirements for all types of training and international competitions.



Canadian Maple Wood

From materials to production, hundreds of steps are managed with details and standards. We select the best materials possible and customize to your needs for sports courts of different sizes and specification using maple wood flooring in highest quality.




Imported Maple Wood Lumber

We have large quantity of imported maple wood lumber in stock. Maple wood is the best option for sports court flooring due to its outstanding performance, durability and strength compared with other types of wood. It can fulfill all sorts of sporting requirements and provide better protection to athletes.



Advanced Domestic Production Line

Premium material like maple wood lumber deserves advanced manufacturing equipment and high standards. Taishan Sports has its own sporting wood flooring company where each wood panel is made with German high precision equipment and inspected to ensure high standard.



• Plank Flooring (PRO)

Triple-layer structure: special flexibility and shock absorption.
Suitable for top level competitions (basketball and handball).
Total height: 44mm, including 10mm foam base and 12mm plywood.



• Plank Flooring (PRO V2)


Triple-layer structure: special flexibility and shock absorption.
Suitable for fast pace ball games.
Total height: 39mm.



• Plank Flooring (PRO V2+)

The LVL keel system has height adjusting pads.
Can be installed on uneven concrete surface.
Total height: 122mm to 164mm.

≫ Floor series



• Outdoor Basketball Court Flooring

TS-FS001 / Training

Size	30.48cm×30.48cm×1.3cm
Shock absorption	20% - 50%
Vertical deformation	≤ 3mm
Tensile strength	≥ 0.7MPa
Tear strength	≥ 5kN/m



• Indoor Badminton Court Flooring

TS-FS002 / Competition

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa


Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5



• Indoor Badminton Court Flooring

TS-FS003 / Club training

Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥ 40%




• Indoor Table Tennis Flooring

TS-FS004 / Competition

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa


Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5



• Indoor Table Tennis Flooring

TS-FS005 / Club training

Size	5.0mm ± 0.1mm
Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥ 40%




• Indoor Table Tennis Flooring

TS-FS006 / Competition

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa


Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5



• Indoor Tennis Court Flooring

TS-FS007 / CClub training

Size	5.0mm ± 0.1mm
Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥40%



• Outdoor Tennis Court Flooring

TS-FS008 / Competition


Size	30.48cm×30.48cm×1.3cm
Shock absorption	20% - 50%
Vertical deformation	≤ 3mm
Tensile strength	≥ 0.7MPa
Elongation at break	≥ 90%
Tear strength	≥ 5kN/m



• Outdoor Tennis Court Flooring

TS-FS009 / Club training


Size	30.48cm×30.48cm×1.3cm
Shock absorption	20% - 50%
Vertical deformation	≤ 3mm
Tensile strength	≥ 0.7MPa
Elongation at break	≥ 90%
Tear strength	≥ 5kN/m



• Indoor Volleyball Court Flooring

TS-FS011 / Club training

Size	5.0mm ± 0.1mm
Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥40%



• Gym Flooring

TS-FS013 / Club training

Size	5.0mm ± 0.1mm
Vertical deformation	0.6 - 3.0 mm
Anti-slip rating	80 - 110
Elongation at break	≥40%



• Indoor Volleyball Court Flooring

TS-FS010 / Competition

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa

Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5




• Gym Flooring

TS-FS012 / Professional

Size	7.0mm ± 0.1mm
Shock absorption	≥ 20%
Tensile strength	≥ 0.5MPa

Color difference (△E) after aging for at least 360 days based on GB/T8424.1-2001: ＜0.5




Compound rubber

• Spcial Rubber Flooring for Gym Weight Area

TS-FS014 / Professional

Name	Compound rubber flooring
Specification	1000×1000×20mm
Material	The 1.6mm thick rubber surface is made of EPDM partical and high standard rubber powder. No peeling in 6 to 7 years. The base uses eco-friendly rubber partical.



Starry rubber

• Spcial Rubber Flooring for Gym Weight Area

TS-FS015 / Club training

Name	Starry rubber flooring
Specification	1000×1000×20mm
Material	The 1.6mm thick rubber surface is made of EPDM partical and high standard rubber powder. No peeling in 6 to 7 years. The base uses eco-friendly rubber partical.

03

EVENT CASES


Exhibitions	Gymnasium
88	88

Event Cases

Exhibitions



FSB Cologne in Germany 2023



The 40th China Sport Show 2023



The Canton Fair 2023



The 3rd China International Consumer Products Expo 2023

Gymnasium



Alma-Ata Olympic Training Center 2024



Alma-Ata Multifunctional Ball Gym 2022

Tel/WhatsApp: +86 18453178888

Web: www.taishansports.cn

Email: info@taishansports.com

HQ & Factory: No.1 Taishan Tiyu Rd, Laoling,
Dezhou City, Shandong Province. China. 253600

TaiShan Sports

taishansports

TaiShan



Children Mats Series
XPE Material

(Version 2020)

SHANDONG TAISHAN SPORTS EQUIPMENT CO., LTD.



LET THE WORLD ENJOY SPORTS

SPORTS

COMPANY PROFILE

Shandong Taishan Sports Equipment Co.,Ltd. has a registered capital of 50 million yuan and is located in the Economic and Technological Development Zone of Leling City,Shandong Province. Taishan has branches in Beijing,Shanghai,Shenzhen,Jinan,Xi'an,Chengdu etc. In the United States and Japan we own international affiliates and R&D centers. The main products and services include a full range of competitive sports equipment, all kinds of training equipment, civilian fitness equipment, Hi-tech sports &leisure mats, winter sports products and operation of sports events.

Taishan is a world-known sports equipment manufacturer, with the pioneered CD2S mode(consulting, design, supply and service), Taishan has successfully served several Olympic Games, Youth Olympic Games, Asian Games,Universiade, National Games and many other events, all achieving "Zero Fault, Zero Breakdown, Zero Complaint ". Taishan has grown into a world-renowned sports event equipment supplier and service provider and is called "the miracle in the history of Olympic games" by former president of International Olympics Committee and " National Brand and Chinese Honor" by various circles of the society.

Relying on a number of national-level R&D platforms such as "National Engineering Technology Research Center for Sports Goods", "National Industrial Design Center", "National Recognized Enterprise Technology Center", "Postdoctoral Programme", Taishan is equipped with national-level research strength and international□ level testing capability for sports goods. Taishan owns more than 300 patents and is involved in making international and domestic standards for more than 60 terms, and more than 100 products were approved by the IAAF, FIG,IJF,WTF,IWUF,FIFA,FIH and UCI, etc. Taishan's mats are listed in China torch program. Based on technology innovation, Taishan has produces a series of carbon fiber gymnastic equipment, the upgrade of the material is revolutionary, and these equipments are all approved by FIG. At the same time, we continue to popularize gymnastic equipment, develop gymnastic equipment for children and elderly people, realizing "Olympic quality, Enjoyed by all"

Over the years, Taishan equipment company has maintained good exchanges and cooperation with the IOC, SportAccord, FISU, and associations for international individual sports event. Taishan has already established the premier global strategic partnership with FISU and SportAccord. In the future, under the guidance of "One Belt, One Road" initiative, we will put the best effort to introduce Taishan as a national brand to the world and bring sports enjoyment to the world.

STRENGTH



R&D Strength of Taishan

Taishan Sports is the national advanced collective of light industry, the national mass sports advanced unit, the national manufacturing single champion demonstration enterprise, the national sports industry demonstration unit, the deputy director unit of the National Sporting Goods Standardization Technical Committee, the China Sports, Educational and Sporting Goods Association fitness and sports equipment specialty. Committee director unit. It has been awarded the first place among the top ten of China's light industry sporting goods industry for many years. Has many national research and development platforms such as "National Sports Goods Engineering Technology Research Center", "National Sports Goods Competitive Equipment Testing Laboratory", "National Industrial Design Center", "Postdoctoral Research Station", etc.Undertook 2 national science and technology support plans and 3 torch plans.

R&DTaishan Sports has participated in the formulation of more than 90 domestic and foreign industry standards, has nearly 1,000 full-time and part-time R & D personnel, has obtained more than 1,000 domestic and foreign patents, and has more than 100 products that have passed the IAAF, FIG, FIBA Certification IJF， FIBA, WT, IWUF, FIFA. Relying on technologicalinnovation, Taishan Sports has grown from reaching international standards to leading international standards, and has grown into a world sports industry and human health standard-setting company, with more international voice.

QUALIFICATIONS




















XPE Environmentally Friendly Materials
Authoritative Certification
Direct Washable
Slip Resistant
Back Word Patterns
High-elastic Thickening
Book
Chair
Mouth
Eye
Nose
Banana
Crocodile
Ladybug
Flower
Horse
Bee
Monkey
Hand
Foot
Snake
Giraffe
Hello School
Tama Loser
Barry Loser

Pointing Read Mat

Read Mat is suitable for babies aged 0-12 when they interact with parents or teachers in person. Before children can hold the pen, they must be assisted by adults. When the reading pen points to different patterns, the reading pad can emit the name of the animal, the sound that the animal will make, and the simulated environment of the animal's regular activities, which can provide the baby with a more intuitive and visual sense experience. When the baby can hold the pen to point the pattern, the baby can point the picture freely.







Model	Specification	Material
JR1101	180×200×1.5cm	XPE+Color Film+Point Reading Film
JR1101/1	180×150×1.5cm	XPE+Color Film+Point Reading Film
JR1101/2	180×200×1.0cm	XPE+Color Film+Point Reading Film
JR1101/3	180×150×1.0cm	XPE+Color Film+Point Reading Film

Warm Water Mat

The water heating pad is made of XPE material, with soft color, soft touch and elegant appearance. The classic pattern design is full of distinguished quality, comfortable and comfortable to promote physical and mental relaxation, and enter deep sleep. The product is made of environmentally-friendly, anti-bending and heat-resistant water pipes. The bottom layer is non-slip and moisture proof, ensuring the safety performance of the product. Plumbing mats, also known as temperature-controlled hot water circulating mattresses, are well-known Korean products. The working principle is to magnetize the ionized water by heating the water through the mattress generator. The hot water pump is sent to the heating pad through the hot and cold water pipes for heating, which can promote blood circulation to achieve heating and fatigue, improve sleep and other multiple functions. . For busy modern people, it is the best partner to reduce stress, relieve physical and mental fatigue and improve sleep quality. The water heating pad uses magnetized water as a medium during the heating process, and does not have the hazard of electromagnetic radiation. Suitable for body cold, insomnia and rheumatic patients, pregnant women, the elderly, infants and more. Especially for the health of elderly people with high blood pressure, arthritis, heart disease, and diabetes.









Oodor Detection Report of Warm Water Mat

Model	Specification	Material
JR1201	180×200×2.0cm	Color Film + XPE+PVC Pipe + Ribbon Weaving + Warm Water Machine
JR1201/1	180×150×2.0cm	Color Film + XPE+PVC Pipe + Ribbon Weaving + Warm Water Machine

ECO Edge-pressed Mat

ECO edge-pressed mat is the latest research and development product of Korea's top technology. It is made of eco-friendly high density XPE material, eco-friendly, non-toxic, antibacterial, anti-noise, no odor, and super-lightweight, waterproof, moisture proof, and skin-contact. good. The new R&D laminating film is beautiful and has good resilience performance, high safety, good buffering and recovery performance. The unique color matching design has a good visual exercise effect for children. In addition, the edge of the use of heat and pressure technology, easy to clean, easy to use and more comfortable.



Model	Specification	Material
JR1301	180×300×1.5cm	XPE + Color Film
JR1301/1	180×250×1.5cm	XPE + Color Film
JR1301/2	180×200×1.5cm	XPE + Color Film
JR1301/3	180×150×1.5cm	XPE + Color Film
JR1301/4	180×300×1.0cm	XPE + Color Film
JR1301/5	180×250×1.0cm	XPE + Color Film
JR1301/6	180×200×1.0cm	XPE + Color Film
JR1301/7	180×150×1.0cm	XPE + Color Film



Anti-slip Mat

The Anti-slip mat has a double-sided anti-slip design with anti-slip particles on the back to provide children with double safety protection. The product is made of XPE material, and the most advanced equipment in South Korea and the only new technology in the country are used to create for the baby. Anti-skid, waterproof, non-toxic, anti-bacterial, odorless, noise, noise, insulation, all-round safe sports environment. Super soundproofing, even if the child is vigorously jumping will not affect other people's rest.The large back embossed or jeweled pattern is both beautiful and practical, making it easy to clean. Exquisite edging design for easy wear and long life.






Model	Specification	Material
JR1401	180×150×1.2cm	Color Film+XPE+ Ribbon Weaving+Anti-slip Cloth

Double-sided Mat

The double-sided mat is a child crawling mat that can be used on both sides. The design of the double-sided puzzle pattern can make the baby happy, and at the same time enhance children's creativity. Double-sided embossed non-slip design provides higher density, higher elasticity, and greatly improved safety factor. The three-layer structure is pressed at one time and it has the most ideal thickness, super perfect protection, super soft surface, superior elasticity and toughness, and more careful care of the baby's joints and skin, providing the baby with the ability to crawl, play and stand. The sense of security in "Mother's embrace".



Model	Specification	Material
JR1501	180×300×2.0cm	XPE + Color Film + Ribbon Weaving
JR1501/1	180×250×2.0cm	XPE + Color Film + Ribbon Weaving
JR1501/2	180×200×2.0cm	XPE + Color Film + Ribbon Weaving
JR1501/3	180×150×2.0cm	XPE + Color Film + Ribbon Weaving
JR1501/4	180×300×1.5cm	XPE + Color Film + Ribbon Weaving
JR1501/5	180×250×1.5cm	XPE + Color Film + Ribbon Weaving
JR1501/6	180×200×1.5cm	XPE + Color Film + Ribbon Weaving
JR1501/7	180×150×1.5cm	XPE + Color Film + Ribbon Weaving
JR1501/8	180×300×1.0cm	XPE + Color Film + Ribbon Weaving
JR1501/9	180×250×1.0cm	XPE + Color Film + Ribbon Weaving
JR1501/10	180×200×1.0cm	XPE + Color Film + Ribbon Weaving
JR1501/11	180×150×1.0cm	XPE + Color Film + Ribbon Weaving



Single-sided Mat

The good elasticity and soft surface of the single mat provide all-round protection for the baby's hands, feet and other parts of the body, and provides the safest and most comfortable environment for the baby to practice sitting, crawling, learning and playing. XPE material is not only non-toxic, bactericidal, odorless, non-polluting, and also has a strong buffer capacity and rebound, even if the outside world has a strong impact, beautiful dragon crawling mat can also be quickly restored through the buffering performance.





Model	Specification	Material
JR1601	180×300×1.0cm	Color Film +XPE + Ribbon Weaving
JR1601/1	180×250×1.0cm	Color Film +XPE + Ribbon Weaving
JR1601/2	180×200×1.0cm	Color Film +XPE + Ribbon Weaving
JR1601/3	180×150×1.0cm	Color Film +XPE + Ribbon Weaving

Multi-purpose Mat

The back of the multi-purpose pad is affixed with aluminized film, which can be applied to all kinds of natural environments for easy cleaning and wiping. It has a wide range of uses and is especially suitable for outing play and camping. Ultra-thin, foldable, easy to carry. The unique XPE material is non-toxic, antibacterial, and non-polluting. It provides people with the most powerful safety protection, is environmentally friendly and durable, and will not cause any harm to the natural environment.



Model	Specification	Material
JR1701	180×200×0.5cm	Color Film +XPE + Ribbon Weaving
JR1701/1	180×150×0.5cm	Color Film +XPE + Ribbon Weaving
JR1701/3	180×180×2.0cm	Color Film +XPE + Ribbon Weaving



Puzzle Mat

Puzzle Mat is a children's crawling Mat used for arbitrary stitching. The punching and cutting technique is seamless stitching. No matter it is flat or three-dimensional, DIY and stitching at will can make the baby happy, bring more free space to play, and improve children's creativity at the same time. Variety of shapes, constant security care. The double-sided concave-convex anti-slip design has high density and flexibility, and greatly improves the safety factor. The three-layer structure is pressed at one time, with the ideal thickness, super perfect protection, super soft surface, super elasticity and toughness, and more careful care of the baby's joints and skin, which provides the baby with crawling, playing, and standing. A sense of security in "mother arms".





Model	Specification	Material
JR1801/1	180×180×2.0cm	XPE+Color Film

Children Crawling Mat Pattern



Chicken Flowers



Animal Trainees



Chicken Bus



Happy Campus



Amusement Park



Train ABC



Lion Park



Fruit Park



Digital Dee



Sports Meet



Doodle Little Train



Animal Noah's Ark



Car Town



Fresh Circus



Fun Road



Forest Park

Yoga Mat





XPE+PE black Film



XPE+Non-slip Layer



XPE

Model	Specification	Material
JR1901	150×70×1.0cm	XPE+PE Black Film
JR1901/1	145×65×1.0cm	XPE+PE Black Film
JR1901/2	190×90×1.0cm	XPE+PE Black Film
JR1902	185×80×0.8cm	XPE+ Non-slip Layer
JR1902/1	185×80×1.0cm	XPE+ Non-slip Layer
JR1902/2	183×80×1.0cm	XPE+ Non-slip Layer
JR1903	185×80×1.0cm	XPE

Taishan Sports has developed a series of children's special software equipment for children's sports specificity, and has carried out comprehensive physical skills and intellectual development for children. This series of equipment is novel, unique, and scientific. It can fully mobilize the enthusiasm of children to participate in sports activities, strengthen the exercise of children's intelligence, physical temperament, self-confidence, especially for the body's softness, coordination, balance, sensitivity, flexibility , Responsiveness and independent judgment, imitation and imagination, perseverance and other aspects of comprehensive quality ability training and improvement, promote children's physical and mental health, happy growth.

In order to promote parent-child interaction, the Children's Park integrates a series of avant-garde novel children's entertainment equipment, as well as intellectual development games, comprehensively develops children's visual, tactile and children's good character training, promotes children's intellectual development, improves children's organizational coordination spirit, and teamwork. Spirit, nurture bravery, toughness, dare to challenge difficult spirits. Pass happiness, discover children's potential, create the most joyful childhood experience and the most learning entertainment space for children.

Children's Park Series Product

High load sponge:
He high-loading sponge is a new type of sponge. Its main feature is that the hardness can be greatly increased compared to ordinary sponges under the same density conditions.
With a bearing heavy, not easy to deformation and so on.
New XPE:
Antibacterial properties: Surface electron irradiation modification, surface antibacterial treatment, safety and health;
Comfort: Good thermal insulation, flexibility, excellent elasticity and shock absorption;
Advanced: advanced imported equipment, flame-type heat sealing technology to replace traditional adhesive bonding technology, advanced seamless bonding technology, water cutting technology, quality and reliability;
Safety: Fire-retardant, antibacterial, waterproof, moisture-proof, environmentally friendly, tasteless, providing children with clean and sanitary activities.

TQ-301362



TQ-301363



Play Ground
TQ-301364





Small Triangle




Model	Product Name	Specification	Material
TQ4878	Small Triangle	91×76×60/5cm	PVC Machine Weaving Cloth+ Sponge
TQ4544	Small Triangle	83.8×61×38.1/3.5cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4609	KDSmall Triangle	120×58×37/3cm	

Middle Triangle



Model	Product Name	Specification	Material
TQ4539	Middle Triangle	110×60×82.5/3.5cm	PVC Machine Weaving Cloth+ Sponge

Big Triangle



Model	Product Name	Specification	Material
TQ4540	820 Big Triangle	183×91×40/3cm	PVC Machine Weaving Cloth+ Sponge
TQ4879	Big Triangle	181×91×40/4cm	
TQ4647	Big Triangle One	150×91.5×40.5/3.5cm	
TQ4647/1	Big Triangle Two	150×80×40/8cm	
TQ4608/1	Big Triangle Five	150×100×60/5cm	
TQ4608	KD Big Triangle	180×120×40/5cm	
TQ4858	Custom Triangle	200×150×40/3cm 170×70×40/3cm 120×60×40/3cm	
TQ4730	213 Triang	213×153×46/3cm	

Foldable Triangle



Model	Product Name	Specification	Material
TQ4537	Large Right-angle Folding Mat	305×152×56/2cm	PVC Machine Weaving Cloth+ Sponge
TQ4538	Small Right-angle Folding Mat	184×122×40/3cm	
TQ4727	Custom Triangle Folding Mat One	184×90×40/3cm	
TQ4728	Custom Triangle Folding Mat	140×70×40/3cm	
TQ4859	Custom Triangle Folding Mat	200×150×40/2.5cm	
TQ4859/1	Folding Triangle Mat	221×150×45/10cm	
TQ4896	Folding Ramp Mat A	181×120×45/5cm	PVC Machine Weaving Cloth+ High Load Sponge

Red Ramp Mat



Model	Product Name	Specification	Material
TQ4575	Ramp Mat	60×60×30/6cm	PVC Machine Weaving Cloth+Sponge

Wave Wedge-shape Mat




Model	Product Name	Specification	Material
TQ4715	Wave Wedge-Shape Mat	120×60×60cm	PVC Machine Weaving Cloth+High Load Sponge

Wedge-shape Mat



TQ4720



TQ4735

Model	Product Name	Specification	Material
TQ4720	Red Triangular Ramp	120×60×60/6cm	PVC Machine Weaving Cloth+High Load Sponge
TQ4735	Wedge-shape Mat	140×70×70cm	

Trapezoidal Low Mat



Model	Product Name	Specification	Material
TQ4535	Trapezoidal Low Mat	130×44/25×20.3cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4581	New Trapezoidal Low Mat	119×30/20×19cm	

Small ladder Mat



Model	Product Name	Specification	Material
TQ4555	Small Ladder Mat	59×82/19×28cm	PVC Machine Weaving Cloth+ Sponge
TQ4828	Small Ladder Mat	60×70/19×24cm	
TQ4801	Ladder Mat	120×15/60×50cm	
TQ4801/1	Ladder Mat Two	120×15×67/49cm	

Trapezoidal High Mat



Model	Product Name	Specification	Material
TQ4530	Trapezoidal High Mat	128×44.5/26×30.5cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4580	New Trapezoidal High Mat	119×30/20×29cm	


Function: It can be used as a children's slide. It can be folded into other shape combinations. It fully stimulates children's enthusiasm for sports and enhances their children's intelligence and imagination.
Introduction: Firstly, the product material: 1. PVC leather: rich colors, easy to tear, damage, easy to clean. 2. High-loading sponge: a new type of sponge, compared to ordinary sponges, in the density under the same conditions, the hardness can be greatly improved. Heavy bearing, not easily deformed. 3. New XPE: Antibacterial, comfort, advanced, safety (flame-retardant, anti-bacterial, waterproof, moisture-proof, environmentally friendly, tasteless).
Secondly, the applicable population: 1-10 children. Thirdly, the matters needing attention: 1. Keep away from chemicals and fire sources，avoid contact with sharp objects; 2. Children should be accompanied by parents or teachers.

2 Steps Ladders



Model	Product Name	Specification	Material
TQ4548	2-steps Ladders	60×55×35cm	PVC Machine Weaving Cloth+High Load Sponge
TQ4548/1	Children 2-steps Ladders	80×60×50cm	
TQ4811	Small 2-steps Ladders	40×40×20cm	
TQ4597	KD2-steps Ladders	60×56×35cm	

KD 2 Steps Ladder Bridge




Model	Product Name	Specification	Material
TQ4595	KD 2-steps Ladder Bridge	174×57×35cm	PVC Machine Weaving Cloth+High Load Sponge

3 Steps Ladder




Model	Product Name	Specification	Material
TQ4598	KD 3-steps Ladder	84×60×54cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4549	3-steps Ladder	83×59×51cm	
TQ4598/1	Children 3-steps Ladder	120×60×75cm	
TQ4885	3-steps Ladder Two	79.5×45.9×55cm	PVC Machine Weaving Cloth+ Sponge

4 Steps Ladder One



Model	Product Name	Specification	Material
TQ4714	4-steps Ladder One	90×60×60cm	PVC Machine Weaving Cloth+High Load Sponge
TQ4734	4-steps Ladder Two	90×80×90cm	

5 Steps Ladder



Model	Product Name	Specification	Material
TQ4807	600 5-steps Ladder	140×60×60cm	PVC Machine Weaving Cloth+High Load Sponge
TQ4744	5-steps Ladder	140×70×70cm	

KD 5 Steps ladder bridge



Model	Product Name	Specification	Material
TQ4594	KD 5-steps Ladder Bridge	280×70×70cm	PVC Machine Weaving Cloth+High Load Sponge

Ladder Bridge



Model	Product Name	Specification	Material
TQ4709	Ladder Bridge	130×60×50cm	PVC Machine Weaving Cloth+High Load Sponge

Big Ring



Model	Product Name	Specification	Material
TQ4717/1	Ring 1	φ72×φ36×20cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4717/2	Ring 2	φ92×φ41×20cm	
TQ4717/3	Ring 3	φ107×φ61×23cm	
TQ4717	1200 Ring	φ120×φ60×30cm	
TQ4607	KD Ring	φ132×φ76×45cm	
TQ4868	Custom Rings Columns	φ150×φ90×50cm	

Unfilled Corner Cylinder



Model	Product Name	Specification	Material
TQ4605	KDUnfilled Corner Cylinder	φ80×60cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4605/1	Unfilled Corner Cylinder Two	φ75×50cm	
TQ4605/2	Unfilled Corner Cylinder Three	φ65×100cm	
TQ4605/3	Unfilled Corner Cylinder Four	φ75×100cm	
TQ4605/4	Unfilled Corner Cylinder Five	φ90×100cm	
TQ4731	Unfilled Corner Cylinder	φ90×60cm	

Mail Box



Model	Product Name	Specification	Material
TQ4527	Semi-cylindrical	89×50×41cm	PVC Machine Weaving Cloth+Sponge
TQ4610	KD Semi-cylindrical	91×51×40cm	PVC Machine Weaving Cloth+ High Load Sponge

Color Ball



Model	Product Name	Specification	Material
TQ4526	Color Ball	φ92×φ50×92cm	PVC Machine Weaving Cloth+Sponge
TQ4876	Color Ball	φ86×φ65×102cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4606	KD Cylinder	φ86×φ45×100cm	

Umbrella Ball



Model	Product Name	Specification	Material
TQ4622	KD Big Umbrella Ball	φ148×40cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4785	Middle Umbrella Ball	φ120×30cm	
TQ4623	Small Umbrella Ball	φ92×30cm	

Octagonal Column



Model	Product Name	Specification	Material
TQ4542	Blue Octagonal Column	φ70×50cm	PVC Machine Weaving Cloth+ Sponge
TQ4543	Red Octagonal Column	φ66×90cm	
TQ4611	KD Octagonal Column One	φ37×60cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4612	KD Octagonal Column Two	φ50×68cm	
TQ4613	KD Octagonal Column Three	φ63×76cm	
TQ4614	KD Octagonal Column Four	φ76×91cm	
TQ4798	Medium Octagonal Column	φ45×80cm	PVC Machine Weaving Cloth+ Sponge
TQ4798/1	Small Octagonal Column	φ35×50cm	
TQ4799	Custom Octagonal Column One	φ80×100cm	
TQ4862	Custom Octagonal Column	φ60×100cm	PVC Machine eaving Cloth+ High Load Sponge


Cylinder



Model	Product Name	Specification	Material
TQ4545	Small Green Cylinder	φ50×69cm	PVC Machine Weaving Cloth+ Sponge
TQ4546	Small Red Cylinder	φ63×89cm	
TQ4639	Cylinder	φ30×120cm	
TQ4706	Cylinder One	φ61×122cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4707	Cylindrical Two	φ30×61cm	
TQ4708	Cylindrical Three	φ46×91cm	
TQ4781	Cylindrical Four	φ20×40cm	PVC Machine Weaving Cloth+ Sponge
TQ4797	Cylindrical Five	φ90×120cm	
TQ4842	Cylindrical Six	φ20×60cm	
TQ4843	Cylindrical Seven	φ20×20cm	
TQ4797/1	Cylindrical Eight	φ65×100cm	

Hexagon Column

Model	Product Name	Specification	Material
TQ4852	Hexagon Column	φ90×80cm	PVC Machine Weaving Cloth+Sponge



Telescopic Semicircular Cylinder




Model	Product Name	Specification	Material
TQ4554	Telescopic Semicircular Cylinder	182×96×96cm	PVC Machine Weaving Cloth+ High Load Sponge

Soft Building Block



Model	Product Name	Material
TQ4724	Soft Building Block Combination	PVC Machine Weaving Cloth+High Load Sponge

Semicircle Building Block



Model	Product Name	Specification	Material
TQ4749	Semicircle Building Block	φ40×60cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4793	Semicircle Building Block One	φ64×34cm	
TQ4749/1	Semicircle Building Block Two	φ40×100cm	
TQ4749/2	Semicircle Building Block Three	φ33×73.3cm	
TQ4749/3	Semicircle Building Block Four	φ34×74cm	

Octagonal Ring



Model	Product Name	Specification	Material
TQ4601	KD Big Octagonal Ring	Outer φ132/ Inner φ76×45cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4600	KD Small Octagonal Ring	Outer φ122/ Inner φ68×38cm	

Soft Vaulting Box





Model	Product Name	Specification	Material
TQ4619	KD Stacked Mat	120×84/45×120cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4586	Stacked Mat	120×90/36×120cm	
TQ4586/1	Four-layer Stacked Mat Two	122×98/35×122cm	
TQ4700	Three-layer Stacked Mat One	122×76/36×90cm	PVC Machine Weaving Cloth+ XPE + High Load Sponge
TQ4701	Three-layer Stacked Mat Two	90×73/36×90cm	
TQ4710	Three-layer Stacked Mat Four	90×73/36×90cm	
TQ4710/1	Three-layer Stacked Mat (arc top)	90×73/36×90cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4800	Pommel Horse Stacked Mat	100×40/80×95cm	PVC Machine Weaving Cloth+Sponge
TQ4800/1	Stacked Mat	100×340/80×100cm	PVC Machine Weaving Cloth+ High Load Sponge

Function: Strengthen children's temperament, self-confidence, especially the body's flexibility, coordination, agility, flexibility and other qualities and capabilities, promote children's physical and mental health, improve children's fun for sports.
Introduction:
First, the product material:
1.PVC leather: Rich colors, easy to tear, damage, easy to clean.
2. High load-bearing sponge: A new kind of sponge. Compared with ordinary sponges, the hardness can be greatly improved under the same density. Heavy bearing, not easily deformed.
3. New XPE: Antibacterial, comfort, advanced, safety (flame-retardant, anti-bacterial, waterproof, moisture-proof, environmentally friendly, tasteless).
Second, the applicable population: 1-10 children.
Third, the matters needing attention:
1. Keep away from chemicals and fire sources, avoid contact with sharp objects;
2. Children should be accompanied by parents or teachers.

Jump Block






Model	Product Name	Specification	Material
TQ4746	Jump Block One	60×15×15cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4776	Jump Block Two	60×20×15cm	
TQ4777	Jump Block Three	60×25×15cm	
TQ4778	Jump Block Four	60×30×15cm	

Semicircular Rectangular



Model	Product Name	Specification	Material
TQ4596	KD Semicircular Rectangular	106×38×15cm	PVC Machine Weaving Cloth+XPE

Arch Mat



Model	Product Name	Specification	Material
TQ4577	Arch Mat	60×80×60cm	PVC Machine Weaving Cloth+High Load Sponge

Function: Can exercise children's bounce, flexibility, balance and so on, can also be used as a stool for children to rest.
Introduction:
Firstly、Product material:
1. PVC leather: Rich in color, easy to be torn, damaged, easy to clean.
2. High loading sponge: A new type of sponge, which can be greatly improved in the same density as the ordinary sponge.Big, not easy to deform.
3.New XPE: Antibacterial, comfortable, advanced, safe (flame retardant, antibacterial, waterproof, moisture-proof, environmentfriendly, tasteless).
Secondly, Applicable people: 1-10 years old children.
Thirdly, Precautions: 1. Keep away from chemicals and fire sources and avoid contact with sharp objects;2. Children should be accompanied by parents or teachers.

Rock and Roll





Model	Product Name	Specification	Material
TQ4572	Semicircle	Outer φ120/Inner φ60×30cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4572/1	Hollow Semi-circular Cushion	Outer φ160/Inner φ40×30cm	
TQ4617	KD Semi-circle	Outer φ130/Inner φ76×46cm	
TQ4617/1	Semicircle Two	Outer φ130/Inner φ76×50cm	

Circle Ring Combination







Model	Product Name	Material
TQ4747	Circle Ring Combination	PVC Machine Weaving Cloth+ High Load Sponge

Function: It can be combined into a circle and s-shaped balance beam for children's use. It has great benefits on children's body balance, reaction speed and other aspects, and can improve children's fun and enthusiasm for participating in sports activities.
Introduction: First, the product material:
1. PVC leather: Rich colors, easy to tear, damage, easy to clean.
2. High loadbearing sponge: A new kind of sponge. Compared with ordinary sponges, the hardness can be greatly improved under the same density. Heavy bearing, not easily deformed.
3. New XPE: Antibacterial, comfort, advanced, safety (flame-retardant, antibacterial, waterproof, moisture-proof, environmentally friendly, tasteless).
Second, the applicable population: 1-10 children.
Third, the matters needing attention: 1. Keep away from chemicals and fire sources, avoid contact with sharp objects; 2. Children should be accompanied by parents or teachers.

Cylindrical Roller Mat



Model	Product Name	Specification	Material
TQ4584	Cylindrical Roller Mat	Outer φ 150/ Inner φ 124 × 75cm Outer φ 120/ Inner φ 94 × 75cm Outer φ 90/ Inner φ 64 × 75cm φ 60 × 75cm	PVC Achine Weaving Cloth+ High Load Sponge
TQ4802	Cylindrical Roller Mat	Outer φ 58/ Inner φ 36 × 76cm	
TQ4889	Cylindrical Roller Mat	Outer φ 57/ Inner φ 37 × 75cm	
TQ4861	Custom Cylindrical Roller Mat	Outer φ 50/ Inner φ 35 × 80cm	

Eccentric Circle Mat



Model	Product Name	Specification	Material
TQ4551	Eccentric Circle Mat	Outer φ72/ Inner φ10×15.5cm	PVC Achine Weaving Cloth+Sponge

Tumbler Mat




Model	Product Name	Specification	Material
TQ4870	Custom Tumbler Mat	100×75×70cm	PVC Achine Weaving Cloth+ High Load Sponge
TQ4870/1	Tumbler Mat Two	120×90×70cm	

Inflatable Mat



Model	Product Name	Specification	Material
TQ4890	Inflatable Cylinder	φ60×300cm	PVC Achine Weaving Cloth+ Inflatable Liner
TQ4890/1	Inflatable Roller	φ60×300cm	
TQ4891	Inflatable Ball	φ90×50cm	

U-shaped Groove Mat



Model	Product Name	Specification	Material
TQ4713	U-shaped Groove Mat	60×60×60cm	PVC Achine Weaving Cloth+High Load Sponge
TQ4719	Arc Groove Mat	60×30×30cm	

Square Groove Mat



Model	Product Name	Specification	Material
TQ4574	Square Groove Mat	60×30×60cm	PVC Achine Weaving Cloth+High Load Sponge
TQ4716	Square Groove Mat two	60×60×60cm	

Ring Pillar



Model	Product Name	Specification	Material
TQ4528	Two Rings Pillar	35.6×35.6×127cm	PVC Machine Weaving Cloth+ Sponge
TQ4529	Three Rings Pilla	φ35.6×127cm	
TQ4570	Cone Three Rings Pillar	φ31×φ42×122cm	PVC Machine Weaving Cloth+ High Load Sponge
TQ4578	Black Small Three Rings Pillar	φ33.5×96cm	PVC Machine Weaving Cloth+ Polyester Foam

Springboard Mat



Model	Product Name	Specification	Material
TQ4648	Sponge Springboard Mat	120×60×25cm	PVC Machine Weaving Cloth+ PE+Sponge
TQ4648/1	Software Springboard Mat	80×60×21/2.7cm	PVC Warp Knitted Fabric+XPE+ Sponge
TQ4823	Sponge Springboard Mat	80×50×20cm	PVC Warp Knitted Fabric+XPE+ Sponge

Pendant



Model	Product Name	Specification	Material
TQ4790	Round Pendant	φ60×5.8cm	PVC Machine Weaving Cloth+ XPE+Multilayer Board
TQ4791	Rectangular Pendant	110×60×5.8cm	
TQ4792	Cylindrical Pendant	φ30×120cm	PVC Warp Knitted Fabric+High Load Sponge

Square Columns Mat



Model	Product Name	Specification	Material
TQ4603	KD Small Square Columns Mat	75×7.5×7.5cm	PVC Machine Weaving Cloth+Sponge
TQ4702	Square Columns Mat One	150×150×20cm	PVC Machine Weaving Cloth+High Load Sponge
TQ4703	Square Columns Mat Two	120×120×20cm	
TQ4704	Square Columns Mat Three	90×90×20cm	
TQ4705	Square Columns Mat Four	60×60×20cm	
TQ4712	Square Columns Mat	120×30×30cm	

Wrapped Pillar Mat



Model	Product Name	Specification	Material
TQ4531	Big Hole With Lock Wrapped Pillar Mat	φ34×φ15×180cm	PVC Machine Weaving Cloth+ Sponge
TQ4532	Big Hole With Sticky buckleWrapped Pillar Mat	φ34×φ15×180cm	
TQ4533	Small Hole With Lock Wrapped Pillar Mat	φ30×φ11×180cm	
TQ4534	Blue Small Wrapped Pillar Mat	φ30×φ20×180cm	
TQ4547	YV4 Wrapped Pillar Mat	φ32.2×φ11.5×182.5cm	

Hand Jacket



Model	Product Name	Specification	Material
TQ4525	Hand Jacket	60×27×7cm	PVC Machine Weaving Cloth+Sponge

Trampoline



TQ2539
(Does not include three steps ladder and circular trampolines)



TQ2512



TQ2538

Model	Product Name	Specification	Material
TQ2512	Children's Round Trampoline Protective Mat	φ106×3cm	PVC Machine Weaving Cloth+XPE
TQ2538	Children's Hexagon Trampoline Protective Mat	188.2×163×3cm	PVC Machine Weaving Cloth+XPE
TQ2539	Trampoline	Trampoline φ150×35cm / Mat around φ190×70cm	PVC Machine Weaving Cloth+Mesh Fabric+High Load Sponge

Function: Strengthen children's temperament and self-confidence, exercise children's physical coordination, reaction speed, flexibility, etc., while ensuring children's safety during the exercise.
Introduction:
First, the product material:
1. PVC leather: rich colors, easy to tear, damage, easy to clean.
2. High loadbearing sponge: A new kind of sponge. Compared with ordinary sponges, the hardness can be greatly improved under the same density. Heavy bearing, not easily deformed.
3. New XPE: Antibacterial, comfort, advanced, safety (flame-retardant, antibacterial, waterproof, moisture-proof, environmentally friendly, tasteless).
Second, the applicable population: 1-10 children.
Third, the matters needing attention: 1. Keep away from chemicals and fire sources, avoid contact with sharp objects;
2. Children should be accompanied by parents or teachers.

KD Rubik

Model	Product Name	Specification	Material
TQ4616	KD Rubik	61×61×61cm	PVC Machine Weaving Cloth+High Load Sponge





Function: It can be used as a protective pad after expansion, which is a square box, which can strengthen children's intelligence and creativity, and improve the fun and enthusiasm of children to participate in sports.
Introduction:
Product material: 1.PVC leather: Rich in color, easy to be torn, damaged, easy to clean.
2.High loading sponge: a new type of sponge, which can be greatly improved in the same density as the ordinary sponge.Big, not easy to deform.
3.New XPE: Antibacterial, comfortable, advanced, safe (flame retardant, antibacterial, waterproof, moisture-proof, environmentfriendly, tasteless).
Applicable people: 1-10 years old children.
Precautions: 1. Keep away from chemicals and fire sources and avoid contact with sharp objects;
2. Children should be accompanied by parents or teachers.

Cabin Combination

Model	Product Name	Specification	Material
TQ4748	Cabin Combination	120×100×135cm	PVC Machine Weaving Cloth+High Load Sponge



Function: Similar to building blocks, they can be combined into huts through various shapes of cushions, which is beneficial to the development of children's intelligence, strengthen children's creativity and imagination, and improve children's fun for sports.
Introduction: First, the product material:
1. PVC leather: rich colors, easy to tear, damage, easy to clean.
2. High loadbearing sponge: A new kind of sponge. Compared with ordinary sponges, the hardness can be greatly improved under the same density. Heavy bearing, not easily deformed.
3.New XPE: Antibacterial, comfort, advanced, safety (flame-retardant, antibacterial, waterproof, moisture-proof, environmentally friendly, tasteless).
The applicable population: 1-10 children.
The matters needing attention:
1. Keep away from chemicals and fire sources, avoid contact with sharp objects; 2. Children should be accompanied by parents or teachers.

Balance Beam

Model	Product Name	Specification	Material
TQ4602	KD Soft Balance Beam	123×19/10×9cm	PVC Machine Weaving Cloth+ Microfiber Leather+XPE
TQ4750	Soft Balance Beam	200×25/15×15cm	
TQ2577	KL Soft Balance Beam	400×20/30×30cm	



Function: Improve children's physical balance, flexibility, perseverance, and other aspects of quality and ability to improve Children enjoy the fun and enthusiasm of physical exercise and discover children's potential.
Introduction: First, the product material: 1. PVC leather: rich colors, easy to tear, damage, easy to clean.
2. High load-bearing sponge: A new kind of sponge. Compared with ordinary sponges, the hardness can be greatly improved under the same density. Heavy bearing, not easily deformed.
3. New XPE: Antibacterial, comfort, advanced, safety (flameretardant, anti-bacterial, waterproof, moisture-proof, environmentally friendly, tasteless).
Second, the applicable population: 1-10 children. Third.
the matters needing attention: 1. Keep away from chemicals and fire sources, avoid contact with sharp objects;
2. Children should be accompanied by parents or teachers.

Children's Climbing Equipment (including stand)





Model	Product Name	Specification	Material
TQ2041	Children's Rock Climbing	180×180×100cm	Climbing Board: PVC Machine Weaving Cloth+ XPE+Special Plywood
TQ2040	Children Mesh Crawling	180×180×95cm	Crawl Mesh: PVC Machine Weaving Cloth+XPE+Plywood

Function: Strengthen children's physical flexibility, coordination, balance, agility, perseverance, etc. to promote children's physical and mental health, happy growth.
Introduction:
First, the product material: 1. PVC leather: rich colors, easy to tear, damage, easy to clean. 2. High loadbearing sponge: A new kind of sponge. Compared with ordinary sponges, the hardness can be greatly improved under the same density. Heavy bearing, not easily deformed.
3. New XPE: Antibacterial, comfort, advanced, safety (flame-retardant, antibacterial, waterproof, moisture-proof, environmentally friendly, tasteless).
Second, the applicable population: 1-10 children.
Third, the matters needing attention:
1. Keep away from chemicals and fire sources, avoid contact with sharp objects; 2. Children should be accompanied by parents or teachers.

Hexagon Mat (excluding cylinders)



Model	Product Name	Specification	Material
TQ4573	Hexagon Mat	Outer φ52 / Inner φ30×30cm	PVC Machine Weaving Cloth+High Load Sponge

Bow Mat



Model	Product Name	Specification	Material
TQ4552	Bow Mat	65×42×12.7cm	PVC Machine Weaving Cloth+Sponge

Pear-shaped Swing



Model	Product Name	Specification	Material
TQ4593	KD Pear-Shaped Swing	40×71cm	PVC Machine Weaving Cloth+High Load Sponge

Flat Mat



Model	Product Name	Specification	Material
TQ4553	Medium Flat Mat	104.5×41×9.5cm	PVC Machine Weaving Cloth+Sponge
TQ4571	Flat Mat	160×60×6cm	
TQ4591	KD Flat Mat	300×137×3.8cm	Soft Mesh Cloth+ Sponge
TQ4599	KD Floor Mat	304×145×20cm	PVC Machine Weaving Cloth+XPE+Sponge
TQ4627	KD Jumping Mat	200×75cm	PVC Machine Weaving Cloth+XPE
TQ4711	1600 Flat Mat	160×60×6cm	PVC Machine Weaving Cloth+Sponge
TQ4718	1800 Flat Mat	180×60×6cm	
TQ4729	Digital Jumping Mat	275×75×5cm	PVC Machine Weaving Cloth+XPE
TQ4740	1.2 Flat Mat	120×60×5cm	PVC Machine Weaving Cloth+Sponge
TQ4857	Custom Mat	30×15×2cm	PVC Machine Weaving Cloth+XPE+Sponge
TQ4900	Beacon Mat	260×47×9cm	PVC Machine Weaving Cloth+Sponge

Rainbow Mat





Model	Product Name	Specification	Material
TQ4615/1	Rainbow Mat	240×120×4cm	PVC Machine Weaving Loth+ XPE
TQ4558	816 Rainbow Mat	366×183×3.2cm	
TQ4779	815 Rainbow Mat	305×152×3.2cm	

Folding Pad





Model	Product Name	Specification	Material
TQ4560	NOVA462 Folding Mat	183×122×5.8cm	PVC Machine Weaving Cloth+XPE+ Black Sponge
TQ4567	NOVA482 Folding Mat	244×122×5.8cm	
TQ4636	NOVA512 Folding Mat	152.4×305×5.8cm	
TQ4637	NOVA612 Folding Mat	183×366×5.8cm	
TQ4561	T481 Folding Mat	244×122×3.2cm	PVC Machine Weaving Cloth+XPE
TQ4563	T482 Folding Mat	244×122×5cm	PVC Machine Weaving Cloth+ Compression Sponge
TQ4565	Sponge 462 Folding Mat	183×122×5cm	PVC Machine Weaving Cloth+ Light Sponge
TQ4566	Sponge 482 Folding Mat	244×122×5cm	
TQ4810	Sponge 512 Folding Mat	315×152.4×5cm	
TQ4796	823 Color Folding Mat	183×122×5cm	PVC Machine Weaving Cloth+ Compression Spong
TQ4579	824 Color Folding Mat	248×123.5×5cm	
TQ4585	A Folding Mat	124×61×5cm	
TQ4590	Two Folding Mat	244×153×15cm	PVC Machine Weaving Cloth+ Sponge
TQ4880	Triple Pad	183×183×4cm	

Model	Product Name	Specification	Material
TQ4881	Four Fold Mat One	183×244×4cm	PVC Machine Weaving Cloth+Sponge
TQ4882	Four Fold Mats	183×120×4cm	
TQ4604	KD Bi-fold Mat	182×153×20cm	PVC Machine Weaving Cloth+Sponge+XPE
TQ4592	KD Tri Folding Mat	366×240×10cm	
TQ4615	KD Four Folding Mat	244×120×3.5cm	PVC Machine Weaving Cloth+XPE
TQ4618	KD Six Folding Mat	366×183×3.5cm	
TQ4634	M511 Folding Mat	152.4×305×3.2cm	
TQ4635	M512 Folding Mat	152.4×305×5cm	PVC Machine Weaving Cloth+ Compression Sponge
TQ4633	M612 Folding Mat	183×366×5cm	
TQ4632	M611 Folding Mat	183×366×3.2cm	PVC Machine Weaving Cloth+XPE
TQ4644	M815 Folding Mat	305×152.4×3.2cm	
TQ4646	S-N202 Folding Mat	183×61×5cm	PVC Warp Knitted fabric+Light Body Sponge
TQ4855	Customized Four-fold Mat	300×150×6cm	PVC Machine Weaving Cloth+Sponge
TQ4871	Custom Six-fold Mat	140×360×5cm	PVC Machine Weaving Cloth+ Compression Sponge

Full Velcro Folding Mat



Model	Product Name	Specification	Material
TQ4818	Fully Velcro 461 Folding Mat	183×122×3.2cm	PVC Machine Weaving Loth+ XPE
TQ4562	Fully Velcro 481 Folding Mat	244×122×3.2cm	
TQ4564	Full Velcro 482 Folding Mat	244×122×5cm	PVC Machine Weaving Loth+ Compression Sponge
TQ4795	Full Velcro 511 Folding Mat	305×152.4×3.2cm	PVC Machine Weaving Loth+ XPE
TQ4557	Full Velcro 611 Folding Mat	366×183×3.2cm	
TQ4556	Full Velcro 612 Folding Mat	366×183×5cm	PVC Warp Knitted Fabric+ Compression Sponge
TQ4645	Full Velcro 815 Folding Mat	305×152.4×3.2cm	PVC Machine Weaving Loth+XPE
TQ4559	Full Velcro 816 Folding Mat	366×183×3.2cm	

Wall Protection Pad





Model	Product Name	Specification	Material
TQ4640	Wall Protection Pad	183×122×5cm	PVC Machine Weaving Loth+ XPE
TQ4641	Wall Protection Pad	244×122×5cm	
TQ4742	Wall Protection Pad	183×61×5cm	
TQ4743	Wall Protection Pad	183×61×4cm	



Floor Mat

Model	Product Name	Specification	Material
TQ4893	Floor Mat	200×100×4.7cm	Judo Leather+XPE+ Compression Sponge

TQ2560 Children's Gymnastics Mat Combination





Combination One



Model: TQ4754
Material: PVC warp knitted fabric + XPE+high-load bearing sponge

Combination Two



Model: TQ4756
Material: PVC warp knitted fabric + high-load bearing sponge

Combination Three



Model: TQ4757
Material: PVC warp knitting fabric + high-load bearing sponge + sponge

Combination Four



Model: TQ4758
Material: PVC warp knitted fabric + high-load bearing sponge

Combination Five



Model: TQ4759
Material: PVC warp knitting fabric + high-load bearing sponge + sponge

Combination Six



Model: TQ4760
Material: PVC warp knitted fabric + high-load bearing sponge

Combination Seven



Model: TQ4761
Material: PVC warp knitted fabric + high-load bearing sponge

Combination Nine



Model: TQ4764
Material: PVC warp knitted fabric + wood board + high load sponge + sponge + steel pipe + spring + mesh surface

Combination Eight



Model: TQ4763
Material: PVC warp knitting fabric + high-load bearing sponge + sponge

Combination Ten



Model: TQ4765
Material: PVC warp knitting fabric + high-load bearing sponge + sponge

Combination Eleven



Model: TQ4766
Material: PVC warp knitting fabric + high-load bearing sponge + sponge

Combination Twelve



Model: TQ4767
Material: PVC warp knitted fabric + high-load bearing sponge

Combination Thirteen



Model: TQ4768
Material: PVC warp knitting fabric + high-load bearing sponge + sponge

Combination Nineteen



Model: TQ4805
Material: PVC warp knitted fabric + high-load bearing sponge

Combination Fourteen

Model: TQ4770

Specifications: (the following parameters)

Model	Product Name	Specification	Material
TQ2578	Soft springboard	60×50×10/3cm	PVC Machine Weaving loth+ XPE+Sponge
TQ2579	Soft vault	120×90/40×120cm	PVC Machine Weaving Cloth+High Load Sponge
TQ2580	KL mat	200×150×20cm	PVC Machine Weaving loth+ XPE+Sponge



Balance Beam Combination




Model: TQ4721
Material: PVC warp knitting fabric + high-load bearing sponge + XPE + sponge

Sun Flower Combination



Model	Product name	Material
TQ4722	Sun Flower One	PVC Machine Weaving Cloth+High Load Sponge
TQ4723	Sun Flower Two	PVC Machine Weaving Cloth+High Load Sponge

Elephant (large)



Model: TQ4631
Specifications: 167.5 × 96 × 40cm
Material: PVC warp knitted fabric + high-load bearing sponge

Ball Pool



Model: TQ4814
Specifications: 400 × 400 × 80cm
Material: PVC warp knitted fabric + sponge

Folding Triangle

It is ideal for children to practice rolling and walking in the early days of learning gymnastics.

Telescopic Semi-cylinder

The bow surface is soft and can withstand several hours of strenuous exercise. The intermediate entity can be used alone to cultivate the self-confidence of the students.


Soft Vault

The firm and sturdy Velcro connection provides stability, enabling the 4-piece device to be used as a vault or jumper. A solid base and stability can be very beneficial to improve motor skills and beginner gymnastics.

Color Balls

The colored and interesting barrel structure is suitable for children of all ages. The colored ball can encourage children's creativity in the activity, and is an ideal choice to improve the balance and coordination of the human body. The single piece of equipment can achieve many different sensory effects.









Rainbow Mat

The mat includes a plurality of folds. The color of each surface layer is different. The mat is folded at every 60 centimeters.

Rock and Roll

Easy to use, economical, the design of this device enables children to increase their confidence.

Trampoline

Children are free to bounce on a trampoline and have good resilience. The periphery plays a good protective role when children bounce

Children's Soft Equipment Combination

Children can use a variety of mats to form a variety of combinations on top of a variety of games to increase the fun and innovative.

Note: (Specifications, colors can be customized according to customer requirements)



Ash Noble Series-Transparent Artboard



Model: TQW1-B01
Specifications: L84 × W30 × H125cm

Shoe Cabinet Leisure Chair Comprehensive Cabinet



Model: TQW1-B02
Specifications: L78 × W30 × H40cm

Ash Noble Series-6-box Cabinet



Model: TQW1-B03
Specifications: L78 × W30 × H56cm

Ash Noble Series-12 Compartment Schoolbag Cabinet



Model: TQW1-B04
Specifications: L120 × W30 × H81cm

Ash Noble Series-bookshelf



Model: TQW1-B05
Specifications: L78 × W30 × H79.5cm

Ash Noble Series-2-layer Corner Cabinet



Model: TQW1-B06
Specifications: L30 × W30 × H56cm

White Noble-interactive Hanger



Model: TQW1-B07
Specifications: L80 × W34 × H106cm

White Noble-molding Storage Cabinet A



Model: TQW1-B08
Specifications: L39 × W37 × H110cm

White Noble Chair



Model: TQW1-B09
Specifications: 28, 32, 32cm

White Noble Table



Model: TQW1-B10
Specifications: L120 × W60 × H50, 54, 58cm

White Noble-Five Compartment Cabinet



Model: TQW1-B11
Specifications: L103 × W37 × H83cm

White Noble-Four Lattice Low Cabinets



Model: TQW1-B12
Specifications: L103 × W37 × H45cm

Raw wood - Panda styling Chair (coloring)



Model: TQW2-Y01
Specifications: sitting height 27cm

Raw Wood - small Bear Styling Chair (painted)



Model: TQW2-Y02
Specifications: sitting height 29cm

Raw Wood Table for 6 Persons (painted)



Model: TQW2-Y03
Specifications: L120 × W60 × H48, 53, 56cm

Raw Wood-straight Fence



Model: TQW2-Y04
Specifications: L105 × W8 × H60cm

Raw Wood -curved Fence



Model: TQW2-Y05
Specifications: L92 × W22 × H60cm

Raw Wood-drawer Short Cabinet



Model: TQW2-Y06
Specifications: L60 × W30 × H81cm

Raw wood-bookcase (painted)



Model: TQW2-Y07
Specifications: L90 × W30 × H85cm

Raw Wood- model shoe cabinet



Model: TQW2-Y08
Specifications: L120 × W30 × H81cm

Raw Wood-leisure Cabinet (painted)



Model: TQW2-Y09
Specifications: L120 × W30 × H54cm



New Lisa Table for 6 Person



Model: TQW3-X01
Specifications: L120 × W60 × H38-60cm
Color: Aqua Blue, Mysterious Purple, Moss Green

Helen Chair



Model: TQW3-H03
Specifications: sitting height 25, 27, 29cm
Color: Aqua Blue, Mysterious Purple, Moss Green

New Porter 16 - compartment Shoe Cabinet



Model: TQW3-X02
Specifications: L100 × W34 × H60cm
Color: Khaki, Star Blue, Fruit Green

Highlander-plastic Table For 6 Person



Model: TQW3-H05
Specifications: L123 × W62 × H48, 52, 56cm
Color: red, yellow, blue, green, purple

Highlander-Plastic Chair



Model: TQW3-H04
Specifications: sitting height 26, 28, 30cm
Color: red, yellow, blue, green, purple

Lisa Lite-Blackboard



Model: TQW3-L07
Specifications: L100 × H60cm
Color: amber, deep sea blue, olive green



Classic Wooden Language-modeling Door C Type



Model: TQW3-J09
Specifications: L84 × H144cm

SpongeBob Shape Bookshelf




Model: TQW3-H06
Specifications: L60 × W75 × H60cm

Green Striped Carpet



Model: TQW3-L10
Specifications: L220 × W180cm

Giraffe Towel Rack



Model: TQW3-C08
Specifications: L120 × W40 × H88cm

Piglet Stainless Steel Tea Cup Holder




Model: TQW3-X15
Specifications: L72 × W27 × H134cm
Number of Tea Cups: 42

White Noble-european Bed



Model: TQW1-B13
Specifications: L140 × W66 × H57cm

Plastic Bed



Model: TQW1-S01
Specifications: L137 × W58 × H24cm

Car Modeling Bed



Model: TQW1-Q02
Specifications: L125 × W60 × H41cm
L140 × W60 × H41cm

Classic Wooden Language Baby Bed



Model: TQW1-J11
Specifications: L140 × W60 × H58cm

XPE Product Introduction

一. Introduction to XPE

XPE, also known as AEPE, is a chemical crosslinked polyethylene foam, it is made of low density polyethylene resin, crosslinking agent and foaming agent through continuous foaming at high temperature. Compared with EPE, the tensile strength is higher and the pore size is finer. XPE is an ideal material for automobile and air conditioning. In recent years, it has developed rapidly in the market of sports and leisure products, such as gymnastics mat, wrestling mat, surfboard, tidal mat, yoga mat, etc. It also has some use in architecture. Recently, it is widely used in automobile and packaging industry.

XPE products have excellent characteristics, high foaming rate, low density, thin thickness, smooth surface, high elasticity, high toughness, easy to secondary processing. XPE products are called pollution-free products by the advanced countries in the world. The production process of the products does not cause environmental pollution, the products are easy to be recycled, and the incineration does not cause serious air pollution. The advanced countries in the world require that only products packaged with XPE, EPE and EPP are allowed to be imported.

Our company introduces advanced equipment and technology from abroad, and produces XPE products with a maximum width of more than two meters. The products have smooth surface, even thickness and stable quality, which can meet the needs of various fields.






二、XPE performance index

XPE standard products

The standard rate	5	8	10	15	20	25	30	35
Maximum Width m	1.2	1.4	1.5	1.8	2.0	2.0	2.1	2.1
Thickness Range mm	3-5	3-8	3-13	3-15	3-15	3-16	3-17	3-17










三、Performance Index (operating temperature -40℃~80℃)

Item	Performance							
Foaming Multiple	5	10	15	20	25	30	35	40
Density, g / cm3	0.185± 0.020	0.095± 0.010	0.062± 0.010	0.046± 0.005	0.037± 0.005	0.033± 0.004	0.029± 0.003	0.025± 0.003
Longitudinal Tensile Strength, MPa ≥	1.60	0.90	0.70	0.45	0.30	0.25	0.20	0.15
Transverse Tensile Strength, MPa ≥	1.20	0.80	0.55	0.40	0.25	0.20	0.15	0.10
Longitudinal Elongation at Break,% ≥	190	160	140	120	100	80	70	60
Transverse Elongation at Break,% ≥	200	170	150	130	110	100	90	80
Longitudinal Tear Strength, N / cm ≥	35	25	18	14	10	8	7	6
Transverse Tear Strength, N / cm ≥	40	30	20	16	14	12	10	8
Compressive Strength (25%), MPa ≥	0.50	0.13	0.080	0.050	0.045	0.040	0.030	0.025
Compression Permanent Deformation (23 ° C), Compression 25%,% ≥	3.0	3.3	4.0	5.0	5.7	6.6	7.0	7.5
Thermal Conductivity (30 ° C), W / m · K≤	—	—	—	—	0.047	0.046	0.045	0.044
Heating Dimensional Change (70 ° C, h),%, Vertical / Horizontal ≤	-0.70/ -0.10	-0.08/ -0.20	-1.0/ -0.30	-1.3/ -0.40	-1.5/ -0.5	-1.7/ -0.7	-2.0/ -1.0	-2.2/ -1.2
Water Absorption, mg / cm ≤	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09









IXPE Introduction

四、IXPE Introduction


Radiation Crosslinked Polyolefin Foam (IXPE) production technology is the latest application of nuclear technology in the plastics industry. In the 1990s, the technology became more and more mature in the world and it was produced in Japan, the United States, South Korea and other countries. Because this technology does not produce three wastes and does not use Freon as a foaming agent, it is highly recommended as a high-tech and environmentally friendly production technology.

This enterprise is a science and technology research and development enterprise that takes the lead in absorbing and digesting foreign advanced technology, independently developing radiation cross-linked polyolefin foam membrane (IXPE) products and possessing independent intellectual property rights. After many years of improvement, it has realized the production process of special formulas, special equipment and special products, and successfully developed this series of products and realized industrial production. The technology is at the leading position in China and basically reaches the quality level of Japan and South Korea. Since then, the company has completed the complete set of product formulas, process technologies, and special equipment manufacturing technologies. The investment is only 1/10 of that of imported equipment, completely freed from the monopoly of foreign products, and greatly reduces the cost of domestic users. Rapidly expanding the application fields of domestic users; At the same time, it has actively participated in the competition in the international market. Due to its low cost, stable quality and high yield, it has achieved good market performance in the United States, Canada, Brazil, Australia, Saudi Arabia, and Germany. The domestic and foreign customer base is continuously expanding.


Thanks to the comprehensive control of the production technology of this product, the company can produce corresponding products of different specifications, different colors, different performances, and different characteristics (such as flame retardant and antistatic) according to the different requirements of customers, so as to meet the different needs of different customers.


IXPE Color


IXPE Sports Protection


Conductive Foam


Floor Moisture Pad


High-grade Packaging Materials


Antistatic Packaging


Crawling Mat


Foam Tape


Medical Supplies

五、IXPE Performance Index


IXPE Standard Products

Standard Magnification	8	10	15	20	25	30
Maximum Width m	1.05	1.1	1.25	1.35	1.5	1.5
Thickness Range mm	1-3	1-3.5	1.5-4.5	2-5	2-5.5	2-6


IXPE Gasket


IXPE Washer



IXPE Packaging Material



IXPE Packaging Material



Toolbox Positioning Package


IXPE Packaging Material


IXPE Foam


IXPE Muffler Foam


IXPE Coil


IXPE Coil


Foot Pad


Foam Tape


IXPE Mirror



IXPE Gear


六、Performance

Performance Index Operating Temperature -40℃ ~ 80 ℃

Item	Performance					
Foaming Multiple	5	10	15	20	25	30
Density, g / cm3	0.185±0.020	0.095±0.010	0.062±0.010	0.046±0.005	0.037±0.005	0.033±0.004
Longitudinal Tensile Strength, MPa ≥	2.00	1.30	0.80	0.65	0.50	0.35
Transverse Tensile Strength, MPa ≥	1.50	0.90	0.55	0.50	0.35	0.25
Longitudinal Elongation at Break,% ≥	220	200	170	165	150	140
Transverse Elongation at Break,% ≥	210	180	160	155	140	130
Longitudinal Tear Strength, N / cm ≥	90	40	33	22	20	15
Transverse Tear Strength, N / cm ≥	115	55	41	28	26	19
Compressive Strength (25%), MPa ≥	0.50	0.13	0.080	0.050	0.045	0.040
Compression Permanent Deformation 23℃, Compression 25%, % ≥	3.0	3.3	4.0	5.0	5.7	6.6
Thermal Conductivity (30 ° C), W / m · K≤	—	—	—	—	0.047	0.046
Heating Dimensional Change (70 ° C, h),%, Vertical / Horizontal ≤	-0.70/-0.10	-0.08/-0.20	-1.0/-0.30	-1.3/-0.40	-1.5/-0.5	-1.7/-0.7
Water Absorption, mg / cm ≤	0.02	0.03	0.04	0.05	0.06	0.07








Secondary Processing

七、XPE Secondary Processing


The secondary processing performance of XPE products is very good. It can use the substrate itself to be composited into various thickness sheets, or it can be combined with other materials into various composite materials, such as composites with metal materials such as steel plates and aluminum plates; it can also be combined with artificial leather. Non-metallic materials such as plastic films, aluminized films, woven fabrics, and paper sheets are composited into various composite materials, which makes XPE products more widely applicable.




Cover Leather Perforating Products



Color Printing Membrane




XPE Composite Steel Plate



XPE Embossed Aluminum Foil Moisture Pad



XPE Embossed Moisture Pad



XPE Embossed Moisture Pad




XPE Shaped Products



XPE Shaped Products




XPE Thermal Insulation Aluminum-plastic Composite Pipe




Thickened Product




Thickened Product



Thickened Product



XPE Composite Aluminum Film




Aluminum-clad Film



Grid-coated Aluminum Film

八、The Application of The Automotive Field

XPE / IXPE materials are widely used in the automotive industry. We are familiar with some automotive parts that are widely used in XPE/ IXPE materials, such as sunshades, dashboards, thermal mats, floor mats, floor mats, door panel protective materials, trunk mats, soft roofs, air conditioning insulation materials, waxing boxes, etc.








九、The application of Architecture












十、Application In Leisure and Sports

1、The wrestling mat in a wrestling competition is made of XPE material. Its' softness and pressure resistance feature ensure the safety of the athletes. In addition, the safety mats of Taekwondo and high jump sports are XPE or IXPE products.





2、XPE is an important material for the production of martial arts matss. It is worth mentioning that the first martial arts mat in China is produced by Taishan Group.





3、XPE various types of gymnastics mats not only ensure the safety of athletes, but also ensure that they do not affect the performance of athletes' technical movements.





4、Surfboards made of XPE high hardness materials are light in weight and high in hardness. They are widely used in the production of surfboards, snowboards, sandboards and other sports products.





5、The high-temperature, light-weight sports protective gear made of XPE materials provides safety protection for athletes in high-risk competitions such as motorcycle races.





6、The helmets in the softball game and rugby game and the protectors in all parts of the body contain XPE materials.





十一、Application In the Field of Leisure Products

1、XPE materials have soft features, as cushions and padding materials are widely used in large children's entertainment toys.





2、The climbing pad made of XPE coating film is designed to be collapsible, and the design of the concave and convex shape is anti-skid, and the texture is very soft.






3、XPE bags and moisture-proof MATS are necessary for outdoor travel and mountaineering.






4、XPE materials have soft features, and they are made of lightweight, portable, and various styles.





5、XPE is used as the box lining application in the tool bag to play the role of positioning tool, and it is also widely used in other packaging boxes, such as glasses boxes, etc.





6、XPE Disposable slippers made from XPE are encouraged for their convenience, comfort and non-pollution. The frisbee material used by children is also XPE.







十二、Application of Air Conditioning System

1、XPE and IXPE material insulation layer and insulation pipe are required in air conditioning equipment, and IXPE antistatic materials are also required.





2、 XPE and IXPE materials are used as an important insulation material for air duct insulation in central air-conditioning installation engineering.






十三、Application in Industrial and Building Insulation


1、XPE products play an important role in industrial thermal insulation, the most important of which is used as thermal pipe and heat exchange station insulation materials.




2、Home heating is generally applied to floor heating, and XPE and IXPE materials are also used as floor heating insulation materials.

3、XPE and IXPE are widely used in floor mat materials such as solid wood and composite flooring due to their special properties of moisture-proof, anti-bacterial, anti-mildew and excellent elasticity.


SHANDONG TAISHAN SPORTS EQUIPMENT CO., LTD.

M.P/Whatsapp: +86 13853479570

Mailboxes: peterzhang@taishansports.com

Web: www.taishansports.cn

Address: No. 1 Taishantiyu Road Leling City, Shandong Province. China

Focus Taishan Sports
Official Accounts

TaiShan
SINCE 1978

TAISHAN SPORTS | 2024

COMBAT SERIES

Taishan Sports

TaiShan Sports Brings Sports Enjoyment To The World

CATALOGUE

Shandong Taishan Sports Equipment Co.,Ltd



01 Taishan Sports

About Us 02
Company Info 03
Certifications 04

02 Combat Series

Judo 07
Wrestling 13
Karate 19
Taekwondo 23
Boxing 30
Wushu 39
Sanda 49
Weightlifting 59
More 69

03 Event Cases

Events 76
Cases Design 79

01

TAISHAN SPORTS

Abouts Us 02

Company Info 03

FIG Certifications 04



—— Abouts Us ——

One-stop Global Sports Solution Service

Zero Complaints

We have served more than 1,000 international and domestic top sports events including 6 Olympic Games and 3 Youth Olympic Games, with "Zero Complaints".

Zero Breakdowns

As the world's top event service provider, We take high product quality seriously and will settle for nothing less than equipment "Zero Breakdown".

Zero Faults

With "Zere Failure" service level and the value pursuitof "no small matters in game" in mind, we have buildthe world's leading sports brand.

—— Company Info ——





















As a world-famous sports equipment manufacturer and seller, Taishan Sports is now leading China’s sports industry. It has successfully served multiple major sports events, such as Olympic Games, Youth Olympic Games, Asian Games, FISU World University Games, and National Games, using its pioneering CD2S (Consult, Design, Supply, and Service) service model for major sports events. Credited as “an Olympic miracle” by the former IOC president Jacques Rogge, Taishan Sports’ high standard service with “Zero Faults, Zero Breakdowns, Zero Complaints” has made itself a proud national brand.

Entitled as National Sports Goods Engineering Technology Research Center, National Industrial Design Center, National Enterprise Technology Center, and Postdoctoral R&D Station, Taishan Sports is fully capable of conducting R&D of and testing on national level sports goods. With nearly 300 patents in hand, it has led and participated in setting over 60 domestic and international sports industry standards. More than 100 of its products have been certified by FIG, IJF, WT, UWW, WA, and IWUF, and its XPE multifunctional sports mats are listed on the China Torch Program. With all of its competitive gymnastic equipment certified by FIG, Taishan Sports has unprecedentedly adopted carbon fiber composite in production. At the same time, it continues to popularize gymnastic equipment and has come up with products for children and the elderly, creating “Taishan quality shared around the globe". Meanwhile, Taishan Sports is always insisting on continuous technological innovation and material upgrading in other fields.

—— Certifications ——

IJF





IBA



WKF





WT





UWW







IWUF







02

COMBAT SERIES

Judo	Wrestling	Karate
07-12	13-18	19-22
Taekwondo	Boxing	Wushu
23-29	30-38	39-48
Sanda	Weightlifting	More
49-58	59-68	69-74



Judo



Wrestling



Karate




Taekwondo



Boxing




Wushu



Sanda



Weightlifting


More

Judo

Combat Series






• Judo Tatami Mat (competition type)

Model: TQ1520D
Specifcation: 18000mm×18000mm×50mm; Competition area: 10000mm×10000mm;
Color: Red, yellow
Material: The surface layer is made from red or yellow PVC judo leather. The infill and the bottom layer are made from premium compressed foam with different densities. The foam's ability to absorb energy protects athletes from injury. The fiber board in the middle prevents thermal deformation. An anti-slip layer is on the bottom.








• Judo Platform

Model: TQ1262A
Specifcation: 38000mm×22000mm×800mm (can be customized)
Material: High quality welded steel tubes, multiply plywood.
Features: Constituted by multiple single platforms, level can be adjusted, easy to disassemble and install.











Judo Mat (training type)

- Model: TQ2520
  Specification: 18000mm×18000mm×50mm
  Material: The surface is yellow and red Judo leather (PVC polyvinyl chloride leather); The upper layer is high-quality compressed sponge which has good absorbing effect and can protect the athlete from hurting. The fibre board layer in the middle can prevent deformation brought by expansion and contraction. The lower layer is XPE foam material with good cushioning effect. The bottom XPE layer is embossed to achieve the purpose of anti-skid.





Judo Mat (training type)

- Model: TQ2511A (180x compressed sponge)
  TQ2511B (230x compressed sponge)
  Specification: 14000mm×14000mm×40mm
  Material: The surface is yellow and red Judo leather (PVC polyvinyl chloride leather); The upper layer is high-quality compressed sponge which has good absorbing effect and can protect the athlete from hurting. The fibre board layer in the middle can prevent deformation brought by expansion and contraction. The lower layer is compression sponge with good cushioning effect. There is a non-slip layer on the lower surface.



Roll Mat for Judo

- Model: TQ2821
  Specification: 14000mm×14000mm×50mm, the size can be customized according to the site, the color of the cushion can be customized.
  Description: Using new seamless hook & loop connection system with no obvious splicing gap. Good product performance and no need to use the frame to fix. Yellow and red PVC judo fabric is used on the upper surface to distinguish between the competition area and the protective area. The inner tube is made of environmental friendly XPE material. Using flame heat bonding process without glue components, which is safe and environmental friendly. The overall structure is stable, has good absorbing and cushioning effect, and can protect the athlete from hurting. There is a non-slip layer on the bottom with good anti-slip effect to ensure the overall stability of the site.





Judogi (competition type)

- Model: TQW0188
  Specification: 0#/1#/1.5#/……4.5#/5#
  Color: Blue / White
  Material: 70% cotton, 30% polyester, woven, 750 grams per square meter. One whole set includes tops, pants, and belts. Meets competition standard and can be used for international competition.

Judogi (training type)

- Model: TQW0188A
  Specification: 0#/1#/1.5#/……4.5#/5#
  Color: Blue / White
  Material: Material: 35% cotton, 65% polyester, woven, non-velvet, shrinkage ≤1%, 350 grams per square meter. One whole set includes top, Pants, belts. Meets training standard.



Judo Dummy

Model:	TQ2552A/1 (PVC Leather)	Specification:	20kg
	TQ2552A/2 (PVC Leather)		30kg
	TQ2552A/3 (PVC Leather)		40kg
	TQ2552A/4 (PVC Leather)		50kg
	TQ2552A/5 (PVC Leather)		60kg
	TQ2552A/6 (PVC Leather)		70kg
	TQ2552A/7 (PVC Leather)		80kg


- Material: Multiple specifications option, anti-wear surface layer, sewn sewing thread, excellent filling steel grit and broken sponges, better elasticity and longer service life.



Judo Traget

Model:	TQ2550/1 (Leather)	Specification:	20kg
	TQ2550/2 (Leather)		30kg
	TQ2550/3 (Leather)		40kg
	TQ2550/4 (Leather)		50kg
	TQ2550/5 (Leather)		60kg
	TQ2550/6 (Leather)		70kg
	TQ2550/A1 (PVC Leather)		20kg
	TQ2550/A2 (PVC Leather)		30kg
	TQ2550/A3 (PVC Leather)		40kg
	TQ2550/A4 (PVC Leather)		50kg
	TQ2550/A5 (PVC Leather)		60kg
	TQ2550/A6 (PVC Leather)		70kg

- Material: Multiple specifications option, anti-wear surface layer, sewn sewing thread, excellent filling steel grit and broken sponges, better elasticity and longer service life.



New Judo Frame

- Model: TQ1546
  Specification: 18000mm×18000mm, fiber reinforced plastics.

Judogi (children type)

- Model: TQW0188/1
  Specifcation: 80-120 cm
  Color: Blue / White
  Material: 100% cotton, woven, non-fleece, 400 grams per square mete. One whole set includes top, Pants, belts. Meets training standard.





Climbing Belt

- Model: TQ2555
  Specification: 5000mm×300mm
  Material: High-quality white cotton cloth (same material as judogi) to cover the hemp rope, Stainless steel safety buckle located on one end.
  Specification: Surface is comfortable and non-slip.

Referee Chair

- Model: TQW0388



Judogi Tester

- Model: TQW0387



Judo Scoreboard

- Model: TSF1001





Climbing Rope

- Model: TQ2554
  Specification: φ50×5000 mm
  Material: High-quality white cotton cloth (same material as judogi) to cover the hemp rope, Stainless steel safety buckle located on one end.
  Features: Surface is comfortable and non-slip.

Wrestling

Combat Series



- **Wrestling Mats (competition type, octagon)**

Model: TQ1533
Specification: 12000mm×12000mm×60mm
Material: The cover sheet is made of PVC woven fabric, using high-frequency heat-sealing process, and the flexible layer is heat-sealed structure of XPE, sponge, and two-faced plush cloth.



- **Wrestling Mats (competition type, square)**

Model: TQ1519A
Specifcation: 12000mm×12000mm×60mm


Model: TQ1519A/1
Specifcation: 10000mm×10000mm×60mm

Model: TQ1519A/2
Specifcation: 14000mm×14000mm×60mm

Model: TQ1519A/9
Specifcation: 12000mm×24000mm×60mm

Material: The cover sheet is made of PVC woven fabric, using high-frequency heat-sealing process, and the fexible layer is heat-sealed structure of XPE, sponge, and two-faced plush cloth.








- **Wrestling High Platform**

Model: TQ1265
Specification: 42000mm×12000mm×800mm (can be customized)

Model: TQ1265/1
Specification: 32000mm×16000mm×800mm (can be customized)

Material: High quality welded steel pipe, multilayer plywood.
Features: The high platform adopts unit structure, the horizontal direction can be adjusted, easy to disassemble and install, the specifcation can be customized according to customer requirements.







Seamless hook & loop connection system

The roller-shutter-style base

Wrestling Mat (Roll-up)

Model: TQ1519C (UWW approved)
Size: 1200cm×1200cm×5.4cm
Material: Leather+XPE+foam+XPE
Features: This roll-up wrestling mat is made of premium leather and flame-laminated, seamlessly bonded XPE and polyester foam. No adhesive is used in the making to ensure eco-friendliness. The structure of the mat gives it the best shock absorption with functions such as buffering, energy adjusting, supporting, and dent controlling. The lychee grain surface is anti-slip and can be wiped clean. XPE has prominent advantages in terms of durability, sun resistance, and impact resistance, and is chemically stable, hard to decompose, odorless, and elastic. The soft polyester foam has good breathability and shock absorption and is antioxidant and anti-tear. Comfort is guaranteed during training or competitions.



Wrestling Mats
(training type, square)

Model: TQ2505
Specifcation: 12000mm×12000mm×50mm
Material: The cover sheet is made of PVC woven fabric, using high-frequency heat-sealing process, and the fexible layer is heat-sealed structure of XPE and two-faced plush cloth.




Wrestling Mats
(training type, octagon)

Model: TQ2509
Specification: 12000mm×12000mm×50mm
Material: The cover sheet is made of PVC woven fabric, using high-frequency heat-sealing process, and the flexible layer is heat-sealed structure of XPE and two-faced plush cloth.

Referee Station

Model: TQ1270
Specification: 4000mm×4000mm×300mm
Material: High quality welded steel pipe, multilayer plywood.
Features: Adjustable horizontal direction, can be customized according to customer requirements.



Technical Officials Station

Model: TQ1269
Specification: 16000mm×4000mm×500mm
Material: High quality welded steel pipe, multilayer plywood.
Features: The horizontal direction can be adjusted, and the size can be customized according to customer requirements.



Chinese Wrestling Mats (square)

Model: TQ1599
Specification: 14000mm×14000mm×60mm
Material: The cover sheet is made of PVC woven fabric, using high-frequency heat-sealing process, and the flexible layer is heat-sealed structure of XPE, sponge and two-faced plush cloth.



Wrestling Dummy

- Model: TQ2552A/1 (PVC Leather) | Specification: 20kg
  TQ2552A/2 (PVC Leather) 30kg
  TQ2552A/3 (PVC Leather) 40kg
  TQ2552A/4 (PVC Leather) 50kg
  TQ2552A/5 (PVC Leather) 60kg
  TQ2552A/6 (PVC Leather) 70kg
  TQ2552A/7 (PVC Leather) 80kg

Material: Various specifications available. Anti-wear surface layer, precise sewing, filled with high quality steel sand and shredded sponge. Better elasticity and longer service life.



Wrestling Traget

- Model: TQ2550/1 (Leather) | Specification: 20kg
  TQ2550/2 (Leather) 30kg
  TQ2550/3 (Leather) 40kg
  TQ2550/4 (Leather) 50kg
  TQ2550/5 (Leather) 60kg
  TQ2550/6 (Leather) 70kg

  TQ2550/A1 (PVC Leather) 20kg
  TQ2550/A2 (PVC Leather) 30kg
  TQ2550/A3 (PVC Leather) 40kg
  TQ2550/A4 (PVC Leather) 50kg
  TQ2550/A5 (PVC Leather) 60kg
  TQ2550/A6 (PVC Leather) 70kg

Material: Various specifications available. Anti-wear surface layer, precise sewing, filled with high quality steel sand and shredded sponge. Better elasticity and longer service life.



Wrestling Shoes

- Model: TQW0187
  Specification: 35-45#
  Color: Red
  Features: Upgrade all-round sports experience, The shoes surface is formed by advanced all-in-one weaving technology, Greatly enhance the comfort and permeability of wearing; The insole adopts nanometer deodorization and waterproof technology to keep the shoes fresh and dry for a long time. The rubber sole adopts the anti-slip formula of wrestling shoes, which greatly enhances the grasping of the ground. The appearance is more trendy, leading the fashion trend of wrestling shoes.



Bulgarian bag

- Model: TQW0851
  Size: 59×40 cm
  Material: Space PU leather +PP cotton + iron sand.



Man Woman

Wrestling Costume

- Model: TQW0186
  Specification: S/M/L/XL/2XL/3XL/4XL
  Color: Blue / Red
  Material: 80% nylon, 20% spandex, meeting domestic competition requirements. There is a difference in style and design between men and women.



Weight-control Suit

- Model: TQW0054
  Specifcation: S/M/L/XL/2XL/3XL/4XL
  Color: Black / Silver
  Material: PU knitted transfer film, which is beneficial for athletes and obses people to lose weight.



Chinese Wrestling Suit

- Model: TQW0186/1
  Specification: S/M/L/XL/2XL
  Color: Red、blue、white
  Material: The outher layer of the jacket is 100% cutton and the inner layer neddle-stick and cross-stitch with each small grid being about 1cm. The trousers are made of 100% cutton. The jacket and the trousers can be worn inside-out.



Weighing Scale

- Model: TQW0066
  Specification: Maximum weight 200kg with readability of 0.01kg.




Wrestling Clock

- Model: TQ1268
  Specification: 636mm×550mm×1800mm
  Material: High-quality steel tubes. Standard casters with lock that hold the clock still when in use.

Karate

Combat Series




Karate Mats

Model: TQ1565
Specifcations: 12000mm×12000mm×20mm
Material: High-quality environmental friendly XPE .
Features: The mats consist of a competition area and a protection area, distinguished by two colors. The mats are comfortable to feet and have moderate elasticity. The straw-mat pattern on the surface is non-slip, which is conducive to athletes' performance.

Karate Mats

Model: TQ1566A
Specifcation: 12200mm×12200mm×20mm
Material: High-quality environmental friendly XPE .
Features: The mats consist of the competition area and the protection area, distinguished by two colors. The mats are comfortable to feet and have moderate elasticity. The diamond-shaped surface is non-slip, increasing the friction coefficient of the entire mats, which is more conducive to athletes' performance.





Karate Training Mats

Model: TQ2711
Specifcation: 12000mm×12000mm×30mm
Material: High-quality EVA Product
Features: One-step molding foam, interlocking design for fast installation, moderate elasticity, meeting the requirements of competition and training.





Karate Headguard

- Model: TSD1003
  Specifcation: S/M/L/XL/XXL
  Material: High-quality PU
  Features: The latest model, soft and comfortable lining, thickening treatment behind the head, integrated design, easy to wear, and better protection.



Karate Gloves

- Model: TSD1009A / TSD1009B
  Specifcation: S/M/L/XL/XXL
  Material: Microfbe/PU
  Features: One-piece design that protects the fist. The elastic band is strong and not easy to fall off. Precise sewing, good toughness, and tear resistance.



Man Groin Protector

- Model: TST1002A
  Specifcations: S/M/L/XL
  Material: High quality PU
  Features: Hard plastic infill. Made from highly elastic foam. Strong elastic band. Additional protection to lower abdomen.



Women Groin Protector

- Model: TST1001A
  Specifcations: S/M/L/XL
  Material: High quality PU
  Features: Highly elastic foam and strong elastic band. Additional protection to lower abdomen.



Hand Target

- Model: TSA2000
  Specifcations: 200mm×250mm×50mm
  Material: PU
  Features: High density compression foam, bending in line with the human hand shape, the center of the palm has a curved design, feel more comfortable.



Hand Target (monkey face)

- Model: TSA1022
  Specifcations: 200mm×250mm×50mm
  Material: PU
  Features: Made of high density EVA foam, PU leather surface, comfortable to hold the target, frm and frm like monkey face, the flling material of this product is fexible, light and durable.



Karate Competition Chest Protector

- Model: TQW22000009
  Specifcation: XS/S/M/L/XL
  Material: High quality elastic fabric, PP plastic product.



Karate Shin and Instep Guard

- Model: TSD2005
  Specifcations: S/M/L/XL
  Material: High quality PU
  Features: Matte PU surface, machine stitching, Polyurethane foam molding inner part.



Arc-shaped Foot Target

- Model: TSA1026
  Specifcations: 395mm×215mm×100mm
  Material: PU
  Features: Tear resistant and environmental friendly material. The hitting areas on the surface pass destructive test. Multi-seam, unique design, fexible use.



Karate Uniform

- Model: TSD1002
  Specifcations: 1# - 5#
  Material: 100% cotton
  Features: Good fabric, and mixed fast drying fiber and cotton. Can quickly expel heat and moisture after exercises. The lining fabric of the neckline and cuff feels good and is not sticky, improving the flexibility of the movement.



Karate Competition Chest Protector

- Model: TSD1001
  Specifcation: S/M/L/XL
  Material: High-quality PU
  Features: The latest style, made of rubber and plastic with high elastic foam. The back has a hook and loop design, making it easier to wear.




Foot Target

- Model: TSA1030
  Specifcations: S/M/L
  Material: PU
  Features: The built-in padding is made of EVA, which conforms to the nternational standard, and the surface is specially treated, which is non-slip, nondeformation and wear-resistant.The sound is clear and loud.

Taekwondo


Combat Series


World Taekwondo Federation



• Taekwondo Mats (new octagonal type)

Model: TQ1534
Specifcations: 12000mm×12000mm×25mm
Colors: Red, Blue/Yellow, Green/Blue, Green
Material: Storiform leather, XPE.
Features:
1. Elegant appearance with high-rate compound storiform leather. The competition area is 8000mm octagonal shape.
2. Flame heat sealing and water cutting process, it consists of 9 unit blocks, new seamless connection method, it's beautiful and easy to install. With comfortable feeling, good elasticity, it is excellent for athletes to exert their sports abilities.






• Taekwondo Training Mats (octagonal)

World Taekwondo Federation

Model: TQ1522
Specifcations: 12000mm×12000mm×25mm
Size/piece: 828×828mm
Colors: Red, Blue
Material: XPE
Features: Mainly used for taekwondo competition and training. It consists of competition and protection areas and are distinguished by two different colors.
Structure: Serrated lock.

Model: TQ2638
Specifcations: 12000mm×12000mm×25mm
Colors: Red, Blue
Material: EVA
Features: The feld consists of competition area and protection area and are distinguished by two different colors.With comfortable feeling, good elasticity, it is excellent for athletes to exert their sports abilities.




• Taekwondo High Platform

Model: TQ1278A
Specification: Competition area 8m×8m, competition venue 12m×12m
Overall dimensions: 14.07m×14.07m×0.6m
Material: high quality carbon steel, birch multi-layer board.
Features: With unit design and horizontal adjustable, it's easy to disassemble and install, customized size is acceptable.



Taekwondo Training Mats (square)



- Model: TQ2633
  Specifcations: 12000mm×12000mm×30mm
  Material: XPE

- Model: TQ2575
  Specifcations: 14000mm×14000mm×25mm
  The competition area consists of 144 pieces of mats (8000mm×8000mm).
  Colors: Red, Blue/Yellow, Blue
  Material: EVA

- Model: TQ2521
  Specifcations: 12000mm×12000mm×25mm
  The competition area consists of 144 pieces of mats (8000mm×8000mm).
  Colors: Red, Blue
  Material: EVA



Taekwondo Protection Set

- Model: TSE1012
  Descriptions: It includes one-step molding head guard, thickened chest protector, groin guard, elbow guard, leg guard and bag. With frst-class materials and craftsmanship, lightweight, sturdy and durable. Excellent protection performance and no negative effects on athletes make it one of the best protective products in the market.



Taekwondo One-forming Headguard

- Model: TSE1011
  Specifcations: 1#/2#/3#/4#/5#
  Material: With polyurethane CR sheet, one-step foaming craftsmanship.
  Features: Designed according to mechanical principles, soft and comfortable, excellent air permeability and deodorization, brilliant protection ability.



Taekwondo Competition Gloves

- Model: TSE1001
  Specifcations: S/M/L/XL/XXL
  Material: High quality PU
  Features: The quality is improved according to the WTF new rules and the air permeability and sweat absorbency are also greatly improved. Special process on the details of the palm of the glove makes it more comfortable to wear.



Taekwondo Competition Foot Cover

- Model: TSE1002
  Specifcations: S/M/L/XL/XXL
  Material: High quality PU
  Features: The quality is improved under the guidance of WTF new rules and the air permeability and sweat absorbency are also greatly improved. Special process on the details of the toe part of the foot cover makes it more comfortable to wear.



Taekwondo Elbow Guard

- Model: TSE1004
  Specifcations: 1#/2#/3#/4#/5#
  Material: High quality PU
  Features: With compressed polyurethane material flled inside, excellent protection, comfortable to use and it's quick to restore the original shape.



Taekwondo Leg Guard

- Model: TSE1005
  Specifcations: 1#/2#/3#/4#/5#
  Material: High quality PU
  Features: With compressed polyurethane material flled inside, excellent protection, comfortable to use and it's quick to restore the original shape.



Taekwondo Groin Guards for Male

- Model: TSE1003
  Specifcations: 1#/2#/3#/4#/5#
  Material: High quality PU
  Features: With compressed polyurethane material flled inside, excellent protection, comfortable to use and it's quick to restore the original shape.



Taekwondo Groin Guards for Female

- Model: TSE1003A
  Specifcations: 1#/2#/3#/4#/5#
  Material: High quality PU
  Features: With compressed polyurethane material flled inside, excellent protection, comfortable to use and it's quick to restore the original shape.



Taekwondo Chest Protector

- Model: TSE1000
  Specifcations: 1#/2#/3#/4#/5#
  Material: High quality PU
  Features: High quality PU and compressed polyurethane material filling inside, with excellent protection, which is comfortable to use quick to restore the original shape.



Handguard Taekwondo Arc Target

- Model: TSE1034
  Specifcation: 420mm×250mm×50mm
  Material: PU
  Features: Polyethylene foam, compressed sponge inner core, with excellent protection, which is comfortable to use, quick to restore the original shape.



Taekwondo Shoes

- Model: TSE1019
  Specifcation: 34# - 45#
  Features: The upper is reinforced with material, which is more protective, more durable, and it can effectively protect toes. Beef tendon soles are lighter, harder and more breathable, which can protect the feet from dryness at higher temperatures.



Imitation Leather Breast Target

- Model: TSE1018
  Specifcation: 500mm×400mm×100mm
  Material: PU + High-density canvas
  Features: Economical and practical, lightweight and durable.



Arc Target

- Model: TSA1017
  Specifcation: 650mm×450mm×100mm
  Material: PU
  Features: The target is curved design, with imitation leather jacket and EVA inner core, the whole body is full, with good impact effect.

Hand Target

- Model: TSE1015
  Specifcation: 380mm×180mm
  Material: PU
  Features: The target surface of high-quality material with high quality filler is not only lightweight, but also durable. The design of the target body can bring about an effective improvement in feel and striking. The function, materials, design and appearance of this product refect the professional brand style. The target is suitable for daily training and it's an indispensable tool for Taekwondo pratice.





WORLD TAEKWONDO
World
Taekwondo Federation

Taishan Competition Uniform

- Model: TQW0876
  Uniform Fabric: Polyester





Taishan Competition Uniform

- Model: TSE1020A
  Uniform Fabric: Polyester



Taishan Competition Uniform

- Model: TQW0872
  Uniform Fabric: Polyester








Taishan High-ranked Uniform

TSE1027	Product with'WTF'
TSE1030	Product with DuPont Fabric

- Product Features: Polyester, same for men and women. Those above 7 dan grade are High-ranked. Top is yellow cardigan, with a'y-shaped' black collar, and dark blue pants.
- The material for all high-ranked uniform:



Taishan Uniform for Black Blet

TSE1026	Product with'WTF'
TSE1029	Product with Dopont Fabric

- Product Features: Polyester-cotton, different for men and women.
- Men: Top is white cardigan with a'y-shaped' black collar, pants are navy blue.





- Women: Top is white cardigan with a'y-shaped' black collar, pants are gray-blue.





Taishan Uniform for Black Belt Under 16


TSE1023	Product With Striped Jacquard
TSE1025	Product With'WTF'

- Product Features: All polyester, different for men and women.
- Men: Top is white cardigan with a'y-shaped' black and red collar, pants are light blue.





- Women: Top is white cardigan with a'y-shaped' black collar, pants are true red.





Boxing

Combat Series

- **Competition Boxing Ring**

Model: TQ1251

Specifcations: 7800mm×7800mm×2442mm (Platform height: 1000mm)

Material: PU, PVC warp knitted fabric, sponge, canvas, high-load bearing sponge, XPE, high-quality carbon structural steel, birch multilayer board, etc.


Features: Certified by AIBA, the overall performance is stable and reliable. It adopts high-quality metal rectangular tube frame structure, with multi-layer board, fexible layer, cover sheet. Won the praise of professional athletes in many competitions.

① The high platform is mainly composed of columns, supporting beams and wooden boards: the main materials of the frame and columns are steel rectangular tubes; the main material of the wooden board assembly is birch multi- layer boards. The high platform adopts the U-clip wrap connection method, which has a frm and reliable connection and a beautiful appearance;

② Comfortable feet, good elasticity,which is good for athletes to play;

③ Non-slip, good load capacity;

④ Easy installation and removal.







Boxing Ring for Training

- 5-meter Boxing Ring
  Model: TQ2252/2
  Specifcations: 5000×5000×1942 mm (Platform height: 500mm)

- 6-meter Boxing Ring
  Model: TQ2252
  Specifcations: 6000×6000×2442 mm (Platform height: 1000mm)

- 7-meter Boxing Ring
  Model: TQ2252/1
  Specifcations: 7000×7000×2442 mm (Platform height: 1000mm)

- Material: PU,PVC warp knitted fabric, sponge, canvas, high-load bearing sponge, XPE, high-quality carbon structural steel, birch multilay er board, etc.
  Features:
  ① The high platform is mainly composed of columns, supporting beams and wooden boards: the main materials of the frame and columns are steel rectangular tubes; the main material of the wooden board assembly is birch multi-layer boards. The high platform adopts the U-clip wrap connection method, which has a frm and reliable connection and a beautiful appearance;
  ② Comfortable feet, good elasticity, which is good for athletes to play;
  ③ Non-slip, good load capacity;
  ④ Easy installation and removal.



Floor Boxing Ring

- 5m Floor Boxing Ring
  Model: TQ2309
  Specifcation: 5000 ×5000 ×1482 mm

- 6m Floor Boxing Ring
  Model: TQ2309/1
  Specifcation: 6000 ×6000 ×1482 mm

- Material: PU cloth, sponge, high bearing sponge, XPE, high-quality carbon steel.
  Features:
  ① Excellent protection performance, good antiskid, not easy to deform, durable, grand and decent, environmental materials, excellent processing technology;
  ② It is made of high-quality materials, combined frame, easy to disassemble and transport. The ropes around it are made of steel wire, foam pipe, PU leather and other materials, which are strong and beautiful;
  ③ Surface treatment: all metal parts are pickled and phosphated, and then shot blasting and sprayed. The automatic powder electrostatic spraying equipment is adopted. The coating has good weathering resistance, high impact strength, stable quality of metal coating, excellent acid and alkali resistance, moisture and heat resistance, anti-aging and so on.



Competition Boxing Helmet (leather)

- Model: TSA1001
  Specifcation: S/M/L/XL
  Material: The surface layer is selected frst layer of cowhide, the inner stuffer is made of latex, EVA, sponge, etc;
  Features: The selected frst layer of cowhide is delicate; comfortable, light, strong protective performance; breathable design, the top of the helmet can be adjusted to make wearing comfortable; super strong Velcro, the number of times of bonding can be more than 5000, more durable, more solid bonding; the thickening treatment of the back part can provide the most professional protection.



Training Boxing Helmet (PU)

- Model: TSA1001A
  Specifcation: S/M/L/XL
  Material: The surface layer is selected high-quality PU, the inner stuffer is made of foaming rubber;
  Features: The selected high-quality PU is delicate; comfortable, light, strong protective performance; breathable design, the top of the helmet can be adjusted to make wearing comfortable; super strong Velcro, the number of times of bonding can be more than 5000, more durable, more solid bonding; the thickening treatment of the back part can provide the most professional protection.



Competition Boxing Gloves (leather)

- Model: TSA1002-02 TSA1002-03
  Specifcation: 10oz 12oz
  Material: The surface layer is selected frst layer of cowhide, the inner stuffer is made of latex, EVA, sponge, etc;
  Features: The selected first layer of cowhide is delicate, so that the gloves can form a natural and perfect arc, and provide the most meticulous protection when clenching; the leather folds are neat and uniform, with a strong three-dimensional sense; super strong Velcro, the number of times of bonding can reach more than 5000; the thumb and the glove itself are tightly attached, effectively preventing the injury when using swing punch.



Training Boxing Gloves

Model (PU)	Specification	Model (microfiber)	Specification
TSA1002A-01	8oz	TSA1002B-01	8oz
TSA1002A-02	10oz	TSA1002B-02	10oz
TSA1002A-03	12oz	TSA1002B-03	12oz
TSA1002A-04	14oz	TSA1002B-04	14oz

  Material: The surface layer is selected high-quality PU, one stop molding of foaming rubber.
  Features: The selected high-quality PU is delicate, so that the gloves can form a natural and perfect arc, and provide the most meticulous protection when clenching; the leather folds are neat and uniform, with a strong three-dimensional sense; super strong Velcro, the number of times of bonding can reach more than 5000; the thumb and the glove itself are tightly attached, effectively preventing the injury when using swing punch.



Groin Guard for Men

- Model: TST1002
  Specifcation: S/M/L/XL
  Material: High-quality PU
  Features: Hard plastic inner stuffer, made of high elastic foam, strong elastic band, especially increase the protection of the lower abdomen.



Groin Guard For Women

- Model: TST1001
  Specifcation: S/M/L/XL
  Material: High-quality PU
  Features: Larger protection area, made of high elastic foam, strong elastic band. Especially increase the protection of the lower abdomen, suitable for daily training and competition.



Mouth Guard

- Model: TSA2017
  Specifcation: Average size
  Material: Edible silica gel
  Features: Made of edible silica gel, healthy and environmentally friendly, and can be used at ease. Tooth guard can make our teeth get the best protection when impacted. What's more, it can form a shock absorption effect in the mouth and help to reduce most of the shock force when impacted.



Boxing Shoes

- Model: TSA2016
  Specifcation: 36#-45#
  Material: Flyknit
  Features: Comprehensive sports experience upgrading; the vamp adopts flyknit and fusing technology to make the vamp more integrated and enhance the comfort of wearing and breathability; the lace binding system adopts fying wire technology to make the vamp more fit the foot surface and reduce the energy loss caused by frequent movement of the foot in the shoe; the insole and interior adopt nano odor proof and waterproof technology to keep the inside of the shoe long time dry; the sole rubber adopts the antiskid formula of wrestling shoes, the grip is greatly enhanced; the appearance is updated.



Boxing Uniform

- Model: TSA2008
  Specifcation: S/M/L/XL/2XL/3XL/4XL
  Material: Knitted fabric
  Features: The cutting structure of the clothing is scientifically designed, the knitted fabric is moistureabsorbing and sweat-wicking, and the air permeability is good. The texture of the material is upgraded to make it more comfortable to wear, and the movement is unimpeded; the men's and women's styles are designed differently



Column Tumbler

- Model (PU) | Specification | Model (PU) | Specification

TS4203B1-01	80kg 1700mm	TS4205B1-01	80kg 1700mm
TS4203B1-02	100kg 1700mm	TS4205B1-02	100kg 1700mm

Features: The base is made of pure cast iron, rubber coated. No noise and no damage to the foor. The steel sleeve plug-in connection mechanism is adopted between the base and sandbag. Suitable for dodge training.



Speed Ball Rack

- Model: TQ2288/1
  Specifcation: 700mm×600mm×430mm
  Material: Steel, birch multilayer board
  Features: This product is an auxiliary training equipment fixed on the wall. The steel frame is firm, with a rotatable bearing. It's used by the user for speed exercise.



Simple Lifting Speed Ball Rack

- Model: TQ2288
  Specifcation: 835mm×600mm×710mm (height of track)
  Material: Steel, birch multilayer board
  Features: This product is an auxiliary training equipment. Easy to install, height adjustable, can be used for people of different height.



Gauze

- Model: TQW0184.01
  Size: 5cm × 10m, 5cm × 15m
  Made from 100% Cotton yarn, soft and comfortable mesh gauze . Keeps the knuckle area protected from any shock when punching.



Tape

- Model: LQ36
  Color: White
  Size: 1.25cm × 13m, 2.5cm × 13m
  Made of high quality super sticky adhesive material.



Multifunctional Training Station

- Model: TQ2289
  Specifcation: 2736mm×2736mm×2600mm
  Material: Carbon structural steel
  Features: This product is a multifunctional comprehensive boxing trainer integrating sandbags (4 pieces), pear ball, wall target and boxing speed ball. It covers a small area and does not need to be fixed. Users can disassemble and adjust the boxing trainer according to their own needs, making it more flexible to use.



Multifunctional Rotary Training Station

- Model: TQ2291
  Specifcation: 3900mm×3900mm×2695mm
  Material: Carbon structural steel
  Features: This product is a multi-functional comprehensive training device which integrates sandbags, pear balls and wall targets. It covers a small area, does not need to be fixed, and the sandbags can rotate around the column. Users can adjust the position according to their own needs, use more flexible, suitable for indoor exercise, can effectively enhance the muscle's explosive force and reaction speed.



Boxing Punching Bag

- Model: TQ2543
  Specification: 50kg, 1300×φ400mm, with cross pylon.
- Model: TQ2545
  Specification: 50kg, 1400×φ450mm, with cross pylon.
- Model: TQ2542
  Specifications: 50kg, 1200×φ350mm, without cross pylon.
- Model: TQ2775
  Specification: 45KG, 1600×φ450mm, without cross pylon.
- Features: The weight can be customized, 20kg-100kg, increasing by multiple of 5kg. Available in black and blue. Cross pylon optional.



Boxing Pear Shape Sandbag

- Model: TSA2005
  Specifcation: 900mm, weight: 50kg
  Material: High-quality PU
  Features: Equipped with special rotator, high elastic foam layer, rubber cloth core.



Human Shape Tumbler

- Model(PU): TS4204B1-01 Specifcation: 80kg 1800mm
  TS4204B1-02 100kg 1800mm
- Model(microfiber): Specifcation: 80kg 1800mm
  TS4206B1-01 100kg 1800mm
  TS4206B1-02
- Features: The base is made of pure cast iron, rubber coated. No noise and no damage to the foor. The steel sleeve plug-in connection mechanism is adopted between the base and sandbag. This tumbler can stimulate the regular swing of human body, suitable for dodge training.



Hand Target

- Model: TSA2000
  Specifcations: 200mm×250mm×50mm
  Material: PU
  Features: High density compression foam, bending in line with the human hand shape, the center of the palm has a curved design, feel more comfortable.



Lengthened Hand Target

- Model: TSA1027
  Specifcation:Average size
  Material: PU
  Features: New lengthened type with superior materials, high elastic EVA flling.



Boxing Speed Ball

- Model: TSA2009
  Specifcations: 210mm×210mm
  Material: PU
  Features: New design with simple hook, it's easy to install. high-elastic rope makes a faster rebound, wear resistant, not easy to fall off, it's suitable for professional athletes and amateurs.



Multifunctional Boxing Target

- Model: TSA1028A/TSA1028B
  Specifcations: 1000mm×1500mm×2200mm
  Material: Steel plate stytle / Floor type
  Features: It can greatly improve the reaction capacity and action fluency in the movement, and strike ability and acceleration of the boxing combination.



Arc-shaped Foot Target

- Model: TSA1026
  Specifcations: 395mm×215mm×100mm
  Material: PU
  Features: Tear resistance and environmental friendly material, with destructive test on the punching surface, unique design with multiple stitching, it's flexible to use.



Arc-shaped Target

- Model: TSA1017
  Specifcations: 650mm×450mm×100mm
  Material: PU
  Features: Arc-shaped design, with imitation leather and EVA filling, and it's solid and good for punching.



Iran Target

- Model: TSA1016
  Specifications: 450mm x 250mm x 100mm
  Material: PU
  Features: New type target, it's flexible to use and it's suitable for Taekwondo gymnasium and its amateurs.



Hand Target (monkey face)

- Model: TSA1022
  Specifcations: 200mm×250mm×50mm
  Material: PU
  Features: Made of high density EVA foam, PU leather surface, comfortable to hold the target, firm monkey face shape, the filling material of this product is flexible, light and durable.



Training Stick Target

- Model: TSA1025
  Specifcations: 560mm×60mm
  Features: One-step molding, elastic EVA, with destructive test on the punching surface, velcro fastening, good hand feeling with no sliding, sophisticated stitching, and durable.



Multifunctional Wall Target

- Model: TSA1023
  Specifcation: 700mm×400mm×300mm
  Material: PU
  Features: With steel-frame structure and EVA filled inside, it's suitable for practising hooks, straight punches and swings.



Rosin Box

- Model: TQ2267
  Specifcations: 450mm×450mm×50mm
  Materials: Pinewood board and brich sandwich plate.
  Features: It's skid resistance for the athletes to apply rosin or magnesium powder to the sole of their feet.



Hand-wrap

- Model: TQW0183.01-01
  Specifcation: 2500-4500mm, wide 57mm
  Features: Good air permeability, soft and comfortable, with convenient nylon self-adhesive design, it can effectively avoid injury during fight sports and training, and make athletes perform better.



Skipping Rope

- Model: TSA2003
  Specifcations: 3000mm
  Material: Rubber
  Features: With spindle and foam sponge in the handle.





Backpack for Protective Gear

- Model: TSA2004
  Material: High-density Oxford
  Features: Can accommodate a variety of protective gear, training supplies, drawstring design, fne workmanship, convenient and fast, simple and elegant design, ideal backpack or training.

Wushu Taolu

Combat Series










- **Competition Wushu Carpet**


Model: TQ1516
Specifcation: 12000mm×18000mm×90mm
Competition Area: 8000mm×14000mm
Material: XPE, multilayer board and carpet.
Features: The surface color is uniform. No electrostatic induction occurs after friction and no obvious deformation occurs after being pressed.
Note: This product has been patented. International Wushu Federation and Chinese Wushu Association Approved.















Wushu Carpet

- Model: TQ2571
  Specifcation: 10000mm×16000mm×90mm
  Competition Area: 8000mm×14000mm
  Material: XPE, multilayer board and carpet.
  Features: The color of surface carpet is uniform. No electrostatic induction occurs after friction and no obvious deformation occurs after being pressed.
  Note: This product has been patented.



Xiangzi Sword (short-weapon) Field

- Model: TQ1597
  Specification: 12*12m*0.015m
  Material: Leather heat bonded XPE
  Features: The site is composed of seven units through seamless lap splicing, splicing tightly, no obvious seams. Each unit consists of the surface PVC leather and the bottom XPE flame heat bonded together, the bottom adopts the water cutting process, easy to roll up and store.



Taichi Push-hands Field

- Model: TQ1587
  Specification: 12*12m*0.03m
  Material: Leather heat bonded XPE
  Features: The site is composed of seven units through seamless lap splicing, splicing tightly, no obvious seams. Each unit consists of the surface PVC leather and the bottom XPE flame heat bonded together, the bottom adopts the water cutting process, easy to roll up and store.



Juvenile Wushu Field

- Model: TQ2624
  Specifcation: 16000mm×10000mm×30mm
  Competition area： 8000mm×14000mm
  Flexible layer: XPE heat bonded carpet.
  Material: XPE, carpet
  Features: The product is made from water cut flexible coil layer. It can be easily rolled up, stored, installed, disassemble, and trasported.



Juvenile Wushu Field II

- Model: TQ2624/1
  Specifcation: 16000mm×10000mm×40mm
  Competition area： 8000mm×14000mm
  Carpet： 10000mm×16000mm
  Flexible layer: XPE fame bonded carpet.
  Material: XPE, carpet
  Features: The site is mainly composed of water-cut roll flexible layer and martial arts carpet. The surface carpet has uniform color and uniform, no obvious color difference, no static electricity after friction, and no obvious deformation after the blanket is pressed.



Competition Daoshu (boardsword)

- Model: TSH1001
  Specifcation: Men: M1, M2, M3, M4, M5, M6, M7, M8, M9
  Women: F1, F2, F3, F4, F5, F6, F7, F8, F9
  Material: Blade of manganese steel, stainless steel handle.
  Features: Used for Wushu Taolu Daoshu competition and training.



Competition Daoshu (boardsword)

- Model: TSH1002
  Specifcation: Men: M1, M2, M3, M4, M5, M6, M7, M8, M9
  Women: F1, F2, F3, F4, F5, F6, F7, F8, F9
  Material: Blade of manganese steel, stainless steel handle.
  Features: Used for Wushu Taolu Daoshu competition and training.




Performing Double Sword

- Model: TSH1003
  Specification: 500mm, 520mm, 540mm, 560mm, 580mm,600mm, 620mm, 640mm, 660mm, 680mm, 700mm
  Material: Blade of manganese steel, wooden handle.
  Features: Used for Wushu Taolu Sword competition and training.



Performing Double Boardsword

- Model: TSH1004
  Specification: 500mm, 520mm, 540mm, 560mm, 580mm, 600mm, 620mm, 640mm, 660mm, 680mm, 700mm
  Material: Blade of Manganese steel, wooden handle.
  Features: Used for Wushu Taolu boardsword training and competition.



Nandao (southern sword)

- Model: TSH1008B
  Specifcation: 480mm, 500mm
  Material: Blade of aluminum alloy, wooden handle.
  Features: Used for Wushu Taolu Daoshu training and competition.



Competition Gunshu (stick)

- Model: TSH1009
  Specifcation:
  Men: 1550mm, 1600mm, 1650mm, 1700mm, 1750mm, 1800mm
  Women: 1500mm, 1550mm, 1600mm, 1650mm, 1700mm
  Material: Made of glass fiber, straight stick body. Printed pattern: double dragon for Men type, and double phoenix for Woman type. Little thinner on the top end, matte surface treatment provides rough feeling and increase grasping friction for the player.
  Features: Used for competition.



Double Boardsword for Face-to-face Training

- Model: TSH1010
  Specifcation: 480mm, 500mm
  Material: Aluminum alloy
  Features: Used for training.



Performing Daoshu (boardsword)

- Model: TSH1005
  Specifcation: 560mm, 580mm, 600mm, 620mm, 640mm, 660mm, 680mm, 700mm, 720mm, 740mm, 760mm, 780mm, 800mm
  Material: Blade of manganese steel, wooden handle.
  Features: Used for Wushu Taolu Daoshu competition and training.



Performing Jianshu (sword)

- Model: TSH1006
  Specifcation: 560mm, 580mm, 600mm, 620mm, 640mm, 660mm, 680mm, 700mm, 720mm, 740mm, 760mm, 780mm, 800mm
  Material: Blade of manganese steel, wooden handle.
  Features: Used for Wushu Taolu Jianshu training.



Competition Nandao (boardsword)

- Model: TSH1008
  Specifcation: 560mm, 580mm, 600mm, 620mm, 640mm, 660mm, 680mm, 700mm, 720mm, 740mm, 760mm
  Material: Blade of manganese steel,
  Features: Used for Wushu Taolu Nandao competition and training.



Podao

- Model: TSH1011
  Specifcation: 1550mm, 1600mm, 1650mm, 1700mm, 1750mm, 1800mm
  Material: Aluminum alloy, integrated.
  Features: Used for Wushu Taolu Daoshu competition and training.



Competition Qiangshu (spear)

- Model: TSH1012
  Specifcation: 1550mm, 1600mm, 1650mm, 1700mm, 1750mm, 1800mm
  Material: Aluminum alloy, integrated.
  Features: Used for Wushu Taolu competition and training.



Duilian Qiang
(spear for face-to-face training)

- Model: TSH1012A
  Specifcation: 1550mm, 1600mm, 1650mm, 1700mm, 1750mm, 1800mm
  Material: Aluminum alloy, integrated.
  Features: Used for training.



Chunqiu Boardsword

- Model: TSH1007
  Specifcation: 1600mm, 1650mm, 1700mm, 1750mm, 1800mm
  Material: Aluminum alloy, consists of several units.
  Features: Used for Wushu Taolu training and competition.



Nanquan Suit

- Model: TSH1017
  Specifcation: XS-3XL
  Color: black, white, pink, red, royalblue, rose red, light blue.
  Material: Spinning, silk



Taichi Suit

- Model: TSH1015
  Specifcation: XS-3XL
  Color: Black, white, pink, red, royalblue, rose red, light blue.
  Category: Competition, General



Training Suit (short sleeve)

- Model: TSH1018
  Specifcation: XS-3XL
  Color: white, red, black, yellow



Changquan Suit

- Model: TSH1016
  Specifcation: XS-3XL
  Color: black, white, pink, red, royalblue, rose red, light blue



Training Suit (long sleeve)

- Model: TSH1019
  Specifcation: XS-3XL
  Color: white, red, black, yellow

Training Pants

- Model: TSH1020
  Specifcation: XS-3XL
  Color: white, red, black, yellow





Magnesium Powder Box

- Model: TQW0049
  Specifcation: 900mm
  Material: Painted iron base, glass reinforced plastic box
  Features: For magnesium powder



Wushu Shoes

- Model: TSH1013



Magnesium Powder Box (with wheel)

- Model: TQ2268
  Specifcation: 454×460×(850-1050) mm
  Material: High quality metal pipe, glass reinforced plastic box
  Features:Adjustable height, with wheel, easy to move.



Taichi Shoes

- Model: TSH1014



Rack

- Model: TQ2286
  Specifcation:1200mm×500mm×1000mm
  Material: High quality birch plywood
  Features: Can be used for placing weapons, high quality and durable.

Sanda

Combat Series



- **Sanda Platform**

Model: TQ1272
Specifcations: 8000mm×8000mm×800mm
Features: Adopts high quality metal rectangular tube frame structure, the frame is laid with multi-layer board, flexible layer, cover sheet. There is a cushion on the back of the board, and the overall performance is stable and reliable. There are protective pads around the table, the frame is a combined steel pipe structure, all using standard fasteners, spray treatment. The frame is covered with 25mm thick planks, silenced. The flexible layer consists of a 2m×1m double-sided XPE mat with red flannelette. Countertop cover is space leather, anti-slip and easy to clean.

Note: Used in the 9th World Wushu Championships and the Sanda competitions of 2008 Beijing Olympic Games. This model is a ring model and does not include the surrounding protective pad.



- **Sanda Training Mat**

Model: TQ2572
Specifcation: 8000mm×8000mm×60mm
Material: Cover sheet is space leather +PVC machine woven fabric. Flexible layer for PVC machine woven fabric +XPE. Pad cover is rubber surface non-slip can be cleaned PVC leather. The pad core is XPE.

Features: This product is used for sanda training or competition.





Sanda Gloves (velcro)

Model (microfiber)	Specification	Model (PU)	Specification
TS8303A1-01	8oz	TS8303A2-01	8oz
TS8303A1-02	10oz	TS8303A2-02	10oz
TS8303A1-03	12oz	TS8303A2-03	12oz

Features: For competition.



Sanda Gloves (lace-up)

Model (microfiber)	Specification	Model (PU)	Specification
TS8303B1-01	8oz	TS8303B2-01	8oz
TS8303B1-02	10oz	TS8303B2-02	10oz
TS8303B1-03	12oz	TS8303B2-03	12oz

Features: For training in competition.



Sanda Gloves (semi-fnger)

- Model: TS8303C1 / TS8303C2
  Material: Microfber / PU
  Features: Standard type



Sanda Chest Protector (man)

- Model: TQC1001A1 / TQC1001A2
  Specifcations: S/M/L/XL/XXL
  Material: Microfber / PU
  Features: New material, light weight, good protection effect.



Sanda Chest Protector (woman)

- Model: TQC1001B1 / TQC1001B2
  Specifcations: S/M/L/XL
  Material: Microfber / PU
  Features: New material, light weight, good protection effect.



Sanda Head Guard

- Model: TQC1003A/ TQC1003B
  Specifcations: S/M/L/XL/XXL
  Material: Microfber / PU
  Features: One-stop rubber and plastic foam molding, thickened treatment on head back, the size of the head circumference can be adjusted freely to provide the most professional protection.



Smart Headguard

- Model: TQW0853
  Skin: PU
  Chip: force sensing chip, area sensing chip
  Transmitter: Module design
  Power supply: Built-in battery
  Connection mode: wireless
  Charging mode: Type-C
  Model: M, L, XL
  Principle: Correctly hit the scoring position, while the force meets the value set by the system.

Receiver



- Model: TQW0857
  Material: Engineering plastic
  Connection mode: wireless
  Parameter: IPv6 is supported
  Usage frequency: 2.4GHz+5GHz
  Wireless protocol: Wi-Fi6
  Wireless speed: 6000M
  Receive intelligent protective gear and marker signals to correctly reflect the race results.

Competition System

- Model: TQW0858
  System: win 11
  Memory: more than 2GB
  CPU: Core i5 2.5GHz 4 cores
  Graphics card: Intel integrated graphics card
  Screen size: 14 inches
  Mouse: Wired
  Others: Only the smart protection system is installed separately during the competition.

Smart Chest Protector

- Model: TQW0856
  Skin: PU
  Chip: force sensing chip, area sensing chip
  Transmitter: Module design
  Power supply: Built-in battery
  Connection mode: wireless
  Charging mode: Type-C
  Model: M, L, XL, XXL, XXXL
  Principle: Correctly hit the scoring position, while the force meets the value set by the system.



Smart Gloves

- Model: TQW0854
  Material: Microfiber
  Chip: 6 (fist peak, hand back)
  Size: 8oz, 10oz, 12oz. Washing: not machine wash only wipe.



Smart Foot Cover

- Model: TQW0855
  Material: PU, high elastic textile material
  Chip: 7 (instep, sole, ankle) Size: S, M, L, XL, XXL
  Washing: not machine wash only wipe.



Recognizer

- Model: TQW0859
  Recognize smart guard and beater signals
  Reflect the results correctly.
  Material: Engineering plastic
  Connection mode: wireless
  Parameters:
  IPv6 is supported. The operating frequency is 2.4GHz+5GHz.
  Wireless protocol: Wi-Fi6.
  Wireless speed: 6000M





Sanda Shin Guard

- Model: TQC2007
  Specifcations: S/M/L/XL/XXL
  Material: High quality PU
  Features: High elastic foaming system, light and durable, strong anti-attack ability.



Leg Guard (including instep)

- Model: TQC2006
  Specifcations:Average size
  Material: High quality PU
  Features: High elastic foaming system, light and durable, strong anti-attack ability.



Hand-wrap

- Model: TQW0183.01-01 Specifcation: 3000mm, 50mm wide
  TQW0183.01-02 5000mm, 50mm wide

- Material: Pure cotton
  Features: Good air permeability, soft and comfortable, with convenient nylon self-adhesive design, in combat sports and training to a greater extent to avoid injury.



Sanda Groin Guard (man)

- Model: TST1002
  Specifcations: S/M/L/XL/XXL
  Material: High quality PU
  Features: Hard plastic inner part, high elastic foaming process, strong elastic band. Especially increased protection of the lower abdomen.



Sanda Groin Guard (woman)

- Model: TST1001
  Specifcations: S/M/L/XL
  Material: High quality PU
  Features: Hard plastic inner part, high elastic foaming process, strong elastic band. Especially increased protection of the lower abdomen.



Backpack for Protective Gear

- Model: TSA2004
  Material: High-density Oxford
  Features: Can accommodate a variety of protective gear, training supplies, drawstring design, fine workmanship, convenient and fast, simple and elegant design, ideal backpack or training.



Mouth Guard

- Model: TSA2017
  Specifcation:Average size
  Material: Edible silica gel
  Features: Made of edible silica gel, healthy and environmentally friendly, and can be used at ease. Tooth guard can make our teeth get the best protection when impacted. What's more, it can form a shock absorption effect in the mouth and help to reduce most of the shock force when impacted.



Sanda Kit-shorts and Shirt

- Model: TQC1004
  Specifcations: S/M/L/XL/2XL/3XL/4XL
  Material: Knit fabric
  Features: With IWUF embroidery logo, knit fabric, moisture absorption and perspiration, good breath-ability, in line with competition regulations.



Sanda Shorts Suit for Women

- Model: TQW0852
  Specifications: s, m, l, xl, 2xl, 3xl, 4xl, 5xl
  Color: Red/blue



Sanda Skirt Suit for Women

- Model: TQW0869
  Specifications: s, m, l, xl, 2xl, 3xl, 4xl, 5xl
  Color: Red/blue



Multifunctional Training Station

- Model: TQ2289
  Specifcation: 2736mm×2736mm×2600mm
  Material: Carbon structural steel
  Features: This product is a multifunctional comprehensive boxing trainer integrating sandbags (4 pieces), pear ball, wall target and boxing speed ball. It covers a small area and does not need to be fixed. Users can disassemble and adjust the boxing trainer according to their own needs, making it more fexible to use.



Multifunctional Rotary Training Station

- Model: TQ2291
  Specifcation: 3900mm×3900mm×2695mm
  Material: Carbon structural steel
  Features: This product is a multi-functional comprehensive training device which integrates sandbags, pear balls and wall targets. It covers a small area, does not need to be fxed, and the sandbags can rotate around the column. Users can adjust the position according to their own needs, use more flexibly, suitable for indoor exercise, can effectively enhance the muscle's explosive force and reaction speed.



Arc-shaped Foot Target

- Model: TSA1026
  Specifcations: 395mm×215mm×100mm
  Material: PU
  Features: Tear resistant environmental protection material, percussion surface through destructive testing, multi-seam, unique design, fexible use.



Foot Target

- Model: TSA1030
  Material: PU
  Features: The built-in padding is made of EVA, which conforms to the international standard, and the surface is specially treated, which is non-slip, nondeformation and wear-resistant. The sound is clear and loud.



Multifunctional Wall Target

- Model: TSA1023
  Specifcation: 700mm×400mm×300mm
  Material: PU
  Features: With steel-frame structure and EVA filled inside, it's suitable for practising hooks, straight punches and swings.



Arc Target

- Model: TSA1017
  Specification: 650mm×450mm×100mm
  Material: PU
  Features: The target is curved design, with imitation leather jacket and EVA inner core, the whole body is full, with good impact effect.



Lengthened Hand Target

- Model: TSA1027
  Specifcation: Average size
  Material: PU
  Features: New lengthened type with superior materials, high elastic EVA flling.



Hand Target (monkey face)

- Model: TSA1022
  Specifcations: 310mm×200mm×55mm
  Material: PU
  Features: Made of high density EVA foam, PU leather surface, comfortable to hold the target, firm and firm like monkey face, the filling material of this product is flexible, light and durable.



Hand Target

- Model: TSA2000
  Specifcations: 200mm×250mm×50mm
  Material: PU
  Features: High density compression foam, bending in line with the human hand shape, the center of the palm has a curved design, feel more comfortable.



Column Tumbler

- Model : TS4203B1-01 Specifcation: 80kg 1700mm
  TS4203B1-02 100kg 1700mm
- Features: The base is made of pure cast iron, rubber coated. No noise and no damage to the foor. The steel sleeve plug-in connection mechanism is adopted between the base and sandbag. Suitable for dodge training.



Training Stick Target

- Model: TSA1025
  Specifcation:560mm×60mm
  Material: PU
  Features: One-piece elastic EVA, destructive testing of the striking surface, Velcro hook and loop, comfortable and non-slip grip, sewn stitching, durable.



Sanda Sandbag

- Model: TSSD2001
  Specification: Length 60-180cm
  Maximum diameter 45cm
  Material: Leather
  Features: iron chain bearing stronger, 360° rotator multi-directional impact, high-density anti-tear leather, the inner lining is stronger, the inner liner of the cotton and cloth, striking feel good.



Protective Shield Target

- Model: TSA1029
  Specifcation: 350mm×350mm×150mm
  Material: PU
  Features: Tear-resistant and environmental friendly PU, ≧ 20,000 times impact resistance test, four-layer reinforced handle, manual threading on the side, evenly fit the inner liner, and effectively extend the service life.




Waist Target

- Model: TSA1031
  Specifcation: Average Size
  Material: PU
  Features: High-density EVA, recycled cotton, effective shock absorption, more comfortable wearing, magic buckle design, adjustable size, more convenient to wear.



Tumbler Sandbag (mannequin)

- Model: TS8103B1
  Specifcation: 550mm×400mm×1700mm
  Material: Rubber
  Features: Easy installation, rubber sucking disks at the bottom, which increases the stability of the product and can adjust the height. Thicker abrasion-resistant natural rubber skin design, better hitting feel.



Colored Paddles

- Model: TS8402A1



Admonition Card, Warning Card, Forcible Counting Card

- Model: TS8401A1



Card Rack

- Model: TS8405A1



Draw-lots Box

- Model: TQW0871
  Material: PVC
  Size: 30*30*30cm



Level Card

- Model: TS8404A1



Sanda Warning Rack

- Model: TQC2011



Default Card

- Model: TS8403A1

Weightlifting

Combat Series



- **Men's Competition Barbell**

  Model: TQW0225
  Specification: 190kg
  Material: High quality spring steel, Natural synthetic rubber.
  Features: Colored Rubber

- **Women's Competition Barbell**

  Model: TQW0226
  Specification: 185kg
  Material: High quality spring steel, Natural synthetic rubber.
  Features: Colored Rubber



- **Men's Competition Barbell Pole**

  Model: TQW0228.01
  Specification: 20kg
  Material: Superior high strength spring steel.
  Features: Surface treatment is non-slip, chrome.

- **Women's Competition Barbell Pole**

  Model: TQW0228.03
  Specification: 15kg
  Material: Superior high strength spring steel.
  Features: Surface treatment is non-slip, chrome.



- **Weightlifting Stage**

  Model: TQ1252A
  Specification: 12000mm×10000mm×800mm
  Material: High quality welded steel pipe, multi layer plywood.
  Features: The level can be adjusted, The size can be customized according to customer requirements.

- **Weightlifting Stage for Training**

  Model: TQ1252A/1
  Specification: 10000mm×10000mm×800mm
  Material: High quality welded steel pipe, multilayer plywood.
  Features: The level can be adjusted, The size can be customized according to customer requirements.





Competition Barbell Plates

Model: TQW0226.01-01	Specification: 5 kg
TQW0226.01-02	2.5kg
TQW0226.01-03	2 kg
TQW0226.01-04	1.5kg
TQW0226.01-05	1 kg
TQW0226.01-06	0.5kg
TQW0226.02-01	25kg
TQW0226.02-02	20kg
TQW0226.02-03	15kg
TQW0226.02-04	10kg

Material: Ductile iron, Natural synthetic rubber.
Features: Colored Rubber



Training Type Barbell Plates


Model: TQW0226.03-01	Specification: 5 kg
TQW0226.03-02	2.5kg
TQW0226.03-03	2 kg
TQW0226.03-04	1.5kg
TQW0226.03-05	1 kg
TQW0226.03-06	0.5kg
TQW0226.04-01	25kg
TQW0226.04-02	20kg
TQW0226.04-03	15kg
TQW0226.04-04	10kg

Material: Ductile iron, Natural synthetic rubber.
Features: Black rubber




Weightlifting Platform

- Model: TQW0366
  Specification: 4000mm×4000mm×80mm
  Material: Ash wood
  Features: This product is made of wood. The surface has been specially treated and has non-slip properties. It is made by splicing wood boards. The board and board are connected by double-headed screws, making it an organic whole.



New Type Training Weightlifting Platform

- Model: TQW0366/1
  Specification: 3000mm×3000mm×50mm
- Model: TQW0366/2
  Specification: 3000mm×3000mm×80mm
- Material: Ash and Rubber
  Features: The middle and corners of this product are made of wood. The surface is specially treated and has anti-slip properties.The place where the barbell falls is rubber plate.



Men's Training Barbell

- Model: TQW0227
  Specification: 190kg
  Material: High quality spring steel, Natural synthetic rubber.
  Features: Black Rubber

Women's Training Barbell

- Model: TQW0228
  Specification: 185kg
  Material: High quality spring steel, Natural synthetic rubber.
  Features: Black Rubber

Men's Training Barbell Polel

- Model: TQW0228.02
  Specification: 20kg
  Material: High quality spring steel.
  Features: Surface treatment is non-slip, chrome.


Women's Training Barbell Pole

- Model: TQW0228.04
  Specification: 15kg
  Material: High quality spring steel.
  Features: Surface treatment is non-slip, chrome.



Weightlifting Platform for Training (Colored rubber)

- Model: TQW0223/5B
  Specification: 3000mm×3000mm×50mm
- Model: TQW0223/8B
  Specification: 3000mm×3000mm×80mm
- Material: Ash wood, Colored Rubber (customizable)
  Features: This product can be inlaid in the wood floor, or fixed on the ground with iron frame.



Weightlifting Platform for Training (Colored rubber)

- Model: TQ2283/7B
  Specification: 3000mm×3000mm×30mm
- Model: TQ2283/8B
  Specification: 3000mm×3000mm×40mm
- Model: TQ2283/2B
  Specification: 3000mm×3000mm×50mm
- Model: TQ2283/1B
  Specification: 3000mm×3000mm×80mm
- Material: Colored Rubber
  Features: This product can be inlaid in the wood floor, or fixed on the ground with iron frame.



Support Racket

- Model: TQ2262
  Specifcation: 2000mm×2400mm×2500mm
  Material: High quality metal pipe, Natural rubber plate
  Features: Split-type structure, easy to disassemble and assemble, easy to pack and transport.



Barbell Pole Rack

- Model: TQ2260
  Specifcation: 1160mm×820mm×1210mm
  Material: High quality metal pipe
  Features: Integral structure, high stability, easy to move.



Weightlifting Competition Collars

- Model:TQW22000011
  Weight: 2.5*2kg



Barbell Plates Rack

- Model: TQ2254
  Specifcation: 1900mm×536mm×430mm
  Material: High quality metal pipe,metal sheet
  Features: The barbell plate rack is mainly composed of box and support rod, simple structure, easy to assemble, the whole is stable and firm.




Hand Push Barbell Rack

- Model: TQ2261
  Specifcation: 1442mm×600mm×1165mm
  Material: High quality metal pipe, glass reinforced plastic
  Features: This product is welded by round tube, oval tube and round steel Made with a magnesium cartridge, during training and competition, athletes can use the magnesium powder in the magnesium powder box to realize slip resistance.



Wooden Cushion

- Model: TQW0233A
  Specifcation: 300mm (two-layer)
- Model: TQW0233B
  Specifcation: 400mm (three-layer)
- Material: Ash wood / Rubber



Bench Press Rack

- Model: TQ2251A
  Specifcation: 1800mm×1180mm×1288mm
  Material: High quality metal pipe, PU leather, Compression sponge, multilayer plywood.
  Features: This product is a horizontal bench press rack, composed of welded steel pipe bracket and plate surface, suitable for professional weight lifting training.



Pull-up Rack

- Model: TQ2264
  Specifcation: 1828mm×470mm×(798-1048)mm (adjustable)
  Material: High quality metal pipe, PU leather, Compression sponge, multilayer plywood.
  Features: This product is a highly adjustable bench stand, mainly used for exercising the muscle strength and flexibility of waist and abdomen, and can be used as the auxiliary equipment for competition and training.



Handstand Rack

- Model: TQ2266
  Specifcation: 1300mm×860mm×1914mm
  Material: High quality metal pipe, PU leather, Sponge
  Features: The ankle part of the product is a gear structure, easy to adjust; It can alleviate physical fatigue, improve balance ability, promote the brain blood supply, enhance memory; Can be used as the auxiliary equipment for competition and training.



Squat Rack (with wheel)

- Model: TQ2263/1
  Specifcation: 570mm×455mm×(900-1250)mm (adjustable)
  Material: High quality metal pipe, Ash wood, Rubber
  Features: This product is adjustable squat frame with wheel, which is composed of steel welded bracket and wooden pier. Portable and suitable for professional weight training, but also for the gym and family.



0.4M Squat Rack

- Model: TQ2284A
  Specifcation: 500mm×395mm×447mm
  Material: High quality metal pipe, Ash wood, Rubber
  Features: Strength and flexibility training for weight lifting.



Barbell Lifter

- Model: TQ2293
  Specifcation: 1035mm×1230mm×751mm
  Material: High quality metal pipe, nylon wheel Features: This product is an auxiliary equipment for weight lifting competition and training. Its main function is to raise the pole so that the barbell can be replaced easily.



Squat Rack

- Model: TQ2296/1
  Specifcation: 1300×600×900 mm
  Material: High quality metal pipe, Rubber sheet
  Features: This product is suitable for professional weightlifting training, mainly for the squat movement exercise, and it is a comprehensive equipment which can be placed at the bottom of the barbell.

Rosin Box


- Model: TQ2267
  Specifcation: 450mm×450mm×50mm
  Material: Pine, multilayer plywood
  Features: Rosin or magnesium powder in it, It is used by athletes to wipe the bottom of their feet to prevent skidding.





Magnesium Powder Box

- Model: TQW0049
  Specifcation: 900mm
  Material: Painted iron base, glass reinforced plastic box.
  Features: For magnesium powder.



Magnesium Powder Box (with wheel)

- Model: TQ2268
  Specifcation: 454mm×460mm×(850-1050)mm
  Material: High quality metal pipe, glass reinforced plastic box
  Features:Adjustable height, with wheel, easy to move.



Weighlifting Shoes

- Model: TQW0221
  Size: 37#-45#
  Color: Grey, White



Cowhide Tension Band

- Model: TQW0249/1
  Material: High quality cowhide



Folding Massage Bed

- Model: TQW0376
  Specification: 1860mm×600mm×(480-720)mm,
  Headrest: 270mm, The armrest width: 100mm
  Material: PVC leather, high density sponge, high strength aluminum alloy frame, strong and durable.
  Features: Easy folding and storage.



Weight-bearing Vest

Model:	TQW0357-01	Specification:	5kg
	TQW0357-02		10kg
	TQW0357-03		20kg

- Material: Oxford fabric
  Features: Double inner bag, no leakage. Used for weight-bearing exercise to enhance explosive power.



Weight Control Clothing

- Model: TQW0054
  Specifcation: S/M/L/XL/2XL/3XL/4XL
  Color: Black / Silver
  Material: PU knitted transfer film, airtight,weight loss for athletes and obese people.



Man Woman

Weightlifting Costume

- Model: TQW0219
  Specifcation: S/M/L/XL/2XL/3XL/4XL/5XL
  Color: Blue / Red
  Material: 80% nylon, 20% spandex. Men and women design differently.



Cowhide Bracers

- Model: TQW0358



Bracers

- Model: TQW0360



Weightlifting Belt

- Model: TQW0220/1



Weightlifting Belt

- Model: TQW0220
  Specifcation: 900mm-1300mm
  Material: High quality cowhide



Paper Tube for Weightlifting Bars

- Model: TQW22000012



Dip Plastic Handbell

- Model:TQW0362
  Features: The handle is made of round steel machined and the plates bell is collapsible, it is made of casting and environmental protection neoprene Rubber. Used to exercise arm muscles, abdominal muscles and other parts.



Electroplating Hand Bell

- Model: TQW0361
  Specifcation: 10/15/20/25/30/35/40 kg
  Features: The handle is made of round steel machined, The plates is Cast iron and collapsible Self-assembled weight, can be used to exercise muscle strength of arm, waist and abdominal.



Hex - type Rubber Dumbbells

- Model: TQW0362/2
  Specifcation: 2.5/5/7.5/10/12.5/15...40/42.5/45/47.5/50 kg (per 2.5kg increasing)
  Features: Can be used to exercise the arm, waist, body shaping and so on.



Round Heads With Plastic Dumbbells

- Model: TQW0363
  Specifcation: 2.5/5/7.5/10/12.5/15...40/42.5/45/47.5/50 kg (per 2.5kg increasing)
  Material: PU adhesive



Dip Plastic Kettlebell

- Model: TQW0364
  Specifcation: 2/8/12/16/20/24/28/32 kg
  Features: It can be used for various exercises such as pushing, lifting, throwing and squatting when doing fitness exercises.



Coated Kettle Bell

- Model: TQW0224
  Specifcation: 2/8/12/16/20/24/28/32 kg
  Material: Cast iron, spray paint



Dip Plastic Dumbbell

- Model: TQW0362/1
  Specifcation: 1-10kg（Per 1kg increase）
  Material: Hexagon type scrub impregnated dumbbell
  Features: Can be used to exercise the arm, waist, body shaping and so on.




Weighlifting Tension Belt

- Model: TQW0249
  Material: Made of pure cotton cloth

More
Combat Series

Kurash mat













- **Kurash mat**

Model: TQ1520D
Specifcation: 18000×18000×50 mm; Competition area: 10000×10000 mm

Material: Surface is yellow and red judo leather (PVC polyvinyl chloride leather); the upper layer is high-quality compressed sponge which has good absorbing effect and can protect the athletes from hurting. The fiber board layer in the middle can prevent deformation brought by expansion and contraction. The lower layer is XPE foam material with good cushioning effect. The bottom layer has anti-slip base.





Kurash mat



- Model: TQ2520
  Specification: 18000×18000×50 mm


Material: The surface is yellow and red Judo leather (PVC polyvinyl chloride leather); The upper layer is high-quality compressed sponge which has good absorbing effect and can protect the athlete from hurting. The fiber board layer in the middle can prevent deformation brought by expansion and contraction. The lower layer is XPE foam material with good cushioning effect. The bottom XPE layer is embossed to achieve the purpose of anti-skid.






MORE

Ju Jitsu







- **Ju Jitsu**

Model: TQ1520D
Specifcation: 20000×10000×50 mm; Competition area: 10000×10000 mm



Material: Surface is yellow and red judo leather (PVC polyvinyl chloride leather); the upper layer is high-quality compressed sponge which has good absorbing effect and can protect the athletes from hurting. The fiber board layer in the middle can prevent deformation brought by expansion and contraction. The lower layer is XPE foam material with good cushioning effect. The bottom layer has anti-slip base.

MORE

Octagon (MMA)



- **Octagon (MMA)**


Product Information:

1. A full set of powder coated steel frame, composed of 8cm*10cm*2.5mm steel pipe.
2. 8 sets of chain guardrail cage, made of anti-crack and anti-deformation steel wire, ethylene impregnation protection, which is anti-rust.
3. 8 corner columns, made of 8cmx10cm steel tube thick-walled steel with anti-rust powder coating.
4. 8 Sets of corner column pads, made of 20oz ethylene and high-density foam.
5. One full set of 3cm thick protective EVA pads.
6. One Set of PVC floor cover.
7. One full set of 2.5cm noise-reduced plywood flooring.
8. One carabiner surrounding edge skirt, made of PU.
9. 2 gates.
10. 2 ladders.
11. The club logo is printed on the back and skirt.

Common size: 8m x 8m x 1m, with 1m surrounding edge.
Customizable size: 4x4, 5x5, 6x6, 7x7, 8x8m Height: 0.5-1m

MORE

Octagon (martial arts)




• Octagon (martial arts)

Product Information:

1. A full set of powder coated steel frame, composed of 8cm*10cm*2.5mm steel pipe.
2. 8 sets of chain guardrail cage, made of anti-crack and anti-deformation steel wire, ethylene impregnation protection, which is anti-rust.
3. 8 corner columns, made of 8cmx10cm steel tube thick-walled steel with anti-rust powder coating.
4. 8 Sets of corner column pads, made of 20oz ethylene and high-density foam.
5. One full set of 3cm thick protective EVA pads.
6. One Set of PVC floor cover.
7. One full set of 2.5cm noise-reduced plywood flooring.
8. One carabiner surrounding edge skirt, made of PU.
9. 2 gates.
10. 2 ladders.
11. The club logo is printed on the back and skirt.

Common size: 8m x 8m x 1m

Customizable size: 4x4, 5x5, 6x6, 7x7, 8x8m Height: 0.5-1m



03

EVENT CASES

Events 76-78

Cases Design 79-82

Events & Exhibitions

EVENT CASES



Chengdu 2021 FISU World University Games - Wushu



The 19th Asian Games Hangzhou 2022 - Wrestling

Competition



2023 World Judo Championships in Qatar



2023 16th World Wushu Championships in USA



World Combat Games in Saudi Arabia




2023 Ulaanbaatar East Asian Youth Games

Exhibitions



FSB Cologne in Germany 2023



The 40th China Sport Show 2023



The Canton Fair 2023



The 3rd China International Consumer Products Expo 2023

Cases Design

EVENT CASES

The Judo Mats have passed the certification of the International Judo Federation (IJF) to meet the needs of the events, and successfully served the large-scale comprehensive events at home and abroad, and have been praised by the organizing committee of the events and the athletes.



Basic Information

- Project Location: Chengdu
- Project Name: Chengdu 2021 FISU World University Games - Judo

Project Concept

- **Venue Equipment**

  Judo Platform, Judo Mat

- **Other Equipment**

  Judogi, Climbing Rope, Climbing Belt, Scoreboard, etc.

- **After-sales guarantee**

  In accordance with the 3A requirements of the company, we will provide relevant after-sales support personnel, including technical guidance, product installation, translation team, etc., to ensure the smooth progress of the event.

The Wrestling Mats have passed the certification of the United World Wrestling (UWW) to meet the needs of the events, and successfully served the large-scale comprehensive events at home and abroad, and have been praised by the organizing committee of the events and the athletes.



Basic Information

- Project Location: Hangzhou
- Project Name: Hangzhou Asian Games 2023 - Wrestling

Project Concept

- **Venue Equipment**

  Wrestling Platform, Wrestling Mat


- **Other Equipment**

  Wrestling Costume, Wrestling Shoes, Weighing Scale, Wrestling Clock, Referee Station, Technical Officials Station, etc.

- **After-sales guarantee**

  In accordance with the 3A requirements of the company, we will provide relevant after-sales support personnel, including technical guidance, product installation, translation team, etc., to ensure the smooth progress of the event.

The Boxing products have passed the certification of the International Boxing Association (IBA) to meet the needs of the events, and successfully served the large-scale comprehensive events at home and abroad, and have been praised by the organizing committee of the events and the athletes.



Basic Information

- Project Location: Santiago
- Project Name: The Santiago 2023 Pan American and Parapan American Games

Project Concept

- **Venue Equipment**

  Boxing Platform, Boxing Ring

- **Other Equipment**

  Taishan Sports provided boxing equipment, including competition boxing ring, floor training boxing ring, multi-function training station, boxing gloves.

- **After-sales guarantee**

  In accordance with the 3A requirements of the company, we will provide relevant after-sales support personnel, including technical guidance, product installation, translation team, etc., to ensure the smooth progress of the event.

The Taekwondo products have passed the certification of the World Taekwondo Federation (WTF) to meet the needs of the events, and successfully served the large-scale comprehensive events at home and abroad, and have been praised by the organizing committee of the events and the athletes.



Basic Information

Project Location: Santiago

Project Name: The Santiago 2023 Pan American and Parapan American Games

Project Concept

Venue Equipment

Taekwondo High Platform, Taekwondo Mats

Other Equipment

Taekwondo One-forming Headguard, Taekwondo Chest Protector, Taekwondo Groin Guards, Taekwondo Elbow Guard, etc.

After-sales guarantee

In accordance with the 3A requirements of the company, we will provide relevant after-sales support personnel, including technical guidance, product installation, translation team, etc., to ensure the smooth progress of the event.

Tel/WhatsApp: +86 18453178888

Web: www.taishansports.cn

Email: info@taishansports.com

HQ & Factory: No.1 Taishan Tiyu Rd, Laoling,
Dezhou City, Shandong Province. China. 253600

TaiShan Sports

taishansports

TaiShan



Boxing
Taekwondo
Judo

(Version 2020)

SHANDONG TAISHAN SPORTS EQUIPMENT CO., LTD.



LET THE WORLD ENJOY SPORTS

SPORTS

COMPANY PROFILE

Shandong Taishan Sports Equipment Co.,Ltd. has a registered capital of 50 million yuan and is located in the Economic and Technological Development Zone of Leling City,Shandong Province. Taishan has branches in Beijing,Shanghai,Shenzhen,Jinan,Xi'an,Chengdu etc. In the United States and Japan we own international affiliates and R&D centers. The main products and services include a full range of competitive sports equipment, all kinds of training equipment, civilian fitness equipment, Hi-tech sports &leisure mats, winter sports products and operation of sports events.

Taishan is a world-known sports equipment manufacturer, with the pioneered CD2S mode(consulting, design, supply and service), Taishan has successfully served several Olympic Games, Youth Olympic Games, Asian Games,Universiade, National Games and many other events, all achieving "Zero Fault, Zero Breakdown, Zero Complaint ". Taishan has grown into a world-renowned sports event equipment supplier and service provider and is called "the miracle in the history of Olympic games" by former president of International Olympics Committee and " National Brand and Chinese Honor" by various circles of the society.

Relying on a number of national-level R&D platforms such as "National Engineering Technology Research Center for Sports Goods", "National Industrial Design Center", "National Recognized Enterprise Technology Center", "Postdoctoral Programme", Taishan is equipped with national-level research strength and international□ level testing capability for sports goods. Taishan owns more than 300 patents and is involved in making international and domestic standards for more than 60 terms, and more than 100 products were approved by the IAAF, FIG,IJF,WTF,IWUF,FIFA,FIH and UCI, etc. Taishan's mats are listed in China torch program. Based on technology innovation, Taishan has produces a series of carbon fiber gymnastic equipment, the upgrade of the material is revolutionary, and these equipments are all approved by FIG. At the same time, we continue to popularize gymnastic equipment, develop gymnastic equipment for children and elderly people, realizing "Olympic quality, Enjoyed by all"

Over the years, Taishan equipment company has maintained good exchanges and cooperation with the IOC, SportAccord, FISU, and associations for international individual sports event. Taishan has already established the premier global strategic partnership with FISU and SportAccord. In the future, under the guidance of "One Belt, One Road" initiative, we will put the best effort to introduce Taishan as a national brand to the world and bring sports enjoyment to the world.

STRENGTH





R&D Strength of Taishan

Taishan Sports is the national advanced collective of light industry, the national mass sports advanced unit, the national manufacturing single champion demonstration enterprise, the national sports industry demonstration unit, the deputy director unit of the National Sporting Goods Standardization Technical Committee, the China Sports, Educational and Sporting Goods Association fitness and sports equipment specialty. Committee director unit. It has been awarded the first place among the top ten of China's light industry sporting goods industry for many years. Has many national research and development platforms such as "National Sports Goods Engineering Technology Research Center", "National Sports Goods Competitive Equipment Testing Laboratory", "National Industrial Design Center", "Postdoctoral Research Station", etc.Undertook 2 national science and technology support plans and 3 torch plans.
R&DTaishan Sports has participated in the formulation of more than 90 domestic and foreign industry standards, has nearly 1,000 full-time and part-time R & D personnel, has obtained more than 1,000 domestic and foreign patents, and has more than 100 products that have passed the IAAF, FIG, FIBA Certification IJF， FIBA, WT, IWUF, FIFA. Relying on technologicalinnovation, Taishan Sports has grown from reaching international standards to leading international standards, and has grown into a world sports industry and human health standard-setting company, with more international voice.

QUALIFICATIONS































01

Boxing



Aiba Certification

Competition Boxing Ring

Model: TQ1251
Specifications: 7800mm×7800mm×1000mm
Material: PU, PVC warp knitted fabric, sponge, canvas, high-load bearing sponge, XPE, high-quality carbon structural steel, birch multilayer board, etc.
Features: Certified by AIBA, the overall performance is stable and reliable. It adopts high-quality metal rectangular tube frame structure, with multi-layer board, flexible layer, cover sheet. Won the praise of professional athletes in many competitions.
① The high platform is mainly composed of columns, supporting beams and wooden boards: the main materials of the frame and columns are steel rectangular tubes; the main material of the wooden board assembly is birch multi- layer boards. The high platform adopts the U-clip wrap connection method, which has a firm and reliable connection and a beautiful appearance;
② Comfortable feet, good elasticity,which is good for athletes to play;
③ Non-slip, good load capacity;
④ Easy installation and removal.



Boxing Ring for Training

5-meter Boxing Ring

Model: TQ2252/2
Specifications: 5000mm×5000mm×1991mm （Platform height: 500mm）

6-meter Boxing Ring

Model: TQ2252
Specifications: 6000mm×6000mm×2442mm （Platform height: 1000mm）

7-meter Boxing Ring

Model: TQ2252/1
Specifications: 7000mm×7000mm×2442mm （Platform height: 1000mm）

Material: PU,PVC warp knitted fabric, sponge, canvas, high-load bearing sponge, XPE, high-quality carbon structural steel, birch multilay er board, etc.
Features:
① The high platform is mainly composed of columns, supporting beams and wooden boards: the main materials of the frame and columns are steel rectangular tubes; the main material of the wooden board assembly is birch multi-layer boards. The high platform adopts the U-clip wrap connection method, which has a firm and reliable connection and a beautiful appearance;
② Comfortable feet, good elasticity, which is good for athletes to play;
③ Non-slip, good load capacity;
④ Easy installation and removal.



Floor Boxing Ring

Model: TQ2309
Specification: 5000mm×5000mm×1500mm
Material: PU leather, sponge, high bearing sponge, XPE, high-quality carbon steel, etc.
Features:
① Excellent protection performance, good antiskid, not easy to deform, durable, grand and decent, environmental materials, excellent processing technology;
② It is made of high-quality materials, combined frame, easy to disassemble and transport. The ropes around it are made of steel wire, foam pipe, PU leather and other materials, which are strong and beautiful;
③ Surface treatment: all metal parts are pickled and phosphated, and then shot blasting and sprayed. The automatic powder electrostatic spraying equipment is adopted. The coating has good weathering resistance, high impact strength, stable quality of metal coating, excellent acid and alkali resistance, moisture and heat resistance, anti-aging and so on.



Competition Boxing Helmet (leather)

Aiba Certification

Model: TSA1001
Specification: S/M/L/XL
Material: The surface layer is selected first layer of cowhide, the inner stuffer is made of latex, EVA, sponge, etc;
Features: The selected first layer of cowhide is delicate; comfortable, light, strong protective performance; breathable design, the top of the helmet can be adjusted to make wearing comfortable; super strong Velcro, the number of times of bonding can be more than 5000, more durable, more solid bonding; the thickening treatment of the back part can provide the most professional protection.



Competition Boxing Helmet (PU)

Model: TSA1001A
Specification: S/M/L/XL
Material: The surface layer is selected high-quality PU, the inner stuffer is made of foaming rubber;
Features: The selected high-quality PU is delicate; comfortable, light, strong protective performance; breathable design, the top of the helmet can be adjusted to make wearing comfortable; super strong Velcro, the number of times of bonding can be more than 5000, more durable, more solid bonding; the thickening treatment of the back part can provide the most professional protection.



Competition Boxing Gloves (leather)

Aiba Certification

Model: TSA1002-01　Specification: 8oz
TSA1002-02　10oz
TSA1002-03　12oz
TSA1002-04　14oz
Material: The surface layer is selected first layer of cowhide, the inner stuffer is made of latex, EVA, sponge, etc;
Features: The selected first layer of cowhide is delicate, so that the gloves can form a natural and perfect arc, and provide the most meticulous protection when clenching; the leather folds are neat and uniform, with a strong three-dimensional sense; super strong Velcro, the number of times of bonding can reach more than 5000; the thumb and the glove itself are tightly attached, effectively preventing the injury when using swing punch.



Competition Boxing Gloves (PU)

Model: TSA1002A-01 Specification: 8oz
TSA1002A-02 10oz
TSA1002A-03 12oz
TSA1002A-04 14oz
Material: The surface layer is selected high-quality PU, one stop molding of foaming rubber.
Features: The selected high-quality PU is delicate, so that the gloves can form a natural and perfect arc, and provide the most meticulous protection when clenching; the leather folds are neat and uniform, with a strong three-dimensional sense; super strong Velcro, the number of times of bonding can reach more than 5000; the thumb and the glove itself are tightly attached, effectively preventing the injury when using swing punch.



Groin Guard for Men

Model: TST1002
Specification: S/M/L/XL
Material: High-quality PU
Features: Hard plastic inner stuffer, made of high elastic foam, strong elastic band, especially increase the protection of the lower abdomen.



Groin Guard For Women

Model； TST1001
Specification: S/M/L/XL
Material: High-quality PU
Features: Larger protection area, made of high elastic foam, strong elastic band. Especially increase the protection of the lower abdomen, suitable for daily training and competition.



Mouth Guard

Model: TSA2017
Specification: Average size
Material: Edible silica gel
Features: Made of edible silica gel, healthy and environmentally friendly, and can be used at ease. Tooth guard can make our teeth get the best protection when impacted. What's more, it can form a shock absorption effect in the mouth and help to reduce most of the shock force when impacted.



Boxing Uniform

Model: TSA2008
Specification: S/M/L/XL/2XL/3XL/4XL
Material: Knitted fabric
Features: The cutting structure of the clothing is scientifically designed, the knitted fabric is moistureabsorbing and sweat-wicking, and the air permeability is good. The texture of the material is upgraded to make it more comfortable to wear, and the movement is unimpeded; the men's and women's styles are designed differently



Boxing Shoes

Model: TSA2016
Specification: 36#-45#
Material: Flyknit
Features: Comprehensive sports experience upgrading; the vamp adopts flyknit and fusing technology to make the vamp more integrated and enhance the comfort of wearing and breathability; the lace binding system adopts flying wire technology to make the vamp more fit the foot surface and reduce the energy loss caused by frequent movement of the foot in the shoe; the insole and interior adopt nano odor proof and waterproof technology to keep the inside of the shoe long time dry; the sole rubber adopts the antiskid formula of wrestling shoes, the grip is greatly enhanced; the appearance is updated.




Hand-wrap

Model: TQW0183.01-01 Specification: 3000mm, 50mm wide
TQW0183.01-02 5000mm, 50mm wide
Material: Pure cotton
Features: Made of pure cotton, good air permeability, soft and comfortable, with convenient nylon self-adhesive design, it can effectively avoid injury during fight sports and training, and make athletes perform better.



Multifunctional Training Station

Model: TQ2289
Specification: 2736mm×2736mm×2600mm
Material: Carbon structural steel
Features: This product is a multifunctional comprehensive boxing trainer integrating sandbags (4 pieces), pear ball, wall target and boxing speed ball. It covers a small area and does not need to be fixed. Users can disassemble and adjust the boxing trainer according to their own needs, making it more flexible to use.



Multifunctional Rotary Training Station

Model: TQ2289/1
Specification: 3900mm×3900mm×2705mm
Material: Carbon structural steel
Features: This product is a multi-functional comprehensive training device which integrates sandbags, pear balls and wall targets. It covers a small area, does not need to be fixed, and the sandbags can rotate around the column. Users can adjust the position according to their own needs, use more flexibly, suitable for indoor exercise, can effectively enhance the muscle's explosive force and reaction speed.



Boxing Pear Shape Sandbag

Model: TSA2005
Specification: 900mm, weigh 50kg
Material: High-quality PU
Features: Equipped with special rotator, high elastic foam layer, rubber cloth core.



Simple Lifting Speed Ball Rack

Model: TQ2288
Specification: 835mm×600mm×710mm (height of track)
Material: Steel, birch multilayer board
Features: This product is an auxiliary training equipment. Easy to install, height adjustable, can be used for people of different height.



Speed Ball Rack

Model: TQ2288/1
Specification: 700mm×600mm×430mm
Material: Steel, birch multilayer board
Features: This product is an auxiliary training equipment fixed on the wall. The steel frame is firm, with a rotatable bearing. It's used by the user for speed exercise.



Boxing Wall Fixed Lifting Pear Ball Rack

Model: TSA2013
Specification: φ600mm×30mm(wooden board),
1000mm×600mm(steel frame)
Material: Steel, wood.
Features: The main structure of the steel frame is fixed on the wall. The height of the wooden board can be adjusted according to the height of the player. It has a rotatable bearing. This product is used for speed exercise.



Boxing Sandbag

Model: TQ2543
Specification: φ400mm×1300mm
Material: Sky pu, stuffer
Features: Durable

Model: TQ2545
Specification: φ450mm×1400mm
Material: Sky pu, stuffer
Features: Sweat absorption, durable

Model: TQ2542
Specification: φ350mm×1200mm
Material: Sky pu, stuffer
Features: Durable



Column Tumbler

Model: TS4203B1-01 Specification: 80kg 1700mm
TS4203B1-02 100kg 1700mm
Material: PU
Features: The base is made of pure cast iron, rubber coated. No noise and no damage to the floor. The steel sleeve plug-in connection mechanism is adopted between the base and sandbag. Suitable for dodge training.



Human Shape Tumbler

Model: TS4204B1-01 Specification: 80kg 1800mm
TS4204B1-02 100kg 1800mm
Material: PU
Features: The base is made of pure cast iron, rubber coated. No noise and no damage to the floor. The steel sleeve plug-in connection mechanism is adopted between the base and sandbag. This tumbler can stimulate the regular swing of human body, suitable for dodge training.



Multifunctional Boxing Target

Model:TSA1028A/TSA1028B
Specifications: 1000mm×1500mm×2200mm
Material: Steel plate stytle / Floor type
Features: It can greatly improve the reaction capacity and action fluency in the movement, and strike ability and acceleration of the boxing combination.



Hand Target

Model: TSA2000
Specifications: 200mm×250mm×50mm
Material: PU
Features: High density compression foam, bending in line with the human hand shape, the center of the palm has a curved design, feel more comfortable.



Lengthened Hand Target

Model: TSA1027
Specification: Average size
Material: PU
Features: New lengthened type with superior materials, high elastic EVA filling.



Hand Target (monkey face)

Model: TSA1022
Specifications: 310mm×200mm×55mm
Material: PU
Features: Made of high density EVA foam, PU leather surface, comfortable to hold the target, firm and firm like monkey face, the filling material of this product is flexible, light and durable.



Arc-shaped Foot Target

Model: TSA1026
Specifications: 395mm×215mm×100mm
Material: PU
Features: Tear resistance and environmental material, with destructive test on the punching surface, unique design with multiple stitching, it's flexible to use.



Arc-shaped Target

Model: TSA1017
Specifications: 650mm×450mm×100mm
Material: PU
Features: Arc-shaped design, with imitation leather and EVA filling, and it's solid and good for punching.



Iran Target

Model: TSE1016
Specifications: 450mm×250mm×100mm
Material: PU
Features: New type target, it's flexible to use and it's suitable for Taekwondo gymnisium and its amateurs.



Multifunctional Wall Target

Model: TSA1023
Specification: 700mm×400mm×300mm
Material: PU
Features: With steel-frame structure and EVA filled inside, it's suitable for practising hooks, straight punches and swings.



Boxing Speed Ball

Model: TSA2009
Specifications: 210mm×210mm
Material: PU
Features: New design with simple hook, it's easy to install. high-elastic rope makes a faster rebound, wearresistant, not easy to fall off, it's suitable for professional athletes and amateurs.



Training Stick Target

Model: TSA1025
Specifications: 560mm×60mm
Features: One-step molding, elastic EVA, with destructive test on the punching surface, velcro fastening, good hand feeling with no sliding, sophisticated stitching, and durable.



Skipping Rope

Model: TSA2003
Specifications: 3000mm
Material: Rubber
Features: With spindle and foam sponge in the handle.



Rosin Box

Model: TQ2267
Specifications: 450mm×450mm×50mm
Materials: Pinewood board and brich sandwich plate.
Features: It's skid resistance for the athletes to apply rosin or magnesium powder to the sole of their feet.



Protective Backpack

Model: TSA2004
Material: High-density Oxford cloth
Features: Can accommodate a variety of protective gear, training supplies, drawstring design, fine workmanship, convenient and fast, simple and elegant design, ideal backpack or training.

02


Taekwondo



Taekwondo Mats (new octangle type)

World Taekwondo Federation

Model: TQ1534
Specifications: 12000mm×12000mm×25mm
Colors: Red, Blue/Yellow, Green/Blue, Green
Material: Storiform leather, XPE
Features:
1. Elegant appearance with high-rate compoundstoriform leather,The competition area is 8000mm octagonal shape.
2. Flame heat sealing and water cutting process, it consists of 9 unit blocks, new seamless connection method, it's beautiful and easy to install. With comfortable feeling, good elasticity, it is excellent for athletes to exert their sports abilities.



Taekwondo High Platform

Model: TQ1278/1
Specifications: 14270mm×14270mm×600mm (customized size is acceptable)
Material: High-quality carbon steel, brich sandwich plate
Features: With unit design and horizontal adjustable, it's easy to disassemble and install, customized size is acceptable.





Taekwondo Training Mats (octagonal)

（1）Model: TQ1522
Specifications: 12000mm×12000mm×25mm Size/piece: 828mm×828mm
Colors: Red, Blue
Material: XPE
Features: Mainly used for taekwondo competition and training. It consists of competition and protection areas and are distinguished by two different colors.
Structure: Serrated lock.

（2）Model: TQ2638
Specifications: 12000mm×12000mm×25mm
Colors: Red, Blue
Material: EVA (high elasticity)
Features: The field consists of competition area and protection area and are distinguished by two different colors.With comfortable feeling, good elasticity, it is excellent for athletes to exert their sports abilities.



Taekwondo Training Mats (square)

（1）Model: TQ2633
Specifications: 12000mm×12000mm×30mm
Material: XPE

（2）Model: TQ2575
Specifications: 14000mm×14000mm×25mm
The competition area consists of 144 pieces of mats(8000mm×8000mm).
Colors: Red, Blue/Yellow, Blue
Material: High resilience EVA

（3）Model: TQ2521
Specifications: 12000mm×12000mm×25mm
The competition area consists of 144 pieces of mats(8000mm×8000mm).
Colors: Red, Blue
Material: EVA



Taekwondo Protection Set

Model: TSE1012
Descriptions: It includes one-step molding head guard, thickened chest protector, groin guard, elbow guard,leg guard and bag. With first-class materials and craftsmanship, lightweight, sturdy and durable.Excellent protection performance and no negative effects on athletes make it one of the best protective products in the market.







Taekwondo Head Guard

Model: TSE1011
Specifications: 1#/2#/3#/4#/5#
Material: With polyurethane CR sheet, one-step foaming craftsmanship.
Features: Designed according to mechanical principles, soft and comfortable, excellent air permeability and deodorization, brilliant protection ability.



Taekwondo Chest Protector

Model: TSE1000
Specifications: 1#/2#/3#/4#/5#
Material: High quality PU
Features: With compressed polyurethane material filled inside, excellent protection, comfortable to use and it's quick to restore the original shape.



Taekwondo Groin Guards for Male

Model: TSE1003
Specifications: 1#/2#/3#/4#/5#
Material: High quality PU
Features: With compressed polyurethane material filled inside, excellent protection, comfortable to use and it's quick to restore the original shape.



Taekwondo Groin Guards for Female

Model: TSE1003A
Specifications: 1#/2#/3#/4#/5#
Material: High quality PU
Features: With compressed polyurethane material filled inside, excellent protection, comfortable to use and it's quick to restore the original shape.



Taekwondo Competition Gloves

Model: TSE1001
Specifications: S/M/L/XL/XXL
Material: High quality PU
Features: The quality is improved according to the WTF new rules and the air permeability and sweat absorbency are also greatly improved. Special process on the details of the palm of the glove makes it more comfortable to wear.



Taekwondo Competition Foot Cover

Model: TSE1002
Specifications: S/M/L/XL/XXL
Material: High quality PU
Features: The quality is improved under the guidance of WTF new rules and the air permeability and sweat absorbency are also greatly improved. Special process on the details of the toe part of the foot cover makes it more comfortable to wear.



Taekwondo Elbow Guard

Model: TSE1004
Specifications: 1#/2#/3#/4#/5#
Material: High quality PU
Features: With compressed polyurethane material filled inside, excellent protection, comfortable to use and it's quick to restore the original shape.



Taekwondo Leg Guard

Model: TSE1005
Specifications: 1#/2#/3#/4#/5#
Material: High quality PU
Features: With compressed polyurethane material filled inside, excellent protection, comfortable to use and it's quick to restore the original shape.



Hand Target

Model: TSE1015
Specification: 380mm×180mm
Material: PU
Features: The target surface of high-quality material with highquality filler is not only lightweight, but also durable. The design of the target body can bring about an effective improvement in feel and striking. The function, materials, design and appearance of this product reflect the professional brand style. The target is suitable for daily training and it's an indispensable tool for Taekwondo pratice.



Curved Rear Kick Target

Model: TSE1014
Specification: 600mm×400mm×100mm
Material: PU
Features: Radar design of target body and flat target surface can effectively improve the hitting speed and strength of the trainer and give the target holder the most effective protection.



Straight Back Kick Target

Model: TSE1021
Specification: 600mm×400mm×100mm
Material: PU
Features: Large chest target for practicing leg strength, strong and durable, good kick feeling, fully guarantee the safety of the target holder, and greatly improve the level of strength exercises.



Handguard Taekwondo Arc Target

Model: TSE1034
Specification: 420mm×250mm×50mm
Material: PU
Features: Polyethylene foam, compressed sponge inner core, with excellent protection effect, comfortable use and fast recovery.



Curved Chest Target

Model: TSE1013
Specification: 800mm×380mm×200mm
Material: PU
Features: Large strength chest target, mainly used for strength training in Taekwondo practice. The target surface is humanized and curved, bringing the best hitting feeling Effectively improve training results.



Imitation Leather Breast Target

Model: TSE1018
Specification: 500mm×400mm×100mm
Material: PU + High-density canvas
Features: Economical and practical, lightweight and durable.



Taekwondo Shoes


Model: TSE1019
Specification: 34 #-45 #
Features: The upper is reinforced with material, which is more protective, more durable, and it can effectively protect toes. Beef tendon soles are lighter, harder and more breathable, which can protect the feet from dryness at higher temperatures.

Taishan Competition Uniform



Uniform Fabric: Polyester

TSE1020A "light rain drop" pattern





Taishan Uniform for Black Belt Under 16

TSE1023	Product With Striped Jacquard
TSE1025	Product With 'WT'

Product Features:
All polyester, the uniform with distinguish between men and women.





Men ’s top is white cardigan ‘y’ red and black collar,
pants are bright blue.





Women's tops are white cardigan ‘y’ red and black collar,
pants are red.

Taishan Uniform for Black Blet

TSE1026	Dan's With 'WT' Words
TSE1029	Dan's Dopont Fabric

Product Features: Polyester and cotton, the clothing have distinguish of men and women.





Men ’s top is white cardigan ‘y’ black collar,
pants are navy blue.





Women's top is a white cardigan ‘y’ black collar,
pants are gray-blue.

Taishan High-ranked Uniform

TSE1027	High Section 'WT'
TSE1030	High Section DuPont Fabric

Product Features: Polyester, Taekwondo 7 or higher Persons in the upper ranks do not distinguish between men and women. Top is yellow color, black collar with 'y' cardigan, and dark blue pants.





The material for all high-ranked uniform:










03

Karate



Karate Floor

Model: TQ1566
Specifications: 12000mm×12000mm×20mm
Material: High-quality environmental protection XPE
Features: The venue is composed of a competition area and a protection area, which is distinguished by two colors. The feet feel comfortable, the elasticity is moderate, and the surface of the mat surface is non-slip, which is good for athletes Play level.

Karate Floor

Model: TQ1566A
Specification: 12000mm×12000mm×20mm
Material: High-quality environmental protection XPE
Features: The venue is composed of the competition area and the protection area, which is distinguished by two colors. The foot feels comfortable, the elasticity is moderate, and the diamond-shaped surface is non-slip. Changing the surface pattern increases the friction coefficient of the entire field, which is more conducive to athletes' performance.



Karate Training Ground

Model: TQ2711
Specification: 12000mm×12000mm×30mm
Material: High-quality EVA Product
Features: One-time foam molding, splicing of mother and child teeth, fast installation, moderate elasticity, meeting the requirements of competition and training.



Karate Headgear

Model: TSD1003
Specification: S/M/L/XL/XXL
Material: High-quality PU
Features: The latest model, soft and comfortable lining, thickening treatment behind the head, integrated design, easy to wear, and safer protection.



Karate Gloves

Model: TSD1009A /TSD1009B
Specification: S/M/L/XL/XXL
Material: Microfiber / PU
Features: Onepiece molding process, protects the peaks of the punches, the elastic band is pulled enough, and it is not easy to fall off; precision sewing, good toughness, tear resistance.



Karate Competition Chest Protector

Model: TSD1001
Specification: S/M/L/XL/XXL
Material: High-quality PU
Features: The latest style, made of rubber and plastic with high elastic foam. The back has a hook and loop design, making it easier to wear.



Karate Competition Chest Protector

Model: TSD1004
Specification: S/M/L/XL/XXL
Material: High-quality PU Product
Features: The latest style, made of rubber and plastic with high elastic foam. Hook and loop design on the back makes it easier to wear.



Karate Uniform

Model: TSD1002
Specifications: 1#-5#
Material: Pure cotton
Features: Good vertical fabric, fast drying fiber and pure cotton mixed. heat ventilate quickly after more exercises, the lining fabric of the neckline cuff not only feels good, but also decrease the stickup of the body, to improve the flexibility of the movement.



Man Groin Protector

Model: TST1002A
Specifications: S/M/L/XL
Material: High quality PU
Features: Hard plastic inner part, highelastic foaming made, strong elastic band,especially add the protection for the lower abdomen.



Women Groin Protector

Model: TST1001A
Specifications: S/M/L/XL
Material: High quality PU
Features: High-elastic foam, strong elastic band,especially add the protection for the lower abdomen.



Karate Shin and Instep Guard

Model: TSD2005
Specifications: S/M/L/XL
Material: High quality PU
Features: Deluster PU surface, machine stitching, Polyurethane foam molding inner part.



Hand Target

Model: TSA2000
Specifications: 200mm×250mm×50mm
Material: PU
Features: High density compression foam, bending in line with the human hand shape, the center of the palm has a curved design, feel more comfortable.



Hand Target (monkey face)

Model: TSA1022
Specifications: 310mm×200mm×55mm
Material: PU
Features: Made of high density EVA foam, PU leather surface, comfortable to hold the target, firm and firm like monkey face, the filling material of this product is flexible, light and durable.



Arc-shaped Foot Target

Model: TSA1026
Specifications: 395mm×215mm×100mm
Material: PU
Features: Tear resistant environmental protection material, percussion surface through destructive testing, multi-seam, unique design, flexible use.



Foot Target

Model: TSA1030
Specifications: S/M/L
Material: PU
Features: The built-in padding is made of EVA, which conforms to the international standard, and the surface is specially treated, which is non-slip, nondeformation and wear-resistant.The sound is clear and loud.

SHANDONG TAISHAN SPORTS EQUIPMENT CO., LTD.

M.P/Whatsapp: +86 13853479570

Mailboxes: peterzhang@taishansports.com

Web: www.taishansports.cn

Address: No. 1 Taishantiyu Road Leling City, Shandong Province. China

Focus Taishan Sports
Official Accounts